




PLot file version 1 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 2 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




Plot file version 3 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 4 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




Plot file version 5 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 6 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 7 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




Plot file version 8 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




Plot file version 9 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 10 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 11 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




Plot file version 12 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0




PLot file version 13 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0



PLot file version 14 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0



PLot file version 15 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0



PLot file version 16 created 23-DEC-2015 14:51:55
Closure Phase vs Time for 3C120.UVSUB.1
IF 1- 1 CH 1- 1 STK I CC ver 0

