



Plot file version 1 created 05-SEP-2023 20:22:23  
 3C345 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:30:01 to 00/21:34:00

Plot file version 2 created 05-SEP-2023 20:22:24  
 3C345 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:30:01 to 00/21:34:00

Plot file version 3 created 05-SEP-2023 20:22:24  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:37:01 to 00/21:38:44

Plot file version 4 created 05-SEP-2023 20:22:24  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:37:01 to 00/21:38:44

Plot file version 5 created 05-SEP-2023 20:22:25




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:38:46 to 00/21:41:59

Plot file version 6 created 05-SEP-2023 20:22:25  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:38:46 to 00/21:41:59

Plot file version 7 created 05-SEP-2023 20:22:25  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:42:01 to 00/21:43:44

Plot file version 8 created 05-SEP-2023 20:22:26  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:42:01 to 00/21:43:44



Plot file version 9 created 05-SEP-2023 20:22:26

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:43:46 to 00/21:46:59

Plot file version 10 created 05-SEP-2023 20:22:27

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/21:43:46 to 00/21:46:59

Plot file version 11 created 05-SEP-2023 20:22:27  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:47:31 to 00/21:49:14

Plot file version 12 created 05-SEP-2023 20:22:27

J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/21:47:31 to 00/21:49:14

Plot file version 13 created 05-SEP-2023 20:22:28

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:49:16 to 00/21:52:29

Plot file version 14 created 05-SEP-2023 20:22:28

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:49:16 to 00/21:52:29

Plot file version 15 created 05-SEP-2023 20:22:29


J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:52:31 to 00/21:54:14

Plot file version 16 created 05-SEP-2023 20:22:29  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:52:31 to 00/21:54:14



Plot file version 17 created 05-SEP-2023 20:22:29

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:54:16 to 00/21:57:29

Plot file version 18 created 05-SEP-2023 20:22:30


G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:54:16 to 00/21:57:29

Plot file version 19 created 05-SEP-2023 20:22:30  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:58:01 to 00/21:59:44

Plot file version 20 created 05-SEP-2023 20:22:30  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/21:58:01 to 00/21:59:44

Plot file version 21 created 05-SEP-2023 20:22:31  
 3C345 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:03:06 to 00/22:07:05

Plot file version 22 created 05-SEP-2023 20:22:31  
 3C345 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:03:06 to 00/22:07:05

Plot file version 23 created 05-SEP-2023 20:22:32  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:11:03 to 00/22:12:51

Plot file version 24 created 05-SEP-2023 20:22:32  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:11:03 to 00/22:12:51



Plot file version 25 created 05-SEP-2023 20:22:32

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:13:23 to 00/22:16:36

Plot file version 26 created 05-SEP-2023 20:22:33


G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:13:23 to 00/22:16:36

Plot file version 27 created 05-SEP-2023 20:22:33  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:16:38 to 00/22:18:21

Plot file version 28 created 05-SEP-2023 20:22:33

J2114+4953 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:16:38 to 00/22:18:21

Plot file version 29 created 05-SEP-2023 20:22:34

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:18:23 to 00/22:21:36

Plot file version 30 created 05-SEP-2023 20:22:34

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/22:18:23 to 00/22:21:36

Plot file version 31 created 05-SEP-2023 20:22:35  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:21:38 to 00/22:23:21

Plot file version 32 created 05-SEP-2023 20:22:35  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:21:38 to 00/22:23:21



Plot file version 33 created 05-SEP-2023 20:22:35








G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:23:53 to 00/22:27:06

Plot file version 34 created 05-SEP-2023 20:22:36  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:23:53 to 00/22:27:06

Plot file version 35 created 05-SEP-2023 20:22:36  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:27:08 to 00/22:28:51

Plot file version 36 created 05-SEP-2023 20:22:36  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:27:08 to 00/22:28:51

Plot file version 37 created 05-SEP-2023 20:22:37

G90.92 EA067 2.UVAVG.1


No calibration applied and no bandpass applied



Plot file version 38 created 05-SEP-2023 20:22:37

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/22:28:53 to 00/22:32:06

Plot file version 39 created 05-SEP-2023 20:22:37  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:32:08 to 00/22:33:51


Plot file version 40 created 05-SEP-2023 20:22:38  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:32:08 to 00/22:33:51




Plot file version 41 created 05-SEP-2023 20:22:38  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:34:23 to 00/22:36:06

Plot file version 42 created 05-SEP-2023 20:22:38  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:34:23 to 00/22:36:06

Plot file version 43 created 05-SEP-2023 20:22:38

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:36:38 to 00/22:39:51

Plot file version 44 created 05-SEP-2023 20:22:39

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/22:36:38 to 00/22:39:51

Plot file version 45 created 05-SEP-2023 20:22:39  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:39:53 to 00/22:41:36

Plot file version 46 created 05-SEP-2023 20:22:39  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:39:53 to 00/22:41:36

Plot file version 47 created 05-SEP-2023 20:22:40

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:41:38 to 00/22:44:51

Plot file version 48 created 05-SEP-2023 20:22:40

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:41:38 to 00/22:44:51




Plot file version 49 created 05-SEP-2023 20:22:40  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:44:53 to 00/22:46:36

Plot file version 50 created 05-SEP-2023 20:22:41  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:44:53 to 00/22:46:36

Plot file version 51 created 05-SEP-2023 20:22:41

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:47:08 to 00/22:50:21

Plot file version 52 created 05-SEP-2023 20:22:41

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/22:47:08 to 00/22:50:21

Plot file version 53 created 05-SEP-2023 20:22:42  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:50:23 to 00/22:52:06

Plot file version 54 created 05-SEP-2023 20:22:42  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:50:23 to 00/22:52:06

Plot file version 55 created 05-SEP-2023 20:22:42

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:52:08 to 00/22:55:21

Plot file version 56 created 05-SEP-2023 20:22:43

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:52:08 to 00/22:55:21




Plot file version 57 created 05-SEP-2023 20:22:43  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:55:23 to 00/22:57:06

Plot file version 58 created 05-SEP-2023 20:22:43  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:55:23 to 00/22:57:06

Plot file version 59 created 05-SEP-2023 20:22:43  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:58:48 to 00/23:00:31

Plot file version 60 created 05-SEP-2023 20:22:44

J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:58:48 to 00/23:00:31

Plot file version 61 created 05-SEP-2023 20:22:44

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:00:33 to 00/23:03:46

Plot file version 62 created 05-SEP-2023 20:22:44

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:00:33 to 00/23:03:46

Plot file version 63 created 05-SEP-2023 20:22:45  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:03:48 to 00/23:05:31

Plot file version 64 created 05-SEP-2023 20:22:45

J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:03:48 to 00/23:05:31



Plot file version 65 created 05-SEP-2023 20:22:45

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:05:33 to 00/23:08:46

Plot file version 66 created 05-SEP-2023 20:22:46

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:05:33 to 00/23:08:46

Plot file version 67 created 05-SEP-2023 20:22:46  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:09:18 to 00/23:11:01

Plot file version 68 created 05-SEP-2023 20:22:46  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:09:18 to 00/23:11:01

Plot file version 69 created 05-SEP-2023 20:22:47

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:11:03 to 00/23:14:16

Plot file version 70 created 05-SEP-2023 20:22:47

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:11:03 to 00/23:14:16

Plot file version 71 created 05-SEP-2023 20:22:47  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:14:18 to 00/23:16:01

Plot file version 72 created 05-SEP-2023 20:22:48

J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:14:18 to 00/23:16:01



Plot file version 73 created 05-SEP-2023 20:22:48

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:16:03 to 00/23:19:16

Plot file version 74 created 05-SEP-2023 20:22:48

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:16:03 to 00/23:19:16

Plot file version 75 created 05-SEP-2023 20:22:49

J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:19:48 to 00/23:21:31

Plot file version 76 created 05-SEP-2023 20:22:49

J2007+4029 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:19:48 to 00/23:21:31

Plot file version 77 created 05-SEP-2023 20:22:49


J2114+4953 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:23:04 to 00/23:24:52

Plot file version 78 created 05-SEP-2023 20:22:50  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:23:04 to 00/23:24:52

Plot file version 79 created 05-SEP-2023 20:22:50

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:25:24 to 00/23:28:37

Plot file version 80 created 05-SEP-2023 20:22:50

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:25:24 to 00/23:28:37




Plot file version 81 created 05-SEP-2023 20:22:51  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:28:39 to 00/23:30:22

Plot file version 82 created 05-SEP-2023 20:22:51  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:28:39 to 00/23:30:22

Plot file version 83 created 05-SEP-2023 20:22:51

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:30:24 to 00/23:33:37

Plot file version 84 created 05-SEP-2023 20:22:52

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:30:24 to 00/23:33:37

Plot file version 85 created 05-SEP-2023 20:22:52  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:33:39 to 00/23:35:22

Plot file version 86 created 05-SEP-2023 20:22:52  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:33:39 to 00/23:35:22

Plot file version 87 created 05-SEP-2023 20:22:52

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:35:54 to 00/23:39:07

Plot file version 88 created 05-SEP-2023 20:22:53

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:35:54 to 00/23:39:07



Plot file version 89 created 05-SEP-2023 20:22:53  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:39:09 to 00/23:40:52

Plot file version 90 created 05-SEP-2023 20:22:53

J2114+4953 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:39:09 to 00/23:40:52

Plot file version 91 created 05-SEP-2023 20:22:54

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:40:54 to 00/23:44:07

Plot file version 92 created 05-SEP-2023 20:22:54

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:40:54 to 00/23:44:07

Plot file version 93 created 05-SEP-2023 20:22:54  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:44:09 to 00/23:45:52

Plot file version 94 created 05-SEP-2023 20:22:55  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:44:09 to 00/23:45:52

Plot file version 95 created 05-SEP-2023 20:22:55


J2137+5101 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:45:54 to 00/23:47:37

Plot file version 96 created 05-SEP-2023 20:22:55  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:45:54 to 00/23:47:37



Plot file version 97 created 05-SEP-2023 20:22:56


G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:48:09 to 00/23:51:22

Plot file version 98 created 05-SEP-2023 20:22:56  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:48:09 to 00/23:51:22

Plot file version 99 created 05-SEP-2023 20:22:56  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:51:24 to 00/23:53:07

Plot file version 100 created 05-SEP-2023 20:22:57  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:51:24 to 00/23:53:07

Plot file version 101 created 05-SEP-2023 20:22:57

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:53:09 to 00/23:56:22

Plot file version 102 created 05-SEP-2023 20:22:57

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:53:09 to 00/23:56:22

Plot file version 103 created 05-SEP-2023 20:22:58  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:56:24 to 00/23:58:07

Plot file version 104 created 05-SEP-2023 20:22:58  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:56:24 to 00/23:58:07



Plot file version 105 created 05-SEP-2023 20:22:58

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:58:39 to 01/00:01:52

Plot file version 106 created 05-SEP-2023 20:22:59

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/23:58:39 to 01/00:01:52

Plot file version 107 created 05-SEP-2023 20:22:59  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:01:54 to 01/00:03:37

Plot file version 108 created 05-SEP-2023 20:22:59  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:01:54 to 01/00:03:37

Plot file version 109 created 05-SEP-2023 20:23:00

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 01/00:03:39 to 01/00:06:52

Plot file version 110 created 05-SEP-2023 20:23:00

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/00:03:39 to 01/00:06:52

Plot file version 111 created 05-SEP-2023 20:23:00  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:06:54 to 01/00:08:37


Plot file version 112 created 05-SEP-2023 20:23:01  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:06:54 to 01/00:08:37




Plot file version 113 created 05-SEP-2023 20:23:01  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:10:19 to 01/00:12:02

Plot file version 114 created 05-SEP-2023 20:23:01  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:10:19 to 01/00:12:02

Plot file version 115 created 05-SEP-2023 20:23:01

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:12:04 to 01/00:15:17

Plot file version 116 created 05-SEP-2023 20:23:02

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/00:12:04 to 01/00:15:17

Plot file version 117 created 05-SEP-2023 20:23:02  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:15:19 to 01/00:17:02

Plot file version 118 created 05-SEP-2023 20:23:02  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:15:19 to 01/00:17:02

Plot file version 119 created 05-SEP-2023 20:23:03

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:17:04 to 01/00:20:17

Plot file version 120 created 05-SEP-2023 20:23:03

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 01/00:17:04 to 01/00:20:17




Plot file version 121 created 05-SEP-2023 20:23:03  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:20:49 to 01/00:22:32

Plot file version 122 created 05-SEP-2023 20:23:04  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:20:49 to 01/00:22:32

Plot file version 123 created 05-SEP-2023 20:23:04

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:22:34 to 01/00:25:47

Plot file version 124 created 05-SEP-2023 20:23:04

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/00:22:34 to 01/00:25:47

Plot file version 125 created 05-SEP-2023 20:23:05  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:25:49 to 01/00:27:32

Plot file version 126 created 05-SEP-2023 20:23:05  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:25:49 to 01/00:27:32

Plot file version 127 created 05-SEP-2023 20:23:05

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:27:34 to 01/00:30:47

Plot file version 128 created 05-SEP-2023 20:23:06

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 01/00:27:34 to 01/00:30:47










Plot file version 129 created 05-SEP-2023 20:23:06  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:31:19 to 01/00:33:02

Plot file version 130 created 05-SEP-2023 20:23:06  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:31:19 to 01/00:33:02

Plot file version 131 created 05-SEP-2023 20:23:07

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:33:04 to 01/00:36:17

Plot file version 132 created 05-SEP-2023 20:23:07

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/00:33:04 to 01/00:36:17

Plot file version 133 created 05-SEP-2023 20:23:07  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:36:19 to 01/00:38:02

Plot file version 134 created 05-SEP-2023 20:23:08  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:36:19 to 01/00:38:02

Plot file version 135 created 05-SEP-2023 20:23:08

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:38:04 to 01/00:41:17

Plot file version 136 created 05-SEP-2023 20:23:08

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 01/00:38:04 to 01/00:41:17




Plot file version 137 created 05-SEP-2023 20:23:09  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:41:49 to 01/00:43:32

Plot file version 138 created 05-SEP-2023 20:23:09  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:41:49 to 01/00:43:32

Plot file version 139 created 05-SEP-2023 20:23:09  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:44:34 to 01/00:46:17

Plot file version 140 created 05-SEP-2023 20:23:09  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:44:34 to 01/00:46:17

Plot file version 141 created 05-SEP-2023 20:23:10  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:55:04 to 01/00:56:47

Plot file version 142 created 05-SEP-2023 20:23:11  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:55:04 to 01/00:56:47

Plot file version 143 created 05-SEP-2023 20:23:11  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:57:19 to 01/01:00:32


Plot file version 144 created 05-SEP-2023 20:23:11  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:57:19 to 01/01:00:32




Plot file version 145 created 05-SEP-2023 20:23:12  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:00:34 to 01/01:02:17

Plot file version 146 created 05-SEP-2023 20:23:12  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:00:34 to 01/01:02:17

Plot file version 147 created 05-SEP-2023 20:23:12

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:02:19 to 01/01:05:32

Plot file version 148 created 05-SEP-2023 20:23:13

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/01:02:19 to 01/01:05:32

Plot file version 149 created 05-SEP-2023 20:23:13  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:05:34 to 01/01:07:17

Plot file version 150 created 05-SEP-2023 20:23:13  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:05:34 to 01/01:07:17

Plot file version 151 created 05-SEP-2023 20:23:13  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:08:07 to 01/01:09:56


Plot file version 152 created 05-SEP-2023 20:23:14  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:08:07 to 01/01:09:56










Plot file version 153 created 05-SEP-2023 20:23:14  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:10:27 to 01/01:13:40

Plot file version 154 created 05-SEP-2023 20:23:14  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:10:27 to 01/01:13:40

Plot file version 155 created 05-SEP-2023 20:23:15  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:13:42 to 01/01:15:25

Plot file version 156 created 05-SEP-2023 20:23:15  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:13:42 to 01/01:15:25

Plot file version 157 created 05-SEP-2023 20:23:15  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:15:27 to 01/01:18:40

Plot file version 158 created 05-SEP-2023 20:23:16


G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:15:27 to 01/01:18:40

Plot file version 159 created 05-SEP-2023 20:23:16  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:18:42 to 01/01:20:25


Plot file version 160 created 05-SEP-2023 20:23:16  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:18:42 to 01/01:20:25






Plot file version 161 created 05-SEP-2023 20:23:17  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:20:57 to 01/01:24:10

Plot file version 162 created 05-SEP-2023 20:23:17  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:20:57 to 01/01:24:10

Plot file version 163 created 05-SEP-2023 20:23:17  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:24:12 to 01/01:25:55

Plot file version 164 created 05-SEP-2023 20:23:18  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:24:12 to 01/01:25:55

Plot file version 165 created 05-SEP-2023 20:23:18

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:25:57 to 01/01:29:10

Plot file version 166 created 05-SEP-2023 20:23:18

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/01:25:57 to 01/01:29:10

Plot file version 167 created 05-SEP-2023 20:23:19  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:29:12 to 01/01:30:55

Plot file version 168 created 05-SEP-2023 20:23:19  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:29:12 to 01/01:30:55



Plot file version 169 created 05-SEP-2023 20:23:19


G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:31:27 to 01/01:34:40

Plot file version 170 created 05-SEP-2023 20:23:20  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:31:27 to 01/01:34:40

Plot file version 171 created 05-SEP-2023 20:23:20  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:34:42 to 01/01:36:25

Plot file version 172 created 05-SEP-2023 20:23:20  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:34:42 to 01/01:36:25

Plot file version 173 created 05-SEP-2023 20:23:21  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:36:27 to 01/01:39:40

Plot file version 174 created 05-SEP-2023 20:23:21

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/01:36:27 to 01/01:39:40

Plot file version 175 created 05-SEP-2023 20:23:21  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:39:42 to 01/01:41:25


Plot file version 176 created 05-SEP-2023 20:23:22  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:39:42 to 01/01:41:25




Plot file version 177 created 05-SEP-2023 20:23:22  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:43:54 to 01/01:45:37

Plot file version 178 created 05-SEP-2023 20:23:22  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:43:54 to 01/01:45:37

Plot file version 179 created 05-SEP-2023 20:23:22

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:45:39 to 01/01:48:52

Plot file version 180 created 05-SEP-2023 20:23:23


G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:45:39 to 01/01:48:52

Plot file version 181 created 05-SEP-2023 20:23:23  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:48:54 to 01/01:50:37

Plot file version 182 created 05-SEP-2023 20:23:23  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:48:54 to 01/01:50:37

Plot file version 183 created 05-SEP-2023 20:23:24

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:50:39 to 01/01:53:52

Plot file version 184 created 05-SEP-2023 20:23:24

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 01/01:50:39 to 01/01:53:52




Plot file version 185 created 05-SEP-2023 20:23:24  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:54:24 to 01/01:56:07

Plot file version 186 created 05-SEP-2023 20:23:25  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:54:24 to 01/01:56:07

Plot file version 187 created 05-SEP-2023 20:23:25  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:56:09 to 01/01:59:22

Plot file version 188 created 05-SEP-2023 20:23:25


G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:56:09 to 01/01:59:22

Plot file version 189 created 05-SEP-2023 20:23:26  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:59:24 to 01/02:01:07

Plot file version 190 created 05-SEP-2023 20:23:26  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:59:24 to 01/02:01:07

Plot file version 191 created 05-SEP-2023 20:23:26  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:01:09 to 01/02:04:22

Plot file version 192 created 05-SEP-2023 20:23:27

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 01/02:01:09 to 01/02:04:22




Plot file version 193 created 05-SEP-2023 20:23:27  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:04:54 to 01/02:06:37

Plot file version 194 created 05-SEP-2023 20:23:27  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:04:54 to 01/02:06:37

Plot file version 195 created 05-SEP-2023 20:23:27  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:09:29 to 01/02:11:17

Plot file version 196 created 05-SEP-2023 20:23:28  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:09:29 to 01/02:11:17

Plot file version 197 created 05-SEP-2023 20:23:28

G90.92 EA067 2.UVAVG.1


No calibration applied and no bandpass applied



Plot file version 198 created 05-SEP-2023 20:23:28

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/02:11:49 to 01/02:15:02

Plot file version 199 created 05-SEP-2023 20:23:29  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:15:04 to 01/02:16:47

Plot file version 200 created 05-SEP-2023 20:23:29  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:15:04 to 01/02:16:47



Plot file version 201 created 05-SEP-2023 20:23:29

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:16:49 to 01/02:20:02

Plot file version 202 created 05-SEP-2023 20:23:30

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/02:16:49 to 01/02:20:02

Plot file version 203 created 05-SEP-2023 20:23:30  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:20:33 to 01/02:22:21

Plot file version 204 created 05-SEP-2023 20:23:30  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:20:33 to 01/02:22:21

Plot file version 205 created 05-SEP-2023 20:23:31

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:22:53 to 01/02:26:06

Plot file version 206 created 05-SEP-2023 20:23:31

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed




Timerange: 01/02:22:53 to 01/02:26:06

Plot file version 207 created 05-SEP-2023 20:23:31  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:26:08 to 01/02:27:51

Plot file version 208 created 05-SEP-2023 20:23:32  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:26:08 to 01/02:27:51



Plot file version 209 created 05-SEP-2023 20:23:32

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:27:53 to 01/02:31:06

Plot file version 210 created 05-SEP-2023 20:23:32

G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/02:27:53 to 01/02:31:06

Plot file version 211 created 05-SEP-2023 20:23:33  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:31:37 to 01/02:33:25

Plot file version 212 created 05-SEP-2023 20:23:33  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:31:37 to 01/02:33:25

Plot file version 213 created 05-SEP-2023 20:23:33  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:33:27 to 01/02:35:10

Plot file version 214 created 05-SEP-2023 20:23:33  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:33:27 to 01/02:35:10

Plot file version 215 created 05-SEP-2023 20:23:34  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:35:42 to 01/02:38:55


Plot file version 216 created 05-SEP-2023 20:23:34  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:35:42 to 01/02:38:55




Plot file version 217 created 05-SEP-2023 20:23:34  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:38:57 to 01/02:40:40

Plot file version 218 created 05-SEP-2023 20:23:35  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:38:57 to 01/02:40:40

Plot file version 219 created 05-SEP-2023 20:23:35

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:40:42 to 01/02:43:55

Plot file version 220 created 05-SEP-2023 20:23:35

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/02:40:42 to 01/02:43:55

Plot file version 221 created 05-SEP-2023 20:23:36  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:43:57 to 01/02:45:40

Plot file version 222 created 05-SEP-2023 20:23:36  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:43:57 to 01/02:45:40

Plot file version 223 created 05-SEP-2023 20:23:36  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:46:12 to 01/02:49:25


Plot file version 224 created 05-SEP-2023 20:23:37  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:46:12 to 01/02:49:25




Plot file version 225 created 05-SEP-2023 20:23:37  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:49:27 to 01/02:51:10

Plot file version 226 created 05-SEP-2023 20:23:37  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:49:27 to 01/02:51:10

Plot file version 227 created 05-SEP-2023 20:23:38

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:51:12 to 01/02:54:25

Plot file version 228 created 05-SEP-2023 20:23:38


G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:51:12 to 01/02:54:25

Plot file version 229 created 05-SEP-2023 20:23:38  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:54:27 to 01/02:56:10

Plot file version 230 created 05-SEP-2023 20:23:39  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:54:27 to 01/02:56:10

Plot file version 231 created 05-SEP-2023 20:23:39

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:56:42 to 01/02:59:55

Plot file version 232 created 05-SEP-2023 20:23:39

G94.60 EA067 2.UVAVG.1


No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:56:42 to 01/02:59:55




Plot file version 233 created 05-SEP-2023 20:23:40  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:59:57 to 01/03:01:40

Plot file version 234 created 05-SEP-2023 20:23:40  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:59:57 to 01/03:01:40

Plot file version 235 created 05-SEP-2023 20:23:40  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:01:42 to 01/03:04:55

Plot file version 236 created 05-SEP-2023 20:23:41

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 01/03:01:42 to 01/03:04:55

Plot file version 237 created 05-SEP-2023 20:23:41  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:04:57 to 01/03:06:40

Plot file version 238 created 05-SEP-2023 20:23:41  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:04:57 to 01/03:06:40

Plot file version 239 created 05-SEP-2023 20:23:41  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:11:02 to 01/03:12:45

Plot file version 240 created 05-SEP-2023 20:23:42  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:11:02 to 01/03:12:45



Plot file version 241 created 05-SEP-2023 20:23:42




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:12:47 to 01/03:16:00

Plot file version 242 created 05-SEP-2023 20:23:42  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:12:47 to 01/03:16:00

Plot file version 243 created 05-SEP-2023 20:23:42  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:16:02 to 01/03:17:45

Plot file version 244 created 05-SEP-2023 20:23:43  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:16:02 to 01/03:17:45

Plot file version 245 created 05-SEP-2023 20:23:43




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:17:47 to 01/03:21:00

Plot file version 246 created 05-SEP-2023 20:23:43  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:17:47 to 01/03:21:00

Plot file version 247 created 05-SEP-2023 20:23:43  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:21:32 to 01/03:23:15

Plot file version 248 created 05-SEP-2023 20:23:44  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:21:32 to 01/03:23:15



Plot file version 249 created 05-SEP-2023 20:23:44




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:23:17 to 01/03:26:30

Plot file version 250 created 05-SEP-2023 20:23:44  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:23:17 to 01/03:26:30

Plot file version 251 created 05-SEP-2023 20:23:44  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:26:32 to 01/03:28:15

Plot file version 252 created 05-SEP-2023 20:23:45  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:26:32 to 01/03:28:15

Plot file version 253 created 05-SEP-2023 20:23:45




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:28:17 to 01/03:31:30

Plot file version 254 created 05-SEP-2023 20:23:45  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:28:17 to 01/03:31:30

Plot file version 255 created 05-SEP-2023 20:23:45  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:32:02 to 01/03:33:45

Plot file version 256 created 05-SEP-2023 20:23:46  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:32:02 to 01/03:33:45



Plot file version 257 created 05-SEP-2023 20:23:46




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:33:47 to 01/03:37:01

Plot file version 258 created 05-SEP-2023 20:23:46  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:33:47 to 01/03:37:01

Plot file version 259 created 05-SEP-2023 20:23:46  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:37:02 to 01/03:38:46

Plot file version 260 created 05-SEP-2023 20:23:46  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:37:02 to 01/03:38:46

Plot file version 261 created 05-SEP-2023 20:23:47




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:38:47 to 01/03:42:01

Plot file version 262 created 05-SEP-2023 20:23:47  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:38:47 to 01/03:42:01

Plot file version 263 created 05-SEP-2023 20:23:47  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:42:32 to 01/03:44:15

Plot file version 264 created 05-SEP-2023 20:23:47  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:42:32 to 01/03:44:15



Plot file version 265 created 05-SEP-2023 20:23:47




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:44:17 to 01/03:47:31

Plot file version 266 created 05-SEP-2023 20:23:48  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:44:17 to 01/03:47:31

Plot file version 267 created 05-SEP-2023 20:23:48  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:47:32 to 01/03:49:15

Plot file version 268 created 05-SEP-2023 20:23:48  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:47:32 to 01/03:49:15

Plot file version 269 created 05-SEP-2023 20:23:48




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:49:17 to 01/03:52:31

Plot file version 270 created 05-SEP-2023 20:23:49  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:49:17 to 01/03:52:31

Plot file version 271 created 05-SEP-2023 20:23:49  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/03:53:02 to 01/03:54:45


Plot file version 272 created 05-SEP-2023 20:23:49  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/03:53:02 to 01/03:54:45




Plot file version 273 created 05-SEP-2023 20:23:50  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:16:03 to 01/04:17:46

Plot file version 274 created 05-SEP-2023 20:23:51  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:16:03 to 01/04:17:46

Plot file version 275 created 05-SEP-2023 20:23:51






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:17:48 to 01/04:21:02

Plot file version 276 created 05-SEP-2023 20:23:51  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:17:48 to 01/04:21:02

Plot file version 277 created 05-SEP-2023 20:23:52  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:21:03 to 01/04:22:46

Plot file version 278 created 05-SEP-2023 20:23:52  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:21:03 to 01/04:22:46

Plot file version 279 created 05-SEP-2023 20:23:52






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:22:48 to 01/04:26:01


Plot file version 280 created 05-SEP-2023 20:23:52  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:22:48 to 01/04:26:01








Plot file version 281 created 05-SEP-2023 20:23:53  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:26:33 to 01/04:28:16

Plot file version 282 created 05-SEP-2023 20:23:53  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:26:33 to 01/04:28:16

Plot file version 283 created 05-SEP-2023 20:23:53






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:28:18 to 01/04:31:31

Plot file version 284 created 05-SEP-2023 20:23:53  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:28:18 to 01/04:31:31

Plot file version 285 created 05-SEP-2023 20:23:54  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:31:33 to 01/04:33:16

Plot file version 286 created 05-SEP-2023 20:23:54  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:31:33 to 01/04:33:16

Plot file version 287 created 05-SEP-2023 20:23:54




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:33:18 to 01/04:36:31


Plot file version 288 created 05-SEP-2023 20:23:54  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:33:18 to 01/04:36:31






Plot file version 289 created 05-SEP-2023 20:23:55  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:37:03 to 01/04:38:46

Plot file version 290 created 05-SEP-2023 20:23:55  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:37:03 to 01/04:38:46

Plot file version 291 created 05-SEP-2023 20:23:55






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:38:48 to 01/04:42:02

Plot file version 292 created 05-SEP-2023 20:23:56  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:38:48 to 01/04:42:02

Plot file version 293 created 05-SEP-2023 20:23:56  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:42:03 to 01/04:43:46

Plot file version 294 created 05-SEP-2023 20:23:56  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:42:03 to 01/04:43:46

Plot file version 295 created 05-SEP-2023 20:23:56






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:43:48 to 01/04:47:02


Plot file version 296 created 05-SEP-2023 20:23:57  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:43:48 to 01/04:47:02




Plot file version 297 created 05-SEP-2023 20:23:57  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:47:33 to 01/04:49:17

Plot file version 298 created 05-SEP-2023 20:23:57  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:47:33 to 01/04:49:17

Plot file version 299 created 05-SEP-2023 20:23:57






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:49:18 to 01/04:52:32

Plot file version 300 created 05-SEP-2023 20:23:58  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:49:18 to 01/04:52:32

Plot file version 301 created 05-SEP-2023 20:23:58  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:52:33 to 01/04:54:16

Plot file version 302 created 05-SEP-2023 20:23:58  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:52:33 to 01/04:54:16

Plot file version 303 created 05-SEP-2023 20:23:58






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:54:18 to 01/04:57:32


Plot file version 304 created 05-SEP-2023 20:23:59  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/04:54:18 to 01/04:57:32




Plot file version 305 created 05-SEP-2023 20:23:59  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:58:03 to 01/04:59:46

Plot file version 306 created 05-SEP-2023 20:23:59  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/04:58:03 to 01/04:59:46

Plot file version 307 created 05-SEP-2023 20:23:59  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:01:15 to 01/05:03:03

Plot file version 308 created 05-SEP-2023 20:24:00  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:01:15 to 01/05:03:03

Plot file version 309 created 05-SEP-2023 20:24:00  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:03:35 to 01/05:06:49

Plot file version 310 created 05-SEP-2023 20:24:00  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:03:35 to 01/05:06:49

Plot file version 311 created 05-SEP-2023 20:24:00  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:06:50 to 01/05:08:34


Plot file version 312 created 05-SEP-2023 20:24:01  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:06:50 to 01/05:08:34








Plot file version 313 created 05-SEP-2023 20:24:01  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:08:35 to 01/05:11:49

Plot file version 314 created 05-SEP-2023 20:24:01  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:08:35 to 01/05:11:49

Plot file version 315 created 05-SEP-2023 20:24:02  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:11:50 to 01/05:13:34

Plot file version 316 created 05-SEP-2023 20:24:02  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:11:50 to 01/05:13:34

Plot file version 317 created 05-SEP-2023 20:24:02




G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:14:05 to 01/05:17:19

Plot file version 318 created 05-SEP-2023 20:24:02  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:14:05 to 01/05:17:19

Plot file version 319 created 05-SEP-2023 20:24:03  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:17:20 to 01/05:19:03


Plot file version 320 created 05-SEP-2023 20:24:03  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:17:20 to 01/05:19:03






Plot file version 321 created 05-SEP-2023 20:24:03  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:19:05 to 01/05:22:18

Plot file version 322 created 05-SEP-2023 20:24:03  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:19:05 to 01/05:22:18

Plot file version 323 created 05-SEP-2023 20:24:04  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:22:20 to 01/05:24:03

Plot file version 324 created 05-SEP-2023 20:24:04  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:22:20 to 01/05:24:03

Plot file version 325 created 05-SEP-2023 20:24:04  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:24:05 to 01/05:25:48

Plot file version 326 created 05-SEP-2023 20:24:04  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:24:05 to 01/05:25:48

Plot file version 327 created 05-SEP-2023 20:24:05




G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:26:20 to 01/05:29:33


Plot file version 328 created 05-SEP-2023 20:24:05  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:26:20 to 01/05:29:33




Plot file version 329 created 05-SEP-2023 20:24:05  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:29:35 to 01/05:31:18

Plot file version 330 created 05-SEP-2023 20:24:05  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:29:35 to 01/05:31:18

Plot file version 331 created 05-SEP-2023 20:24:06  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:31:20 to 01/05:34:33

Plot file version 332 created 05-SEP-2023 20:24:06  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:31:20 to 01/05:34:33

Plot file version 333 created 05-SEP-2023 20:24:06  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:34:35 to 01/05:36:18

Plot file version 334 created 05-SEP-2023 20:24:06  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:34:35 to 01/05:36:18

Plot file version 335 created 05-SEP-2023 20:24:07






G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:36:50 to 01/05:40:03


Plot file version 336 created 05-SEP-2023 20:24:07  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:36:50 to 01/05:40:03




Plot file version 337 created 05-SEP-2023 20:24:07  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:40:05 to 01/05:41:48

Plot file version 338 created 05-SEP-2023 20:24:07  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:40:05 to 01/05:41:48

Plot file version 339 created 05-SEP-2023 20:24:08  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:41:50 to 01/05:45:03

Plot file version 340 created 05-SEP-2023 20:24:08

G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed





Timerange: 01/05:41:50 to 01/05:45:03

Plot file version 341 created 05-SEP-2023 20:24:08  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:45:05 to 01/05:46:48

Plot file version 342 created 05-SEP-2023 20:24:08  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:45:05 to 01/05:46:48

Plot file version 343 created 05-SEP-2023 20:24:09  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:50:10 to 01/05:51:53

Plot file version 344 created 05-SEP-2023 20:24:09  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:50:10 to 01/05:51:53



Plot file version 345 created 05-SEP-2023 20:24:09






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:51:55 to 01/05:55:08

Plot file version 346 created 05-SEP-2023 20:24:09  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:51:55 to 01/05:55:08

Plot file version 347 created 05-SEP-2023 20:24:10  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/05:55:10 to 01/05:56:53

Plot file version 348 created 05-SEP-2023 20:24:10  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:55:10 to 01/05:56:53

Plot file version 349 created 05-SEP-2023 20:24:10






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:56:55 to 01/06:00:09

Plot file version 350 created 05-SEP-2023 20:24:11  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/05:56:55 to 01/06:00:09

Plot file version 351 created 05-SEP-2023 20:24:11  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:00:40 to 01/06:02:23


Plot file version 352 created 05-SEP-2023 20:24:11  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:00:40 to 01/06:02:23








Plot file version 353 created 05-SEP-2023 20:24:11  
 G78.12 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:02:25 to 01/06:05:38

Plot file version 354 created 05-SEP-2023 20:24:12  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:02:25 to 01/06:05:38

Plot file version 355 created 05-SEP-2023 20:24:12  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:05:40 to 01/06:07:23

Plot file version 356 created 05-SEP-2023 20:24:12  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:05:40 to 01/06:07:23

Plot file version 357 created 05-SEP-2023 20:24:12






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:07:25 to 01/06:10:38

Plot file version 358 created 05-SEP-2023 20:24:13  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:07:25 to 01/06:10:38

Plot file version 359 created 05-SEP-2023 20:24:13  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:11:10 to 01/06:12:53

Plot file version 360 created 05-SEP-2023 20:24:13  
J2007+4029 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:11:10 to 01/06:12:53



Plot file version 361 created 05-SEP-2023 20:24:13




G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:12:55 to 01/06:16:08

Plot file version 362 created 05-SEP-2023 20:24:14  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:12:55 to 01/06:16:08

Plot file version 363 created 05-SEP-2023 20:24:14  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:16:10 to 01/06:17:53

Plot file version 364 created 05-SEP-2023 20:24:14  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:16:10 to 01/06:17:53

Plot file version 365 created 05-SEP-2023 20:24:15

G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:17:55 to 01/06:21:08

Plot file version 366 created 05-SEP-2023 20:24:15


G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:17:55 to 01/06:21:08

Plot file version 367 created 05-SEP-2023 20:24:15  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:21:40 to 01/06:23:23

Plot file version 368 created 05-SEP-2023 20:24:15  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:21:40 to 01/06:23:23



Plot file version 369 created 05-SEP-2023 20:24:16






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:23:25 to 01/06:26:39

Plot file version 370 created 05-SEP-2023 20:24:16  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:23:25 to 01/06:26:39

Plot file version 371 created 05-SEP-2023 20:24:16  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:26:40 to 01/06:28:23

Plot file version 372 created 05-SEP-2023 20:24:16  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:26:40 to 01/06:28:23

Plot file version 373 created 05-SEP-2023 20:24:17






G78.12 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:28:25 to 01/06:31:38

Plot file version 374 created 05-SEP-2023 20:24:17  
G78.12 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:28:25 to 01/06:31:38

Plot file version 375 created 05-SEP-2023 20:24:17  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:32:10 to 01/06:33:53


Plot file version 376 created 05-SEP-2023 20:24:17  
 J2007+4029 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:32:10 to 01/06:33:53








Plot file version 377 created 05-SEP-2023 20:24:18  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:35:22 to 01/06:37:05

Plot file version 378 created 05-SEP-2023 20:24:18  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:35:22 to 01/06:37:05

Plot file version 379 created 05-SEP-2023 20:24:18






G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:37:37 to 01/06:40:50

Plot file version 380 created 05-SEP-2023 20:24:18  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:37:37 to 01/06:40:50

Plot file version 381 created 05-SEP-2023 20:24:19  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:40:52 to 01/06:42:35

Plot file version 382 created 05-SEP-2023 20:24:19  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:40:52 to 01/06:42:35

Plot file version 383 created 05-SEP-2023 20:24:19




G90.92 EA067 2.UVAVG.1

No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:42:37 to 01/06:45:50


Plot file version 384 created 05-SEP-2023 20:24:19  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:42:37 to 01/06:45:50






Plot file version 385 created 05-SEP-2023 20:24:20  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied












Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:45:52 to 01/06:47:35

Plot file version 386 created 05-SEP-2023 20:24:20  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:45:52 to 01/06:47:35

Plot file version 387 created 05-SEP-2023 20:24:20  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:48:07 to 01/06:51:21

Plot file version 388 created 05-SEP-2023 20:24:20  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:48:07 to 01/06:51:21

Plot file version 389 created 05-SEP-2023 20:24:20  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:51:22 to 01/06:53:05

Plot file version 390 created 05-SEP-2023 20:24:21  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:51:22 to 01/06:53:05

Plot file version 391 created 05-SEP-2023 20:24:21  
 G90.92 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:53:07 to 01/06:56:20


Plot file version 392 created 05-SEP-2023 20:24:21  
G90.92 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:53:07 to 01/06:56:20






Plot file version 393 created 05-SEP-2023 20:24:21  
 J2114+4953 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:56:22 to 01/06:58:05

Plot file version 394 created 05-SEP-2023 20:24:21  
J2114+4953 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:56:22 to 01/06:58:05

Plot file version 395 created 05-SEP-2023 20:24:22  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/06:58:07 to 01/06:59:50

Plot file version 396 created 05-SEP-2023 20:24:22  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/06:58:07 to 01/06:59:50

Plot file version 397 created 05-SEP-2023 20:24:22




G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:00:22 to 01/07:03:36

Plot file version 398 created 05-SEP-2023 20:24:22  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:00:22 to 01/07:03:36

Plot file version 399 created 05-SEP-2023 20:24:22  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:03:37 to 01/07:05:20

Plot file version 400 created 05-SEP-2023 20:24:23  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:03:37 to 01/07:05:20



Plot file version 401 created 05-SEP-2023 20:24:23




G94.60 EA067 2.UVAVG.1

No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:05:21 to 01/07:08:30

Plot file version 402 created 05-SEP-2023 20:24:23  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:05:21 to 01/07:08:30

Plot file version 403 created 05-SEP-2023 20:24:23  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:08:31 to 01/07:10:10

Plot file version 404 created 05-SEP-2023 20:24:24  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:08:31 to 01/07:10:10

Plot file version 405 created 05-SEP-2023 20:24:24  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:10:41 to 01/07:13:55

Plot file version 406 created 05-SEP-2023 20:24:24  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:10:41 to 01/07:13:55

Plot file version 407 created 05-SEP-2023 20:24:24  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:13:56 to 01/07:15:39


Plot file version 408 created 05-SEP-2023 20:24:24  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:13:56 to 01/07:15:39






Plot file version 409 created 05-SEP-2023 20:24:25  
 G94.60 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:15:40 to 01/07:18:49

Plot file version 410 created 05-SEP-2023 20:24:25  
G94.60 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:15:40 to 01/07:18:49

Plot file version 411 created 05-SEP-2023 20:24:25  
 J2137+5101 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:18:50 to 01/07:20:29

Plot file version 412 created 05-SEP-2023 20:24:25  
J2137+5101 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:18:50 to 01/07:20:29

Plot file version 413 created 05-SEP-2023 20:24:25  
 3C454.3 EA067 2.UVAVG.1  
 No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/07:25:30 to 01/07:29:58

Plot file version 414 created 05-SEP-2023 20:24:26  
3C454.3 EA067 2.UVAVG.1  
No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/07:25:30 to 01/07:29:58