Plot file version 1 created 10-JUN-2002 22:30:49
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:00:10 to 00/16:03:30
Baseline: Several displayed Stokes: LL

Plot file version 2 created 10-JUN-2002 22:30:54
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:04:02 to 00/16:06:30
Baseline: Several displayed Stokes: LL

Plot file version 3 created 10-JUN-2002 22:30:59
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:10:32 to 00/16:13:00
Baseline: Several displayed Stokes: LL

Plot file version 4 created 10-JUN-2002 22:31:03
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:17:02 to 00/16:19:30
Baseline: Several displayed Stokes: LL

Plot file version 5 created 10-JUN-2002 22:31:08
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:24:45 to 00/16:27:01
Baseline: Several displayed Stokes: LL

Plot file version 6 created 10-JUN-2002 22:31:12
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:27:35 to 00/16:30:01
Baseline: Several displayed Stokes: LL

Plot file version 7 created 10-JUN-2002 22:31:17
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:34:05 to 00/16:36:33
Baseline: Several displayed Stokes: LL

Plot file version 8 created 10-JUN-2002 22:31:22
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:40:35 to 00/16:43:01
Baseline: Several displayed Stokes: LL

Plot file version 9 created 10-JUN-2002 22:31:28
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:49:11 to 00/16:51:31
Baseline: Several displayed Stokes: LL

Plot file version 10 created 10-JUN-2002 22:31:33
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:52:07 to 00/16:54:35
Baseline: Several displayed Stokes: LL

Plot file version 11 created 10-JUN-2002 22:31:39
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:58:37 to 00/17:01:05
Baseline: Several displayed Stokes: LL

Plot file version 12 created 10-JUN-2002 22:31:44
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:05:07 to 00/17:07:33
Baseline: Several displayed Stokes: LL

Plot file version 13 created 10-JUN-2002 22:31:49
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:13:45 to 00/17:16:05
Baseline: Several displayed Stokes: LL

Plot file version 14 created 10-JUN-2002 22:31:54
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:16:39 to 00/17:19:07
Baseline: Several displayed Stokes: LL

Plot file version 15 created 10-JUN-2002 22:31:59
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:23:09 to 00/17:25:37
Baseline: Several displayed Stokes: LL

Plot file version 16 created 10-JUN-2002 22:32:05
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:29:39 to 00/17:32:07
Baseline: Several displayed Stokes: LL

Plot file version 17 created 10-JUN-2002 22:32:11
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:38:18 to 00/17:40:36
Baseline: Several displayed Stokes: LL

Plot file version 18 created 10-JUN-2002 22:32:17
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:41:12 to 00/17:43:38
Baseline: Several displayed Stokes: LL

Plot file version 19 created 10-JUN-2002 22:32:23
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:47:42 to 00/17:50:10
Baseline: Several displayed Stokes: LL

Plot file version 20 created 10-JUN-2002 22:32:29
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:54:12 to 00/17:56:38
Baseline: Several displayed Stokes: LL

Plot file version 21 created 10-JUN-2002 22:32:36
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:02:49 to 00/18:07:09
Baseline: Several displayed Stokes: LL

Plot file version 22 created 10-JUN-2002 22:32:47
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:07:45 to 00/18:10:11
Baseline: Several displayed Stokes: LL

Plot file version 23 created 10-JUN-2002 22:32:54
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:14:15 to 00/18:16:43
Baseline: Several displayed Stokes: LL

Plot file version 24 created 10-JUN-2002 22:33:01
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:20:45 to 00/18:23:13
Baseline: Several displayed Stokes: LL

Plot file version 25 created 10-JUN-2002 22:33:11
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:30:17 to 00/18:32:45
Baseline: Several displayed Stokes: LL

Plot file version 26 created 10-JUN-2002 22:33:18
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:36:47 to 00/18:39:15
Baseline: Several displayed Stokes: LL

Plot file version 27 created 10-JUN-2002 22:33:24
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:43:17 to 00/18:45:45
Baseline: Several displayed Stokes: LL

Plot file version 28 created 10-JUN-2002 22:33:30
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:51:58 to 00/18:54:14
Baseline: Several displayed Stokes: LL

Plot file version 29 created 10-JUN-2002 22:33:36
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:54:50 to 00/18:57:18
Baseline: Several displayed Stokes: LL

Plot file version 30 created 10-JUN-2002 22:33:44
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:01:20 to 00/19:03:48
Baseline: Several displayed Stokes: LL

Plot file version 31 created 10-JUN-2002 22:33:52
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:07:50 to 00/19:10:18
Baseline: Several displayed Stokes: LL

Plot file version 32 created 10-JUN-2002 22:34:00
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:16:31 to 00/19:18:49
Baseline: Several displayed Stokes: LL

Plot file version 33 created 10-JUN-2002 22:34:08
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:19:23 to 00/19:21:51
Baseline: Several displayed Stokes: LL

Plot file version 34 created 10-JUN-2002 22:34:15
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:25:53 to 00/19:28:21
Baseline: Several displayed Stokes: LL

Plot file version 35 created 10-JUN-2002 22:34:24
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:32:23 to 00/19:34:51
Baseline: Several displayed Stokes: LL

Plot file version 36 created 10-JUN-2002 22:34:32
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:41:04 to 00/19:43:22
Baseline: Several displayed Stokes: LL

Plot file version 37 created 10-JUN-2002 22:34:39
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:43:56 to 00/19:46:24
Baseline: Several displayed Stokes: LL

Plot file version 38 created 10-JUN-2002 22:34:47
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:50:26 to 00/19:52:54
Baseline: Several displayed Stokes: LL

Plot file version 39 created 10-JUN-2002 22:34:55
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:56:56 to 00/19:59:24
Baseline: Several displayed Stokes: LL

Plot file version 40 created 10-JUN-2002 22:35:04
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:05:36 to 00/20:07:54
Baseline: Several displayed Stokes: LL

Plot file version 41 created 10-JUN-2002 22:35:11
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:08:28 to 00/20:10:56
Baseline: Several displayed Stokes: LL

Plot file version 42 created 10-JUN-2002 22:35:18
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:14:58 to 00/20:17:24
Baseline: Several displayed Stokes: LL

Plot file version 43 created 10-JUN-2002 22:35:26
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:21:28 to 00/20:23:56
Baseline: Several displayed Stokes: LL

Plot file version 44 created 10-JUN-2002 22:35:33
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:30:05 to 00/20:32:25
Baseline: Several displayed Stokes: LL

Plot file version 45 created 10-JUN-2002 22:35:41
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:32:59 to 00/20:35:27
Baseline: Several displayed Stokes: LL

Plot file version 46 created 10-JUN-2002 22:35:49
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:39:29 to 00/20:41:57
Baseline: Several displayed Stokes: LL

Plot file version 47 created 10-JUN-2002 22:35:58
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:45:59 to 00/20:48:27
Baseline: Several displayed Stokes: LL

Plot file version 48 created 10-JUN-2002 22:36:07
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:54:38 to 00/20:56:58
Baseline: Several displayed Stokes: LL

Plot file version 49 created 10-JUN-2002 22:36:15
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:57:30 to 00/20:59:58
Baseline: Several displayed Stokes: LL

Plot file version 50 created 10-JUN-2002 22:36:24
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:04:00 to 00/21:06:28
Baseline: Several displayed Stokes: LL

Plot file version 51 created 10-JUN-2002 22:36:32
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:10:30 to 00/21:12:58
Baseline: Several displayed Stokes: LL

Plot file version 52 created 10-JUN-2002 22:36:41
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:19:13 to 00/21:21:29
Baseline: Several displayed Stokes: LL

Plot file version 53 created 10-JUN-2002 22:36:50
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:01 to 00/21:24:29
Baseline: Several displayed Stokes: LL

Plot file version 54 created 10-JUN-2002 22:36:59
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:28:31 to 00/21:30:57
Baseline: Several displayed Stokes: LL

Plot file version 55 created 10-JUN-2002 22:37:17
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:00:10 to 00/16:03:30
Baseline: Several displayed Stokes: RR

Plot file version 56 created 10-JUN-2002 22:37:22
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:04:02 to 00/16:06:30
Baseline: Several displayed Stokes: RR

Plot file version 57 created 10-JUN-2002 22:37:26
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:10:32 to 00/16:13:00
Baseline: Several displayed Stokes: RR

Plot file version 58 created 10-JUN-2002 22:37:30
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:17:02 to 00/16:19:30
Baseline: Several displayed Stokes: RR

Plot file version 59 created 10-JUN-2002 22:37:34
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:24:45 to 00/16:27:01
Baseline: Several displayed Stokes: RR

Plot file version 60 created 10-JUN-2002 22:37:39
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:27:35 to 00/16:30:01
Baseline: Several displayed Stokes: RR

Plot file version 61 created 10-JUN-2002 22:37:43
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:34:05 to 00/16:36:33
Baseline: Several displayed Stokes: RR

Plot file version 62 created 10-JUN-2002 22:37:48
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:40:35 to 00/16:43:01
Baseline: Several displayed Stokes: RR

Plot file version 63 created 10-JUN-2002 22:37:53
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:49:11 to 00/16:51:31
Baseline: Several displayed Stokes: RR

Plot file version 64 created 10-JUN-2002 22:37:58
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:52:07 to 00/16:54:35
Baseline: Several displayed Stokes: RR

Plot file version 65 created 10-JUN-2002 22:38:03
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:58:37 to 00/17:01:05
Baseline: Several displayed Stokes: RR

Plot file version 66 created 10-JUN-2002 22:38:08
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:05:07 to 00/17:07:33
Baseline: Several displayed Stokes: RR

Plot file version 67 created 10-JUN-2002 22:38:13
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:13:45 to 00/17:16:05
Baseline: Several displayed Stokes: RR

Plot file version 68 created 10-JUN-2002 22:38:17
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:16:39 to 00/17:19:07
Baseline: Several displayed Stokes: RR

Plot file version 69 created 10-JUN-2002 22:38:22
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:23:09 to 00/17:25:37
Baseline: Several displayed Stokes: RR

Plot file version 70 created 10-JUN-2002 22:38:27
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:29:39 to 00/17:32:07
Baseline: Several displayed Stokes: RR

Plot file version 71 created 10-JUN-2002 22:38:33
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:38:18 to 00/17:40:36
Baseline: Several displayed Stokes: RR

Plot file version 72 created 10-JUN-2002 22:38:39
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:41:12 to 00/17:43:38
Baseline: Several displayed Stokes: RR

Plot file version 73 created 10-JUN-2002 22:38:44
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:47:42 to 00/17:50:10
Baseline: Several displayed Stokes: RR

Plot file version 74 created 10-JUN-2002 22:38:49
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:54:12 to 00/17:56:38
Baseline: Several displayed Stokes: RR

Plot file version 75 created 10-JUN-2002 22:38:56
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:02:49 to 00/18:07:09
Baseline: Several displayed Stokes: RR

Plot file version 76 created 10-JUN-2002 22:39:05
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:07:45 to 00/18:10:11
Baseline: Several displayed Stokes: RR

Plot file version 77 created 10-JUN-2002 22:39:12
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:14:15 to 00/18:16:43
Baseline: Several displayed Stokes: RR

Plot file version 78 created 10-JUN-2002 22:39:19
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:20:45 to 00/18:23:13
Baseline: Several displayed Stokes: RR

Plot file version 79 created 10-JUN-2002 22:39:29
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:30:17 to 00/18:32:45
Baseline: Several displayed Stokes: RR

Plot file version 80 created 10-JUN-2002 22:39:35
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:36:47 to 00/18:39:15
Baseline: Several displayed Stokes: RR

Plot file version 81 created 10-JUN-2002 22:39:40
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:43:17 to 00/18:45:45
Baseline: Several displayed Stokes: RR

Plot file version 82 created 10-JUN-2002 22:39:46
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:51:58 to 00/18:54:14
Baseline: Several displayed Stokes: RR

Plot file version 83 created 10-JUN-2002 22:39:52
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:54:50 to 00/18:57:18
Baseline: Several displayed Stokes: RR

Plot file version 84 created 10-JUN-2002 22:39:59
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:01:20 to 00/19:03:48
Baseline: Several displayed Stokes: RR

Plot file version 85 created 10-JUN-2002 22:40:06
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:07:50 to 00/19:10:18
Baseline: Several displayed Stokes: RR

Plot file version 86 created 10-JUN-2002 22:40:13
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:16:31 to 00/19:18:49
Baseline: Several displayed Stokes: RR

Plot file version 87 created 10-JUN-2002 22:40:20
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:19:23 to 00/19:21:51
Baseline: Several displayed Stokes: RR

Plot file version 88 created 10-JUN-2002 22:40:28
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:25:53 to 00/19:28:21
Baseline: Several displayed Stokes: RR

Plot file version 89 created 10-JUN-2002 22:40:35
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:32:23 to 00/19:34:51
Baseline: Several displayed Stokes: RR

Plot file version 90 created 10-JUN-2002 22:40:43
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:41:04 to 00/19:43:22
Baseline: Several displayed Stokes: RR

Plot file version 91 created 10-JUN-2002 22:40:50
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:43:56 to 00/19:46:24
Baseline: Several displayed Stokes: RR

Plot file version 92 created 10-JUN-2002 22:40:58
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:50:26 to 00/19:52:54
Baseline: Several displayed Stokes: RR

Plot file version 93 created 10-JUN-2002 22:41:06
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:56:56 to 00/19:59:24
Baseline: Several displayed Stokes: RR

Plot file version 94 created 10-JUN-2002 22:41:14
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:05:36 to 00/20:07:54
Baseline: Several displayed Stokes: RR

Plot file version 95 created 10-JUN-2002 22:41:21
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:08:28 to 00/20:10:56
Baseline: Several displayed Stokes: RR

Plot file version 96 created 10-JUN-2002 22:41:28
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:14:58 to 00/20:17:24
Baseline: Several displayed Stokes: RR

Plot file version 97 created 10-JUN-2002 22:41:35
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:21:28 to 00/20:23:56
Baseline: Several displayed Stokes: RR

Plot file version 98 created 10-JUN-2002 22:41:42
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:30:05 to 00/20:32:25
Baseline: Several displayed Stokes: RR

Plot file version 99 created 10-JUN-2002 22:41:49
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:32:59 to 00/20:35:27
Baseline: Several displayed Stokes: RR

Plot file version 100 created 10-JUN-2002 22:41:57
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:39:29 to 00/20:41:57
Baseline: Several displayed Stokes: RR

Plot file version 101 created 10-JUN-2002 22:42:06
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:45:59 to 00/20:48:27
Baseline: Several displayed Stokes: RR

Plot file version 102 created 10-JUN-2002 22:42:14
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:54:38 to 00/20:56:58
Baseline: Several displayed Stokes: RR

Plot file version 103 created 10-JUN-2002 22:42:22
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:57:30 to 00/20:59:58
Baseline: Several displayed Stokes: RR

Plot file version 104 created 10-JUN-2002 22:42:30
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:04:00 to 00/21:06:28
Baseline: Several displayed Stokes: RR

Plot file version 105 created 10-JUN-2002 22:42:38
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:10:30 to 00/21:12:58
Baseline: Several displayed Stokes: RR

Plot file version 106 created 10-JUN-2002 22:42:47
J1229+02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:19:13 to 00/21:21:29
Baseline: Several displayed Stokes: RR

Plot file version 107 created 10-JUN-2002 22:42:55
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:01 to 00/21:24:29
Baseline: Several displayed Stokes: RR

Plot file version 108 created 10-JUN-2002 22:43:04
J1232-02 eb019.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:28:31 to 00/21:30:57
Baseline: Several displayed Stokes: RR