Plot file version 1 created 26-NOV-2003 11:23:38
J1118+12 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:00:17 to 00/15:09:57

Plot file version 2 created 26-NOV-2003 11:23:43
J1118+12 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:00:17 to 00/15:09:57

Plot file version 3 created 26-NOV-2003 11:23:43
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:48:04 to 00/15:53:34

Plot file version 4 created 26-NOV-2003 11:23:47
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:48:04 to 00/15:53:34

Plot file version 5 created 26-NOV-2003 11:23:47
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:23:15 to 00/17:27:55

Plot file version 6 created 26-NOV-2003 11:23:50
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:23:15 to 00/17:27:55


Plot file version 7 created 26-NOV-2003 11:23:51
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - SH
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:13:50 to 00/18:18:22

Plot file version 8 created 26-NOV-2003 11:23:54
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:13:50 to 00/18:18:22

Plot file version 9 created 26-NOV-2003 11:23:54
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:19:26 to 00/18:24:22

Plot file version 10 created 26-NOV-2003 11:23:58
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:19:26 to 00/18:24:22

Plot file version 11 created 26-NOV-2003 11:23:59
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:06:16 to 00/19:11:56

Plot file version 12 created 26-NOV-2003 11:24:03
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:06:16 to 00/19:11:56

Plot file version 13 created 26-NOV-2003 11:24:03
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:00:50 to 00/20:05:30

Plot file version 14 created 26-NOV-2003 11:24:07
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:00:50 to 00/20:05:30

Plot file version 15 created 26-NOV-2003 11:24:08
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:47:42 to 00/20:52:38


Plot file version 16 created 26-NOV-2003 11:24:18
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - HH
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:54:31 to 00/20:59:01

Plot file version 17 created 26-NOV-2003 11:25:23
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:39:15 to 00/21:44:09

Plot file version 18 created 26-NOV-2003 11:26:18
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:28:40 to 00/22:34:30

Plot file version 19 created 26-NOV-2003 11:27:04
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:36:47 to 00/22:42:09

Plot file version 20 created 26-NOV-2003 11:27:47
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:10:17 to 00/23:16:13

Plot file version 21 created 26-NOV-2003 11:28:11
J1118+12 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:00:17 to 00/15:09:57

Plot file version 22 created 26-NOV-2003 11:28:15
J1118+12 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:00:17 to 00/15:09:57


Plot file version 23 created 26-NOV-2003 11:28:15
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - SH
IF 1(RR)
IF 2(RR)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:48:04 to 00/15:53:34

Plot file version 24 created 26-NOV-2003 11:28:18
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:48:04 to 00/15:53:34

Plot file version 25 created 26-NOV-2003 11:28:18
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:23:15 to 00/17:27:55

Plot file version 26 created 26-NOV-2003 11:28:21
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:23:15 to 00/17:27:55


Plot file version 27 created 26-NOV-2003 11:28:21
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - SH
IF 1(RR)
IF 2(RR)
200
-200
14.0
13.0
9.8
9.6
9.4
9.2
11.5
10.5
4.1
3.9
5.0
4.8
4.6
2.55
2.45
3.7
3.5
3.3
640
600
500
0 5 10 15
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:13:50 to 00/18:18:22

Plot file version 28 created 26-NOV-2003 11:28:24
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:13:50 to 00/18:18:22


Plot file version 29 created 26-NOV-2003 11:28:24
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - SH
IF 1(RR)
IF 2(RR)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:19:26 to 00/18:24:22

Plot file version 30 created 26-NOV-2003 11:28:28
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:19:26 to 00/18:24:22


Plot file version 31 created 26-NOV-2003 11:28:28
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - SH
IF 1(RR)
IF 2(RR)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:06:16 to 00/19:11:56

Plot file version 32 created 26-NOV-2003 11:28:32
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:06:16 to 00/19:11:56

Plot file version 33 created 26-NOV-2003 11:28:32
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:00:50 to 00/20:05:30

Plot file version 34 created 26-NOV-2003 11:28:35
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:00:50 to 00/20:05:30

Plot file version 35 created 26-NOV-2003 11:28:36
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:47:42 to 00/20:52:38

Plot file version 36 created 26-NOV-2003 11:28:46
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:54:31 to 00/20:59:01

Plot file version 37 created 26-NOV-2003 11:29:49
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:39:15 to 00/21:44:09


Plot file version 38 created 26-NOV-2003 11:30:44
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - HH
IF 1(RR)
IF 2(RR)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:28:40 to 00/22:34:30


Plot file version 39 created 26-NOV-2003 11:31:29
3C286 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
CM - EB
EB - WB
EB - JB
EB - ON
EB - MC
EB - NT
EB - TR
EB - UR
EB - HH
IF 1(RR)
IF 2(RR)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:36:47 to 00/22:42:09

Plot file version 40 created 26-NOV-2003 11:32:11
OQ208 eb023c.UVAVG.1
Freq = 1.6505 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:10:17 to 00/23:16:13