










Plot file version 1 created 07-OCT-2011 21:30:41
 3C84 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:00:00 to 00/02:10:00

Plot file version 2 created 07-OCT-2011 21:31:01
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:14:30 to 00/02:15:30

Plot file version 3 created 07-OCT-2011 21:31:04
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:14:30 to 00/02:15:30

Plot file version 4 created 07-OCT-2011 21:31:05
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:15:45 to 00/02:16:30

Plot file version 5 created 07-OCT-2011 21:31:06
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:15:45 to 00/02:16:30

Plot file version 6 created 07-OCT-2011 21:31:07
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:16:45 to 00/02:17:30

Plot file version 7 created 07-OCT-2011 21:31:09
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:16:45 to 00/02:17:30

Plot file version 8 created 07-OCT-2011 21:31:09
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:17:45 to 00/02:18:30

Plot file version 9 created 07-OCT-2011 21:31:11
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:17:45 to 00/02:18:30

Plot file version 10 created 07-OCT-2011 21:31:12
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:18:45 to 00/02:19:30

Plot file version 11 created 07-OCT-2011 21:31:13
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:18:45 to 00/02:19:30

Plot file version 12 created 07-OCT-2011 21:31:14
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:20:30 to 00/02:21:30

Plot file version 13 created 07-OCT-2011 21:31:17
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:20:30 to 00/02:21:30

Plot file version 14 created 07-OCT-2011 21:31:17
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:21:44 to 00/02:22:30

Plot file version 15 created 07-OCT-2011 21:31:19
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:21:44 to 00/02:22:30

Plot file version 16 created 07-OCT-2011 21:31:20
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:22:45 to 00/02:23:30

Plot file version 17 created 07-OCT-2011 21:31:21
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:22:45 to 00/02:23:30

Plot file version 18 created 07-OCT-2011 21:31:22
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:23:44 to 00/02:24:30

Plot file version 19 created 07-OCT-2011 21:31:24
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:23:44 to 00/02:24:30

Plot file version 20 created 07-OCT-2011 21:31:24
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:24:45 to 00/02:25:30

Plot file version 21 created 07-OCT-2011 21:31:26
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:24:45 to 00/02:25:30

Plot file version 22 created 07-OCT-2011 21:31:27
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:26:30 to 00/02:27:30

Plot file version 23 created 07-OCT-2011 21:31:29
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:26:30 to 00/02:27:30

Plot file version 24 created 07-OCT-2011 21:31:30
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:27:45 to 00/02:28:30

Plot file version 25 created 07-OCT-2011 21:31:31
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:27:45 to 00/02:28:30

Plot file version 26 created 07-OCT-2011 21:31:32
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:28:45 to 00/02:29:30

Plot file version 27 created 07-OCT-2011 21:31:34
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:28:45 to 00/02:29:30

Plot file version 28 created 07-OCT-2011 21:31:34
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:29:45 to 00/02:30:30

Plot file version 29 created 07-OCT-2011 21:31:36
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:29:45 to 00/02:30:30

Plot file version 30 created 07-OCT-2011 21:31:36
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:30:45 to 00/02:31:30

Plot file version 31 created 07-OCT-2011 21:31:38
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:30:45 to 00/02:31:30

Plot file version 32 created 07-OCT-2011 21:31:39
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:32:30 to 00/02:33:30

Plot file version 33 created 07-OCT-2011 21:31:41
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:32:30 to 00/02:33:30

Plot file version 34 created 07-OCT-2011 21:31:42
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:33:44 to 00/02:34:30

Plot file version 35 created 07-OCT-2011 21:31:44
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:33:44 to 00/02:34:30

Plot file version 36 created 07-OCT-2011 21:31:44
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:34:45 to 00/02:35:30

Plot file version 37 created 07-OCT-2011 21:31:47
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:35:44 to 00/02:36:30

Plot file version 38 created 07-OCT-2011 21:31:48
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:35:44 to 00/02:36:30

Plot file version 39 created 07-OCT-2011 21:31:49
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:36:45 to 00/02:37:30

Plot file version 40 created 07-OCT-2011 21:31:51
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:38:30 to 00/02:39:30

Plot file version 41 created 07-OCT-2011 21:31:54
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:38:30 to 00/02:39:30

Plot file version 42 created 07-OCT-2011 21:31:55
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:39:45 to 00/02:40:30

Plot file version 43 created 07-OCT-2011 21:31:56
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:39:45 to 00/02:40:30

Plot file version 44 created 07-OCT-2011 21:31:57
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:40:45 to 00/02:41:30

Plot file version 45 created 07-OCT-2011 21:31:58
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:40:45 to 00/02:41:30

Plot file version 46 created 07-OCT-2011 21:31:59
 ORIKL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:41:45 to 00/02:42:30

Plot file version 47 created 07-OCT-2011 21:32:01
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:41:45 to 00/02:42:30

Plot file version 48 created 07-OCT-2011 21:32:02
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:42:45 to 00/02:43:30

Plot file version 49 created 07-OCT-2011 21:32:03
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:42:45 to 00/02:43:30

Plot file version 50 created 07-OCT-2011 21:32:04
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:44:30 to 00/02:45:30

Plot file version 51 created 07-OCT-2011 21:32:07
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:44:30 to 00/02:45:30

Plot file version 52 created 07-OCT-2011 21:32:07
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:45:44 to 00/02:46:30

Plot file version 53 created 07-OCT-2011 21:32:09
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:45:44 to 00/02:46:30

Plot file version 54 created 07-OCT-2011 21:32:10
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:46:45 to 00/02:47:30

Plot file version 55 created 07-OCT-2011 21:32:11
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:46:45 to 00/02:47:30

Plot file version 56 created 07-OCT-2011 21:32:12
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:47:44 to 00/02:48:30

Plot file version 57 created 07-OCT-2011 21:32:13
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:47:44 to 00/02:48:30

Plot file version 58 created 07-OCT-2011 21:32:14
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:48:45 to 00/02:49:30

Plot file version 59 created 07-OCT-2011 21:32:16
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:48:45 to 00/02:49:30

Plot file version 60 created 07-OCT-2011 21:32:16
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:50:30 to 00/02:51:30

Plot file version 61 created 07-OCT-2011 21:32:19
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:50:30 to 00/02:51:30

Plot file version 62 created 07-OCT-2011 21:32:20
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:51:45 to 00/02:52:30

Plot file version 63 created 07-OCT-2011 21:32:22
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:52:45 to 00/02:53:30

Plot file version 64 created 07-OCT-2011 21:32:23
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:52:45 to 00/02:53:30

Plot file version 65 created 07-OCT-2011 21:32:24
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:53:45 to 00/02:54:30

Plot file version 66 created 07-OCT-2011 21:32:26
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:53:45 to 00/02:54:30

Plot file version 67 created 07-OCT-2011 21:32:26
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:54:45 to 00/02:55:30

Plot file version 68 created 07-OCT-2011 21:32:28
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:54:45 to 00/02:55:30

Plot file version 69 created 07-OCT-2011 21:32:29
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:56:30 to 00/02:57:30

Plot file version 70 created 07-OCT-2011 21:32:31
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:56:30 to 00/02:57:30

Plot file version 71 created 07-OCT-2011 21:32:32
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:57:44 to 00/02:58:30

Plot file version 72 created 07-OCT-2011 21:32:33
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:57:44 to 00/02:58:30

Plot file version 73 created 07-OCT-2011 21:32:34
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:58:45 to 00/02:59:30

Plot file version 74 created 07-OCT-2011 21:32:36
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:58:45 to 00/02:59:30

Plot file version 75 created 07-OCT-2011 21:32:36
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/02:59:44 to 00/03:00:30

Plot file version 76 created 07-OCT-2011 21:32:38
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:59:44 to 00/03:00:30

Plot file version 77 created 07-OCT-2011 21:32:39
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:00:45 to 00/03:01:30

Plot file version 78 created 07-OCT-2011 21:32:40
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:00:45 to 00/03:01:30

Plot file version 79 created 07-OCT-2011 21:32:41
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:02:30 to 00/03:03:30

Plot file version 80 created 07-OCT-2011 21:32:44
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:02:30 to 00/03:03:30

Plot file version 81 created 07-OCT-2011 21:32:44
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:03:45 to 00/03:04:30

Plot file version 82 created 07-OCT-2011 21:32:47
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:04:45 to 00/03:05:30

Plot file version 83 created 07-OCT-2011 21:32:48
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:04:45 to 00/03:05:30

Plot file version 84 created 07-OCT-2011 21:32:49
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:05:46 to 00/03:06:30

Plot file version 85 created 07-OCT-2011 21:32:51
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:05:46 to 00/03:06:30

Plot file version 86 created 07-OCT-2011 21:32:51
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:06:45 to 00/03:07:30

Plot file version 87 created 07-OCT-2011 21:32:53
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:06:45 to 00/03:07:30

Plot file version 88 created 07-OCT-2011 21:32:54
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:08:30 to 00/03:09:30

Plot file version 89 created 07-OCT-2011 21:32:56
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:08:30 to 00/03:09:30

Plot file version 90 created 07-OCT-2011 21:32:57
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Channels
 Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:09:44 to 00/03:10:30

Plot file version 91 created 07-OCT-2011 21:33:00
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:10:45 to 00/03:11:30

Plot file version 92 created 07-OCT-2011 21:33:01
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:10:45 to 00/03:11:30

Plot file version 93 created 07-OCT-2011 21:33:02
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:11:44 to 00/03:12:30

Plot file version 94 created 07-OCT-2011 21:33:04
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:12:45 to 00/03:13:30

Plot file version 95 created 07-OCT-2011 21:33:06
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:12:45 to 00/03:13:30

Plot file version 96 created 07-OCT-2011 21:33:07
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:14:30 to 00/03:15:30

Plot file version 97 created 07-OCT-2011 21:33:10
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:15:46 to 00/03:16:30

Plot file version 98 created 07-OCT-2011 21:33:12
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:16:45 to 00/03:17:30

Plot file version 99 created 07-OCT-2011 21:33:14
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:16:45 to 00/03:17:30

Plot file version 100 created 07-OCT-2011 21:33:15
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:17:46 to 00/03:18:30

Plot file version 101 created 07-OCT-2011 21:33:16
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:17:46 to 00/03:18:30

Plot file version 102 created 07-OCT-2011 21:33:17
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:18:45 to 00/03:19:30

Plot file version 103 created 07-OCT-2011 21:33:19
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:18:45 to 00/03:19:30

Plot file version 104 created 07-OCT-2011 21:33:19
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:20:30 to 00/03:21:30

Plot file version 105 created 07-OCT-2011 21:33:22
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:20:30 to 00/03:21:30

Plot file version 106 created 07-OCT-2011 21:33:23
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:21:44 to 00/03:22:30

Plot file version 107 created 07-OCT-2011 21:33:25
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:22:45 to 00/03:23:30

Plot file version 108 created 07-OCT-2011 21:33:27
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:22:45 to 00/03:23:30

Plot file version 109 created 07-OCT-2011 21:33:27
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:23:44 to 00/03:24:30

Plot file version 110 created 07-OCT-2011 21:33:30
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:24:45 to 00/03:25:30

Plot file version 111 created 07-OCT-2011 21:33:31
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:24:45 to 00/03:25:30

Plot file version 112 created 07-OCT-2011 21:33:32
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:26:30 to 00/03:27:30

Plot file version 113 created 07-OCT-2011 21:33:36
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:27:46 to 00/03:28:30

Plot file version 114 created 07-OCT-2011 21:33:38
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:28:45 to 00/03:29:30

Plot file version 115 created 07-OCT-2011 21:33:40
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:28:45 to 00/03:29:30

Plot file version 116 created 07-OCT-2011 21:33:40
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:29:46 to 00/03:30:30

Plot file version 117 created 07-OCT-2011 21:33:42
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:29:46 to 00/03:30:30

Plot file version 118 created 07-OCT-2011 21:33:43
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:30:45 to 00/03:31:30

Plot file version 119 created 07-OCT-2011 21:33:44
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:30:45 to 00/03:31:30

Plot file version 120 created 07-OCT-2011 21:33:45
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:32:30 to 00/03:33:30

Plot file version 121 created 07-OCT-2011 21:33:48
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:32:30 to 00/03:33:30

Plot file version 122 created 07-OCT-2011 21:33:49
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:33:45 to 00/03:34:30

Plot file version 123 created 07-OCT-2011 21:33:50
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:33:45 to 00/03:34:30

Plot file version 124 created 07-OCT-2011 21:33:51
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:34:45 to 00/03:35:30

Plot file version 125 created 07-OCT-2011 21:33:53
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:34:45 to 00/03:35:30

Plot file version 126 created 07-OCT-2011 21:33:53
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:35:45 to 00/03:36:30

Plot file version 127 created 07-OCT-2011 21:33:55
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:35:45 to 00/03:36:30

Plot file version 128 created 07-OCT-2011 21:33:56
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:36:45 to 00/03:37:30

Plot file version 129 created 07-OCT-2011 21:33:57
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:36:45 to 00/03:37:30

Plot file version 130 created 07-OCT-2011 21:33:58
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:38:30 to 00/03:39:30

Plot file version 131 created 07-OCT-2011 21:34:01
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:38:30 to 00/03:39:30

Plot file version 132 created 07-OCT-2011 21:34:02
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:39:46 to 00/03:40:30

Plot file version 133 created 07-OCT-2011 21:34:03
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:39:46 to 00/03:40:30

Plot file version 134 created 07-OCT-2011 21:34:04
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:40:45 to 00/03:41:30

Plot file version 135 created 07-OCT-2011 21:34:06
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:40:45 to 00/03:41:30

Plot file version 136 created 07-OCT-2011 21:34:06
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:41:46 to 00/03:42:30

Plot file version 137 created 07-OCT-2011 21:34:08
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:41:46 to 00/03:42:30

Plot file version 138 created 07-OCT-2011 21:34:09
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:42:45 to 00/03:43:30

Plot file version 139 created 07-OCT-2011 21:34:10
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:42:45 to 00/03:43:30

Plot file version 140 created 07-OCT-2011 21:34:11
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:44:30 to 00/03:45:30

Plot file version 141 created 07-OCT-2011 21:34:14
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:44:30 to 00/03:45:30

Plot file version 142 created 07-OCT-2011 21:34:14
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:45:45 to 00/03:46:30

Plot file version 143 created 07-OCT-2011 21:34:16
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:45:45 to 00/03:46:30

Plot file version 144 created 07-OCT-2011 21:34:17
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:46:45 to 00/03:47:30

Plot file version 145 created 07-OCT-2011 21:34:18
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:46:45 to 00/03:47:30

Plot file version 146 created 07-OCT-2011 21:34:19
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:47:45 to 00/03:48:30

Plot file version 147 created 07-OCT-2011 21:34:21
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:47:45 to 00/03:48:30

Plot file version 148 created 07-OCT-2011 21:34:22
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/03:48:45 to 00/03:49:30

Plot file version 149 created 07-OCT-2011 21:34:24
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:48:45 to 00/03:49:30

Plot file version 150 created 07-OCT-2011 21:34:30
J0423-01 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:53:30 to 00/04:03:30

Plot file version 151 created 07-OCT-2011 21:34:54
J0423-01 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:53:30 to 00/04:03:30

Plot file version 152 created 07-OCT-2011 21:35:04
 3C84 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:07:30 to 00/04:17:30

Plot file version 153 created 07-OCT-2011 21:35:28
3C84 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:07:30 to 00/04:17:30

Plot file version 154 created 07-OCT-2011 21:35:33
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:22:00 to 00/04:23:00

Plot file version 155 created 07-OCT-2011 21:35:36
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:22:00 to 00/04:23:00

Plot file version 156 created 07-OCT-2011 21:35:37
 ORIKL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:23:16 to 00/04:24:00

Plot file version 157 created 07-OCT-2011 21:35:38
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:23:16 to 00/04:24:00

Plot file version 158 created 07-OCT-2011 21:35:39
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:24:16 to 00/04:25:00

Plot file version 159 created 07-OCT-2011 21:35:41
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:24:16 to 00/04:25:00

Plot file version 160 created 07-OCT-2011 21:35:41
 ORIKL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:25:16 to 00/04:26:00

Plot file version 161 created 07-OCT-2011 21:35:43










ORIKL1 EE008A 1.UVAVG.1

Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:25:16 to 00/04:26:00

Plot file version 162 created 07-OCT-2011 21:35:44
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:26:16 to 00/04:27:00

Plot file version 163 created 07-OCT-2011 21:35:45
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:26:16 to 00/04:27:00

Plot file version 164 created 07-OCT-2011 21:35:46
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:28:00 to 00/04:29:00

Plot file version 165 created 07-OCT-2011 21:35:48
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:28:00 to 00/04:29:00

Plot file version 166 created 07-OCT-2011 21:35:49
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:29:15 to 00/04:30:00

Plot file version 167 created 07-OCT-2011 21:35:51
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:29:15 to 00/04:30:00

Plot file version 168 created 07-OCT-2011 21:35:52
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:30:15 to 00/04:31:00

Plot file version 169 created 07-OCT-2011 21:35:53
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:30:15 to 00/04:31:00

Plot file version 170 created 07-OCT-2011 21:35:54
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:31:15 to 00/04:32:00

Plot file version 171 created 07-OCT-2011 21:35:56










ORIKL1 EE008A 1.UVAVG.1

Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:31:15 to 00/04:32:00

Plot file version 172 created 07-OCT-2011 21:35:56
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:32:15 to 00/04:33:00

Plot file version 173 created 07-OCT-2011 21:35:58
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:32:15 to 00/04:33:00

Plot file version 174 created 07-OCT-2011 21:35:59
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:34:00 to 00/04:35:00

Plot file version 175 created 07-OCT-2011 21:36:02
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:34:00 to 00/04:35:00

Plot file version 176 created 07-OCT-2011 21:36:03
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:35:16 to 00/04:36:00

Plot file version 177 created 07-OCT-2011 21:36:05
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:36:16 to 00/04:37:00

Plot file version 178 created 07-OCT-2011 21:36:07
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:36:16 to 00/04:37:00

Plot file version 179 created 07-OCT-2011 21:36:07
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:37:16 to 00/04:38:00

Plot file version 180 created 07-OCT-2011 21:36:09
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:37:16 to 00/04:38:00

Plot file version 181 created 07-OCT-2011 21:36:10
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:38:16 to 00/04:39:00

Plot file version 182 created 07-OCT-2011 21:36:11
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:38:16 to 00/04:39:00

Plot file version 183 created 07-OCT-2011 21:36:12
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:40:00 to 00/04:41:00

Plot file version 184 created 07-OCT-2011 21:36:15
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:40:00 to 00/04:41:00

Plot file version 185 created 07-OCT-2011 21:36:15
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:41:15 to 00/04:42:00

Plot file version 186 created 07-OCT-2011 21:36:17
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:41:15 to 00/04:42:00

Plot file version 187 created 07-OCT-2011 21:36:18
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:42:15 to 00/04:43:00

Plot file version 188 created 07-OCT-2011 21:36:19
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:42:15 to 00/04:43:00

Plot file version 189 created 07-OCT-2011 21:36:20
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:43:15 to 00/04:44:00

Plot file version 190 created 07-OCT-2011 21:36:22
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:43:15 to 00/04:44:00

Plot file version 191 created 07-OCT-2011 21:36:22
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:44:15 to 00/04:45:00

Plot file version 192 created 07-OCT-2011 21:36:24
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:44:15 to 00/04:45:00

Plot file version 193 created 07-OCT-2011 21:36:25
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:46:00 to 00/04:47:00

Plot file version 194 created 07-OCT-2011 21:36:28
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:46:00 to 00/04:47:00

Plot file version 195 created 07-OCT-2011 21:36:28
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:47:16 to 00/04:48:00

Plot file version 196 created 07-OCT-2011 21:36:30
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:47:16 to 00/04:48:00

Plot file version 197 created 07-OCT-2011 21:36:31
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:48:16 to 00/04:49:00

Plot file version 198 created 07-OCT-2011 21:36:32
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:48:16 to 00/04:49:00

Plot file version 199 created 07-OCT-2011 21:36:33
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:49:16 to 00/04:50:00

Plot file version 200 created 07-OCT-2011 21:36:35
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:49:16 to 00/04:50:00

Plot file version 201 created 07-OCT-2011 21:36:35
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:50:16 to 00/04:51:00

Plot file version 202 created 07-OCT-2011 21:36:37
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:50:16 to 00/04:51:00

Plot file version 203 created 07-OCT-2011 21:36:38
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:52:00 to 00/04:53:00

Plot file version 204 created 07-OCT-2011 21:36:40
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:52:00 to 00/04:53:00

Plot file version 205 created 07-OCT-2011 21:36:41
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:53:15 to 00/04:54:00

Plot file version 206 created 07-OCT-2011 21:36:44
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:54:15 to 00/04:55:00

Plot file version 207 created 07-OCT-2011 21:36:46
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:54:15 to 00/04:55:00

Plot file version 208 created 07-OCT-2011 21:36:46
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:55:15 to 00/04:56:00

Plot file version 209 created 07-OCT-2011 21:36:49
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:56:15 to 00/04:57:00

Plot file version 210 created 07-OCT-2011 21:36:50
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:56:15 to 00/04:57:00

Plot file version 211 created 07-OCT-2011 21:36:51
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:58:00 to 00/04:59:00

Plot file version 212 created 07-OCT-2011 21:36:54
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:58:00 to 00/04:59:00

Plot file version 213 created 07-OCT-2011 21:36:55
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/04:59:16 to 00/05:00:00

Plot file version 214 created 07-OCT-2011 21:36:56
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:59:16 to 00/05:00:00

Plot file version 215 created 07-OCT-2011 21:36:57
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:00:16 to 00/05:01:00

Plot file version 216 created 07-OCT-2011 21:36:59
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:00:16 to 00/05:01:00

Plot file version 217 created 07-OCT-2011 21:36:59
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:01:16 to 00/05:02:00

Plot file version 218 created 07-OCT-2011 21:37:01
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:01:16 to 00/05:02:00

Plot file version 219 created 07-OCT-2011 21:37:02
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:02:16 to 00/05:03:00

Plot file version 220 created 07-OCT-2011 21:37:03
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:02:16 to 00/05:03:00

Plot file version 221 created 07-OCT-2011 21:37:04
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:04:00 to 00/05:05:00

Plot file version 222 created 07-OCT-2011 21:37:07
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:04:00 to 00/05:05:00

Plot file version 223 created 07-OCT-2011 21:37:08
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:05:15 to 00/05:06:00

Plot file version 224 created 07-OCT-2011 21:37:09
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:05:15 to 00/05:06:00

Plot file version 225 created 07-OCT-2011 21:37:10
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:06:15 to 00/05:07:00

Plot file version 226 created 07-OCT-2011 21:37:12
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:06:15 to 00/05:07:00

Plot file version 227 created 07-OCT-2011 21:37:12
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:07:15 to 00/05:08:00

Plot file version 228 created 07-OCT-2011 21:37:14
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:07:15 to 00/05:08:00

Plot file version 229 created 07-OCT-2011 21:37:15
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:08:15 to 00/05:09:00

Plot file version 230 created 07-OCT-2011 21:37:16
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:08:15 to 00/05:09:00

Plot file version 231 created 07-OCT-2011 21:37:17
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:10:00 to 00/05:11:00

Plot file version 232 created 07-OCT-2011 21:37:20
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:10:00 to 00/05:11:00

Plot file version 233 created 07-OCT-2011 21:37:21
 ORIKL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:11:16 to 00/05:12:00

Plot file version 234 created 07-OCT-2011 21:37:23
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:12:16 to 00/05:13:00

Plot file version 235 created 07-OCT-2011 21:37:25
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:12:16 to 00/05:13:00

Plot file version 236 created 07-OCT-2011 21:37:26
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:13:16 to 00/05:14:00

Plot file version 237 created 07-OCT-2011 21:37:27
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:13:16 to 00/05:14:00

Plot file version 238 created 07-OCT-2011 21:37:28
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:14:16 to 00/05:15:00

Plot file version 239 created 07-OCT-2011 21:37:29
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:14:16 to 00/05:15:00

Plot file version 240 created 07-OCT-2011 21:37:30
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:16:00 to 00/05:17:00

Plot file version 241 created 07-OCT-2011 21:37:33
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:16:00 to 00/05:17:00

Plot file version 242 created 07-OCT-2011 21:37:34
 ORIKL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:17:15 to 00/05:18:00

Plot file version 243 created 07-OCT-2011 21:37:36
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:17:15 to 00/05:18:00

Plot file version 244 created 07-OCT-2011 21:37:36
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:18:15 to 00/05:19:00

Plot file version 245 created 07-OCT-2011 21:37:38
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:18:15 to 00/05:19:00

Plot file version 246 created 07-OCT-2011 21:37:39
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:19:15 to 00/05:20:00

Plot file version 247 created 07-OCT-2011 21:37:40
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:19:15 to 00/05:20:00

Plot file version 248 created 07-OCT-2011 21:37:41
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:20:15 to 00/05:21:00

Plot file version 249 created 07-OCT-2011 21:37:43
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:20:15 to 00/05:21:00

Plot file version 250 created 07-OCT-2011 21:37:44
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:22:00 to 00/05:23:00

Plot file version 251 created 07-OCT-2011 21:37:46
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:22:00 to 00/05:23:00

Plot file version 252 created 07-OCT-2011 21:37:47
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:23:16 to 00/05:24:00

Plot file version 253 created 07-OCT-2011 21:37:49


ORIKL1 EE008A 1.UVAVG.1

Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:23:16 to 00/05:24:00

Plot file version 254 created 07-OCT-2011 21:37:50
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:24:16 to 00/05:25:00

Plot file version 255 created 07-OCT-2011 21:37:51
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:24:16 to 00/05:25:00

Plot file version 256 created 07-OCT-2011 21:37:52
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:25:16 to 00/05:26:00

Plot file version 257 created 07-OCT-2011 21:37:53


ORIKL1 EE008A 1.UVAVG.1

Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:25:16 to 00/05:26:00

Plot file version 258 created 07-OCT-2011 21:37:54
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:26:16 to 00/05:27:00

Plot file version 259 created 07-OCT-2011 21:37:56
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:26:16 to 00/05:27:00

Plot file version 260 created 07-OCT-2011 21:37:57
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:28:00 to 00/05:29:00

Plot file version 261 created 07-OCT-2011 21:37:59
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:28:00 to 00/05:29:00

Plot file version 262 created 07-OCT-2011 21:38:00
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:29:15 to 00/05:30:00

Plot file version 263 created 07-OCT-2011 21:38:03
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:15 to 00/05:31:00

Plot file version 264 created 07-OCT-2011 21:38:04
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:15 to 00/05:31:00

Plot file version 265 created 07-OCT-2011 21:38:05
 ORI KL1 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:31:15 to 00/05:32:00

Plot file version 266 created 07-OCT-2011 21:38:08
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:32:15 to 00/05:33:00

Plot file version 267 created 07-OCT-2011 21:38:09
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:32:15 to 00/05:33:00

Plot file version 268 created 07-OCT-2011 21:38:10
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:34:00 to 00/05:35:00

Plot file version 269 created 07-OCT-2011 21:38:13
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:35:16 to 00/05:36:00

Plot file version 270 created 07-OCT-2011 21:38:16
J0541-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:36:16 to 00/05:37:00

Plot file version 271 created 07-OCT-2011 21:38:18
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:37:16 to 00/05:38:00

Plot file version 272 created 07-OCT-2011 21:38:21
 J0541-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:38:16 to 00/05:39:00

Plot file version 273 created 07-OCT-2011 21:38:23
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:40:00 to 00/05:41:00

Plot file version 274 created 07-OCT-2011 21:38:26
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:00 to 00/05:41:00

Plot file version 275 created 07-OCT-2011 21:38:26
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Kilo Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:41:15 to 00/05:42:00

Plot file version 276 created 07-OCT-2011 21:38:29
 J0529-05 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:42:15 to 00/05:43:00

Plot file version 277 created 07-OCT-2011 21:38:30
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:42:15 to 00/05:43:00

Plot file version 278 created 07-OCT-2011 21:38:31
ORIKL1 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:43:15 to 00/05:44:00

Plot file version 279 created 07-OCT-2011 21:38:34
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:44:15 to 00/05:45:00

Plot file version 280 created 07-OCT-2011 21:38:36
J0529-05 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:44:15 to 00/05:45:00

Plot file version 281 created 07-OCT-2011 21:38:41
 J0423-01 EE008A 1.UVAVG.1
 Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/05:49:00 to 00/05:59:00

Plot file version 282 created 07-OCT-2011 21:39:07
J0423-01 EE008A 1.UVAVG.1
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:49:00 to 00/05:59:00