Plot file version 1 created 08-OCT-2002 16:32:08
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:30:17 to 00/16:33:57
Baseline: Several displayed Stokes: LL

Plot file version 2 created 08-OCT-2002 16:32:10
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:42:05 to 00/16:43:57
Baseline: Several displayed Stokes: LL

Plot file version 3 created 08-OCT-2002 16:32:12
J1243+74 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:56:25 to 00/16:58:57
Baseline: Several displayed Stokes: LL

Plot file version 4 created 08-OCT-2002 16:32:16
J1120+54 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:21:25 to 00/17:23:57
Baseline: Several displayed Stokes: LL

Plot file version 5 created 08-OCT-2002 16:32:18
J1120+54 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:33:09 to 00/17:34:57
Baseline: Several displayed Stokes: LL

Plot file version 6 created 08-OCT-2002 16:32:20
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:46:25 to 00/17:48:57
Baseline: Several displayed Stokes: LL

Plot file version 7 created 08-OCT-2002 16:32:23
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:57:05 to 00/17:58:57
Baseline: Several displayed Stokes: LL

Plot file version 8 created 08-OCT-2002 16:32:26
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:22:25 to 00/18:24:57
Baseline: Several displayed Stokes: LL

Plot file version 9 created 08-OCT-2002 16:32:29
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:33:05 to 00/18:34:57
Baseline: Several displayed Stokes: LL

Plot file version 10 created 08-OCT-2002 16:32:32
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:47:13 to 00/18:49:57
Baseline: Several displayed Stokes: LL

Plot file version 11 created 08-OCT-2002 16:32:36
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:58:05 to 00/18:59:57
Baseline: Several displayed Stokes: LL

Plot file version 12 created 08-OCT-2002 16:32:39
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:10:29 to 00/19:12:57
Baseline: Several displayed Stokes: LL

Plot file version 13 created 08-OCT-2002 16:32:43
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:21:05 to 00/19:22:57
Baseline: Several displayed Stokes: LL

Plot file version 14 created 08-OCT-2002 16:32:47
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:34:25 to 00/19:36:57
Baseline: Several displayed Stokes: LL

Plot file version 15 created 08-OCT-2002 16:32:52
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:45:05 to 00/19:46:57
Baseline: Several displayed Stokes: LL

Plot file version 16 created 08-OCT-2002 16:32:55
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:58:21 to 00/20:00:57
Baseline: Several displayed Stokes: LL

Plot file version 17 created 08-OCT-2002 16:33:00
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:09:05 to 00/20:10:57
Baseline: Several displayed Stokes: LL

Plot file version 18 created 08-OCT-2002 16:33:05
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:21:21 to 00/20:23:57
Baseline: Several displayed Stokes: LL

Plot file version 19 created 08-OCT-2002 16:33:10
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:32:05 to 00/20:33:57
Baseline: Several displayed Stokes: LL

Plot file version 20 created 08-OCT-2002 16:33:15
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:47:25 to 00/20:49:57
Baseline: Several displayed Stokes: LL

Plot file version 21 created 08-OCT-2002 16:33:21
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:59:05 to 00/21:00:57
Baseline: Several displayed Stokes: LL

Plot file version 22 created 08-OCT-2002 16:33:27
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:17:17 to 00/21:20:57
Baseline: Several displayed Stokes: LL

Plot file version 23 created 08-OCT-2002 16:33:34
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:29:05 to 00/21:31:57
Baseline: Several displayed Stokes: LL

Plot file version 24 created 08-OCT-2002 16:33:40
J1243+74 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:21 to 00/21:46:57
Baseline: Several displayed Stokes: LL

Plot file version 25 created 08-OCT-2002 16:33:45
J1243+74 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:55:05 to 00/21:56:57
Baseline: Several displayed Stokes: LL

Plot file version 26 created 08-OCT-2002 16:33:47
J1120+54 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:08:25 to 00/22:10:57
Baseline: Several displayed Stokes: LL

Plot file version 27 created 08-OCT-2002 16:33:52
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:30:17 to 00/16:33:57
Baseline: Several displayed Stokes: RR

Plot file version 28 created 08-OCT-2002 16:33:53
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:42:05 to 00/16:43:57
Baseline: Several displayed Stokes: RR

Plot file version 29 created 08-OCT-2002 16:33:53
J1243+74 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/16:56:25 to 00/16:58:57
Baseline: Several displayed Stokes: RR

Plot file version 30 created 08-OCT-2002 16:33:55
J1120+54 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:21:25 to 00/17:23:57
Baseline: Several displayed Stokes: RR

Plot file version 31 created 08-OCT-2002 16:33:56
J1120+54 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:33:09 to 00/17:34:57
Baseline: Several displayed Stokes: RR

Plot file version 32 created 08-OCT-2002 16:33:56
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:46:25 to 00/17:48:57
Baseline: Several displayed Stokes: RR

Plot file version 33 created 08-OCT-2002 16:33:58
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/17:57:05 to 00/17:58:57
Baseline: Several displayed Stokes: RR

Plot file version 34 created 08-OCT-2002 16:33:59
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:22:25 to 00/18:24:57
Baseline: Several displayed Stokes: RR

Plot file version 35 created 08-OCT-2002 16:34:00
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:33:05 to 00/18:34:57
Baseline: Several displayed Stokes: RR

Plot file version 36 created 08-OCT-2002 16:34:01
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:47:13 to 00/18:49:57
Baseline: Several displayed Stokes: RR

Plot file version 37 created 08-OCT-2002 16:34:03
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:58:05 to 00/18:59:57
Baseline: Several displayed Stokes: RR

Plot file version 38 created 08-OCT-2002 16:34:04
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:10:29 to 00/19:12:57
Baseline: Several displayed Stokes: RR

Plot file version 39 created 08-OCT-2002 16:34:06
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:21:05 to 00/19:22:57
Baseline: Several displayed Stokes: RR

Plot file version 40 created 08-OCT-2002 16:34:07
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:34:25 to 00/19:36:57
Baseline: Several displayed Stokes: RR

Plot file version 41 created 08-OCT-2002 16:34:09
J1148+18 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:45:05 to 00/19:46:57
Baseline: Several displayed Stokes: RR

Plot file version 42 created 08-OCT-2002 16:34:11
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:58:21 to 00/20:00:57
Baseline: Several displayed Stokes: RR

Plot file version 43 created 08-OCT-2002 16:34:13
J1400+04 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:09:05 to 00/20:10:57
Baseline: Several displayed Stokes: RR

Plot file version 44 created 08-OCT-2002 16:34:14
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:21:21 to 00/20:23:57
Baseline: Several displayed Stokes: RR

Plot file version 45 created 08-OCT-2002 16:34:16
J1319-12 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:32:05 to 00/20:33:57
Baseline: Several displayed Stokes: RR

Plot file version 46 created 08-OCT-2002 16:34:18
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:47:25 to 00/20:49:57
Baseline: Several displayed Stokes: RR

Plot file version 47 created 08-OCT-2002 16:34:20
J1359+40 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:59:05 to 00/21:00:57
Baseline: Several displayed Stokes: RR

Plot file version 48 created 08-OCT-2002 16:34:22
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:17:17 to 00/21:20:57
Baseline: Several displayed Stokes: RR

Plot file version 49 created 08-OCT-2002 16:34:25
J0921+62 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:29:05 to 00/21:31:57
Baseline: Several displayed Stokes: RR

Plot file version 50 created 08-OCT-2002 16:34:27
J1243+74 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:21 to 00/21:46:57
Baseline: Several displayed Stokes: RR

Plot file version 51 created 08-OCT-2002 16:34:30
J1243+74 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:55:05 to 00/21:56:57
Baseline: Several displayed Stokes: RR

Plot file version 52 created 08-OCT-2002 16:34:32
J1120+54 ef009a.MSORT.1
Freq = 4.9745 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:08:25 to 00/22:10:57
Baseline: Several displayed Stokes: RR