Plot file version 1 created 10-MAR-2003 18:58:56
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:30:18 to 00/13:52:18

Plot file version 2 created 10-MAR-2003 18:58:58
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:52:20 to 00/14:13:42

Plot file version 3 created 10-MAR-2003 18:59:01
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:15:05 to 00/14:25:43

Plot file version 4 created 10-MAR-2003 18:59:03
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:30:29 to 00/14:41:25

Plot file version 5 created 10-MAR-2003 18:59:04
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:46:45 to 00/14:57:39

Plot file version 6 created 10-MAR-2003 18:59:06
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:03:22 to 00/15:14:06


Plot file version 7 created 10-MAR-2003 18:59:08
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
CM - EB
EB - MC
EB - NT
EB - ON
EB - SH
EB - TR
EB - WB
EB - UR
IF 1(E1)(E2)(E3)(E4)(E5)(E6)(E7)(E8)(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:20:00 to 00/15:34:56

Plot file version 8 created 10-MAR-2003 18:59:09
3C286 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:36:32 to 00/15:41:28

Plot file version 9 created 10-MAR-2003 18:59:10
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:43:19 to 00/15:54:59

Plot file version 10 created 10-MAR-2003 18:59:13
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:00:53 to 00/16:12:49

Plot file version 11 created 10-MAR-2003 18:59:14
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:18:31 to 00/16:28:27

Plot file version 12 created 10-MAR-2003 18:59:16
OQ208 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:30:31 to 00/16:36:25

Plot file version 13 created 10-MAR-2003 18:59:17
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:41:53 to 00/16:49:23

Plot file version 14 created 10-MAR-2003 18:59:18
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:56:11 to 00/17:06:07

Plot file version 15 created 10-MAR-2003 18:59:20
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:11:27 to 00/17:21:23

Plot file version 16 created 10-MAR-2003 18:59:22
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:26:35 to 00/17:37:31

Plot file version 17 created 10-MAR-2003 18:59:24
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:43:01 to 00/17:53:31

Plot file version 18 created 10-MAR-2003 18:59:26
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:58:29 to 00/18:09:23

Plot file version 19 created 10-MAR-2003 18:59:27
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:14:13 to 00/18:25:09

Plot file version 20 created 10-MAR-2003 18:59:29
OQ208 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:30:23 to 00/18:36:17

Plot file version 21 created 10-MAR-2003 18:59:29
3C286 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:37:38 to 00/18:43:16

Plot file version 22 created 10-MAR-2003 18:59:30
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:59:34 to 00/19:07:28

Plot file version 23 created 10-MAR-2003 18:59:32
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:13:28 to 00/19:21:22

Plot file version 24 created 10-MAR-2003 18:59:33
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:27:44 to 00/19:35:40

Plot file version 25 created 10-MAR-2003 18:59:34
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:42:10 to 00/19:50:06

Plot file version 26 created 10-MAR-2003 18:59:35
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:57:39 to 00/20:08:09

Plot file version 27 created 10-MAR-2003 18:59:37
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:15:29 to 00/20:26:23

Plot file version 28 created 10-MAR-2003 18:59:39
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:34:19 to 00/20:45:13

Plot file version 29 created 10-MAR-2003 18:59:41
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:53:27 to 00/21:04:09

Plot file version 30 created 10-MAR-2003 18:59:42
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:12:43 to 00/21:23:37

Plot file version 31 created 10-MAR-2003 18:59:44
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:32:13 to 00/21:43:07

Plot file version 32 created 10-MAR-2003 18:59:46
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:52:18 to 00/22:03:00

Plot file version 33 created 10-MAR-2003 18:59:47
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:12:00 to 00/22:22:54

Plot file version 34 created 10-MAR-2003 18:59:49
3C286 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:31:10 to 00/22:37:04

Plot file version 35 created 10-MAR-2003 18:59:50
OQ208 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:38:12 to 00/22:44:06

Plot file version 36 created 10-MAR-2003 18:59:51
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:46:41 to 00/22:54:15

Plot file version 37 created 10-MAR-2003 18:59:52
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:03:37 to 00/23:11:31

Plot file version 38 created 10-MAR-2003 18:59:53
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:21:05 to 00/23:28:59

Plot file version 39 created 10-MAR-2003 18:59:54
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:38:09 to 00/23:46:05

Plot file version 40 created 10-MAR-2003 18:59:56
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:55:16 to 01/00:06:00

Plot file version 41 created 10-MAR-2003 18:59:57
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:15:10 to 01/00:26:04

Plot file version 42 created 10-MAR-2003 18:59:59
1215+303 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:35:10 to 01/00:46:06


Plot file version 43 created 10-MAR-2003 19:00:01
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
CM - EB
EB - MC
EB - NT
EB - ON
EB - SH
EB - TR
EB - WB
EB - UR
IF 1(EI2)(EI3)(EI4)(EI5)(EI6)(EI7)(EI8)(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:53:47 to 01/01:15:47

Plot file version 44 created 10-MAR-2003 19:00:04
1728+502 eg026.MSORT.1
Freq = 4.9585 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:15:49 to 01/01:29:55