Plot file version 17 created 08-AUG-2003 22:24:35
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:00:17 to 00/08:05:57

Plot file version 18 created 08-AUG-2003 22:24:37
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:49:35 to 00/08:54:57

Plot file version 19 created 08-AUG-2003 22:24:40
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:27 to 00/09:43:57

Plot file version 20 created 08-AUG-2003 22:24:43
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:27:31 to 00/10:32:57

Plot file version 21 created 08-AUG-2003 22:24:45
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:16:30 to 00/11:21:58

Plot file version 22 created 08-AUG-2003 22:24:47
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:05:27 to 00/12:11:57

Plot file version 23 created 08-AUG-2003 22:24:50
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:14:01 to 00/12:18:57

Plot file version 24 created 08-AUG-2003 22:24:53
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:58:18 to 00/13:02:58

Plot file version 25 created 08-AUG-2003 22:24:55
3C84 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:07:34 to 00/14:11:58

Plot file version 26 created 08-AUG-2003 22:24:58
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:14:02 to 00/14:18:58

Plot file version 27 created 08-AUG-2003 22:25:00
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:01:17 to 00/15:05:57

Plot file version 28 created 08-AUG-2003 22:25:03
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:55:35 to 00/15:59:57

Plot file version 29 created 08-AUG-2003 22:25:06
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:04:01 to 00/16:09:57

Plot file version 30 created 08-AUG-2003 22:25:09
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:52:27 to 00/16:57:57

Plot file version 31 created 08-AUG-2003 22:25:12
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:43:35 to 00/17:48:57

Plot file version 32 created 08-AUG-2003 22:25:15
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:34:16 to 00/18:39:58

Plot file version 33 created 08-AUG-2003 22:25:18
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:04:27 to 00/19:09:57

Plot file version 34 created 08-AUG-2003 22:25:20
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:32:25 to 00/20:36:27

Plot file version 35 created 08-AUG-2003 22:25:23
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:22:27 to 00/21:26:27

Plot file version 36 created 08-AUG-2003 22:25:25
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:13:27 to 00/22:17:57

Plot file version 37 created 08-AUG-2003 22:25:27
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:22:01 to 00/23:26:57

Plot file version 38 created 08-AUG-2003 22:25:30
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:00:17 to 00/08:05:57

Plot file version 39 created 08-AUG-2003 22:25:33
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:49:35 to 00/08:54:57

Plot file version 40 created 08-AUG-2003 22:25:35
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:27 to 00/09:43:57

Plot file version 41 created 08-AUG-2003 22:25:38
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:27:31 to 00/10:32:57

Plot file version 42 created 08-AUG-2003 22:25:40
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:16:30 to 00/11:21:58

Plot file version 43 created 08-AUG-2003 22:25:43
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:05:27 to 00/12:11:57

Plot file version 44 created 08-AUG-2003 22:25:45
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:14:01 to 00/12:18:57

Plot file version 45 created 08-AUG-2003 22:25:48
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:58:18 to 00/13:02:58

Plot file version 46 created 08-AUG-2003 22:25:50
3C84 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:07:34 to 00/14:11:58

Plot file version 47 created 08-AUG-2003 22:25:53
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:14:02 to 00/14:18:58

Plot file version 48 created 08-AUG-2003 22:25:55
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:01:17 to 00/15:05:57

Plot file version 49 created 08-AUG-2003 22:25:58
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:55:35 to 00/15:59:57

Plot file version 50 created 08-AUG-2003 22:26:01
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:04:01 to 00/16:09:57

Plot file version 51 created 08-AUG-2003 22:26:04
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:52:27 to 00/16:57:57

Plot file version 52 created 08-AUG-2003 22:26:07
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:43:35 to 00/17:48:57

Plot file version 53 created 08-AUG-2003 22:26:10
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:34:16 to 00/18:39:58

Plot file version 54 created 08-AUG-2003 22:26:12
0212+735 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:04:27 to 00/19:09:57

Plot file version 55 created 08-AUG-2003 22:26:15
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:32:25 to 00/20:36:27

Plot file version 56 created 08-AUG-2003 22:26:17
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:22:27 to 00/21:26:27

Plot file version 57 created 08-AUG-2003 22:26:20
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:13:27 to 00/22:17:57

Plot file version 58 created 08-AUG-2003 22:26:21
NRAO150 ei005a 1.MSORT.1
Freq = 22.2318 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:22:01 to 00/23:26:57