




Plot file version 1 created 17-OCT-2007 11:51:44




IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:23:35 to 00/21:26:55

Plot file version 2 created 17-OCT-2007 11:51:44
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:27:03 to 00/21:28:27

Plot file version 3 created 17-OCT-2007 11:51:45

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:28:35 to 00/21:31:55

Plot file version 4 created 17-OCT-2007 11:51:45


J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:32:03 to 00/21:33:27

Plot file version 5 created 17-OCT-2007 11:51:50
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/22:06:55 to 00/22:09:27

Plot file version 6 created 17-OCT-2007 11:51:51
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/22:06:55 to 00/22:09:27

Plot file version 7 created 17-OCT-2007 11:51:52
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:16:35 to 00/22:17:55

Plot file version 8 created 17-OCT-2007 11:51:53


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:18:03 to 00/22:21:27

Plot file version 9 created 17-OCT-2007 11:51:53
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:21:35 to 00/22:22:55

Plot file version 10 created 17-OCT-2007 11:51:54

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:23:35 to 00/22:26:55

Plot file version 11 created 17-OCT-2007 11:51:54

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:27:03 to 00/22:28:27

Plot file version 12 created 17-OCT-2007 11:51:55

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:32:03 to 00/22:33:27

Plot file version 13 created 17-OCT-2007 11:51:56





IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:34:03 to 00/22:37:27

Plot file version 14 created 17-OCT-2007 11:51:56
 J1832-10 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/22:37:35 to 00/22:38:55

Plot file version 15 created 17-OCT-2007 11:51:56


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:39:03 to 00/22:42:27

Plot file version 16 created 17-OCT-2007 11:51:57
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:42:35 to 00/22:43:55

Plot file version 17 created 17-OCT-2007 11:51:57

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:44:35 to 00/22:47:55

Plot file version 18 created 17-OCT-2007 11:51:58

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:48:03 to 00/22:49:27

Plot file version 19 created 17-OCT-2007 11:51:58


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:49:35 to 00/22:52:55

Plot file version 20 created 17-OCT-2007 11:51:59
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:53:03 to 00/22:54:27

Plot file version 21 created 17-OCT-2007 11:51:59
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/22:56:03 to 00/22:58:55

Plot file version 22 created 17-OCT-2007 11:52:00
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/22:56:03 to 00/22:58:55

Plot file version 23 created 17-OCT-2007 11:52:00
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:00:35 to 00/23:01:55

Plot file version 24 created 17-OCT-2007 11:52:01


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:02:35 to 00/23:05:55

Plot file version 25 created 17-OCT-2007 11:52:02
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:06:03 to 00/23:07:27

Plot file version 26 created 17-OCT-2007 11:52:02

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:07:35 to 00/23:10:55

Plot file version 27 created 17-OCT-2007 11:52:03

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:11:03 to 00/23:12:27

Plot file version 28 created 17-OCT-2007 11:52:04

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:13:03 to 00/23:16:27

Plot file version 29 created 17-OCT-2007 11:52:05

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:16:35 to 00/23:17:55

Plot file version 30 created 17-OCT-2007 11:52:05

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:18:03 to 00/23:21:27

Plot file version 31 created 17-OCT-2007 11:52:06

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:21:35 to 00/23:22:55

Plot file version 32 created 17-OCT-2007 11:52:07



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:23:35 to 00/23:26:55

Plot file version 33 created 17-OCT-2007 11:52:08
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:27:03 to 00/23:28:27

Plot file version 34 created 17-OCT-2007 11:52:08



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:28:35 to 00/23:31:55

Plot file version 35 created 17-OCT-2007 11:52:09
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:32:03 to 00/23:33:27

Plot file version 36 created 17-OCT-2007 11:52:10



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:34:03 to 00/23:37:27

Plot file version 37 created 17-OCT-2007 11:52:11
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:37:35 to 00/23:38:55

Plot file version 38 created 17-OCT-2007 11:52:12

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:39:03 to 00/23:42:27

Plot file version 39 created 17-OCT-2007 11:52:12










J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:42:35 to 00/23:43:55

Plot file version 40 created 17-OCT-2007 11:52:13
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/23:45:35 to 00/23:48:27

Plot file version 41 created 17-OCT-2007 11:52:13
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/23:45:35 to 00/23:48:27

Plot file version 42 created 17-OCT-2007 11:52:14
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:50:03 to 00/23:51:27

Plot file version 43 created 17-OCT-2007 11:52:14

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:52:03 to 00/23:55:27

Plot file version 44 created 17-OCT-2007 11:52:15

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:55:35 to 00/23:56:55

Plot file version 45 created 17-OCT-2007 11:52:16



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:57:03 to 01/00:00:27

Plot file version 46 created 17-OCT-2007 11:52:17
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:00:35 to 01/00:01:55

Plot file version 47 created 17-OCT-2007 11:52:17



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:02:55 to 01/00:05:55

Plot file version 48 created 17-OCT-2007 11:52:18
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:06:03 to 01/00:07:27

Plot file version 49 created 17-OCT-2007 11:52:18

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:07:35 to 01/00:10:55

Plot file version 50 created 17-OCT-2007 11:52:19

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:11:03 to 01/00:12:27

Plot file version 51 created 17-OCT-2007 11:52:19


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:13:03 to 01/00:16:27

Plot file version 52 created 17-OCT-2007 11:52:20
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:16:35 to 01/00:17:55

Plot file version 53 created 17-OCT-2007 11:52:20



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:18:03 to 01/00:21:27

Plot file version 54 created 17-OCT-2007 11:52:21
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:21:35 to 01/00:22:55

Plot file version 55 created 17-OCT-2007 11:52:21



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:23:35 to 01/00:26:55

Plot file version 56 created 17-OCT-2007 11:52:22
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:27:03 to 01/00:28:27

Plot file version 57 created 17-OCT-2007 11:52:23

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:28:35 to 01/00:31:55

Plot file version 58 created 17-OCT-2007 11:52:24










J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:32:03 to 01/00:33:27

Plot file version 59 created 17-OCT-2007 11:52:25
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/00:35:03 to 01/00:37:55

Plot file version 60 created 17-OCT-2007 11:52:25
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/00:35:03 to 01/00:37:55

Plot file version 61 created 17-OCT-2007 11:52:26
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:39:35 to 01/00:40:55

Plot file version 62 created 17-OCT-2007 11:52:26


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:41:35 to 01/00:44:55

Plot file version 63 created 17-OCT-2007 11:52:27
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:45:03 to 01/00:46:27

Plot file version 64 created 17-OCT-2007 11:52:28


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:46:35 to 01/00:49:55

Plot file version 65 created 17-OCT-2007 11:52:28
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:50:03 to 01/00:51:27

Plot file version 66 created 17-OCT-2007 11:52:29


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:52:03 to 01/00:55:27

Plot file version 67 created 17-OCT-2007 11:52:29
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:55:35 to 01/00:56:55

Plot file version 68 created 17-OCT-2007 11:52:30


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:57:03 to 01/01:00:27

Plot file version 69 created 17-OCT-2007 11:52:31
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:00:35 to 01/01:01:55

Plot file version 70 created 17-OCT-2007 11:52:31


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:02:35 to 01/01:05:55

Plot file version 71 created 17-OCT-2007 11:52:32
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:06:03 to 01/01:07:27

Plot file version 72 created 17-OCT-2007 11:52:33



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:07:35 to 01/01:10:55

Plot file version 73 created 17-OCT-2007 11:52:34
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:11:03 to 01/01:12:27

Plot file version 74 created 17-OCT-2007 11:52:34



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:13:03 to 01/01:16:27

Plot file version 75 created 17-OCT-2007 11:52:35
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:16:35 to 01/01:17:55

Plot file version 76 created 17-OCT-2007 11:52:36


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:18:03 to 01/01:21:27

Plot file version 77 created 17-OCT-2007 11:52:36
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:21:35 to 01/01:22:55

Plot file version 78 created 17-OCT-2007 11:52:37
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/01:24:35 to 01/01:27:27

Plot file version 79 created 17-OCT-2007 11:52:37
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/01:24:35 to 01/01:27:27

Plot file version 80 created 17-OCT-2007 11:52:38
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:29:03 to 01/01:30:27

Plot file version 81 created 17-OCT-2007 11:52:38


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:31:03 to 01/01:34:27

Plot file version 82 created 17-OCT-2007 11:52:39
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:34:35 to 01/01:35:55

Plot file version 83 created 17-OCT-2007 11:52:40


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:36:03 to 01/01:39:27

Plot file version 84 created 17-OCT-2007 11:52:41
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:39:35 to 01/01:40:55

Plot file version 85 created 17-OCT-2007 11:52:41
IRAS1828 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:41:35 to 01/01:44:55

Plot file version 86 created 17-OCT-2007 11:52:42
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:45:03 to 01/01:46:27

Plot file version 87 created 17-OCT-2007 11:52:42


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:46:35 to 01/01:49:55

Plot file version 88 created 17-OCT-2007 11:52:43
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:50:03 to 01/01:51:27

Plot file version 89 created 17-OCT-2007 11:52:43



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:52:03 to 01/01:55:27

Plot file version 90 created 17-OCT-2007 11:52:45
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:55:35 to 01/01:56:55

Plot file version 91 created 17-OCT-2007 11:52:45


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:57:03 to 01/02:00:27

Plot file version 92 created 17-OCT-2007 11:52:46
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:00:35 to 01/02:01:55

Plot file version 93 created 17-OCT-2007 11:52:46



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:02:35 to 01/02:05:55

Plot file version 94 created 17-OCT-2007 11:52:47
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:06:03 to 01/02:07:27

Plot file version 95 created 17-OCT-2007 11:52:47


IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:07:35 to 01/02:10:55

Plot file version 96 created 17-OCT-2007 11:52:48
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:11:03 to 01/02:12:27

Plot file version 97 created 17-OCT-2007 11:52:49
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/02:14:03 to 01/02:16:55

Plot file version 98 created 17-OCT-2007 11:52:49
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/02:14:03 to 01/02:16:55

Plot file version 99 created 17-OCT-2007 11:52:50
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:18:35 to 01/02:19:55

Plot file version 100 created 17-OCT-2007 11:52:51



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:20:35 to 01/02:23:55

Plot file version 101 created 17-OCT-2007 11:52:52
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:24:03 to 01/02:25:27

Plot file version 102 created 17-OCT-2007 11:52:53

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:25:35 to 01/02:28:55

Plot file version 103 created 17-OCT-2007 11:52:53

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:29:03 to 01/02:30:27

Plot file version 104 created 17-OCT-2007 11:52:54




IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:31:03 to 01/02:34:27

Plot file version 105 created 17-OCT-2007 11:52:55
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:34:35 to 01/02:35:55

Plot file version 106 created 17-OCT-2007 11:52:56

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:36:03 to 01/02:39:27

Plot file version 107 created 17-OCT-2007 11:52:56

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:39:35 to 01/02:40:55

Plot file version 108 created 17-OCT-2007 11:52:57

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:41:35 to 01/02:44:55

Plot file version 109 created 17-OCT-2007 11:52:58

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:45:03 to 01/02:46:27

Plot file version 110 created 17-OCT-2007 11:52:58



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:46:35 to 01/02:49:55

Plot file version 111 created 17-OCT-2007 11:52:59
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:50:03 to 01/02:51:27

Plot file version 112 created 17-OCT-2007 11:53:00



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:52:03 to 01/02:55:27

Plot file version 113 created 17-OCT-2007 11:53:01
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:55:35 to 01/02:56:55

Plot file version 114 created 17-OCT-2007 11:53:01
IRAS1828 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:57:03 to 01/03:00:27

Plot file version 115 created 17-OCT-2007 11:53:03


J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:00:35 to 01/03:01:55

Plot file version 116 created 17-OCT-2007 11:53:03
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:03:35 to 01/03:06:27

Plot file version 117 created 17-OCT-2007 11:53:04
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:03:35 to 01/03:06:27

Plot file version 118 created 17-OCT-2007 11:53:04

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:08:03 to 01/03:09:27

Plot file version 119 created 17-OCT-2007 11:53:05

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:10:03 to 01/03:13:27

Plot file version 120 created 17-OCT-2007 11:53:06

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:13:35 to 01/03:14:55

Plot file version 121 created 17-OCT-2007 11:53:07

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:15:03 to 01/03:18:27

Plot file version 122 created 17-OCT-2007 11:53:08

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:18:35 to 01/03:19:55

Plot file version 123 created 17-OCT-2007 11:53:09

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:20:35 to 01/03:23:55

Plot file version 124 created 17-OCT-2007 11:53:10



J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:24:03 to 01/03:25:27

Plot file version 125 created 17-OCT-2007 11:53:10
IRAS1828 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:25:35 to 01/03:28:55

Plot file version 126 created 17-OCT-2007 11:53:11
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:29:03 to 01/03:30:27

Plot file version 127 created 17-OCT-2007 11:53:11



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:31:03 to 01/03:34:27

Plot file version 128 created 17-OCT-2007 11:53:12
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:34:35 to 01/03:35:55

Plot file version 129 created 17-OCT-2007 11:53:12

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:36:03 to 01/03:39:27

Plot file version 130 created 17-OCT-2007 11:53:13

J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:39:35 to 01/03:40:55

Plot file version 131 created 17-OCT-2007 11:53:13



IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:41:35 to 01/03:44:55

Plot file version 132 created 17-OCT-2007 11:53:14
J1832-10 EI009A 1.UVDATA.1
Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:45:03 to 01/03:46:27

Plot file version 133 created 17-OCT-2007 11:53:15

IRAS1828 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:46:35 to 01/03:49:55

Plot file version 134 created 17-OCT-2007 11:53:15










J1832-10 EI009A 1.UVDATA.1

Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:50:03 to 01/03:51:27

Plot file version 135 created 17-OCT-2007 11:53:16
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:53:03 to 01/03:56:55

Plot file version 136 created 17-OCT-2007 11:53:16
 J1743-03 EI009A 1.UVDATA.1
 Freq = 1.6142 GHz, Bw = 4.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:53:03 to 01/03:56:55