

















Plot file version 1 created 02-MAR-2009 11:47:36
 OQ208 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10/00:03 to 00/10/02:59

Plot file version 2 created 02-MAR-2009 11:47:37
 OQ208 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10/00:03 to 00/10/02:59

Plot file version 3 created 02-MAR-2009 11:47:38
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10:08:33 to 00/10:26:59

Plot file version 4 created 02-MAR-2009 11:47:41
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10:08:33 to 00/10:26:59

Plot file version 5 created 02-MAR-2009 11:47:44
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10/33:03 to 00/10/55:03

Plot file version 6 created 02-MAR-2009 11:47:47
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10:33:03 to 00/10:55:03

Plot file version 7 created 02-MAR-2009 11:47:51
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/10:55:05 to 00/10:58:57

Plot file version 8 created 02-MAR-2009 11:47:51


J1600-00 EL036B.UVDATA.1

Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:55:05 to 00/10:58:57

Plot file version 9 created 02-MAR-2009 11:47:52
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:06:02 to 00/11:19:00

Plot file version 10 created 02-MAR-2009 11:47:54
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:06:02 to 00/11:19:00

Plot file version 11 created 02-MAR-2009 11:47:56
 QQ208 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:24:22 to 00/11:27:00

Plot file version 12 created 02-MAR-2009 11:47:56
 OQ208 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:24:22 to 00/11:27:00

Plot file version 13 created 02-MAR-2009 11:47:57
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:32:02 to 00/11:54:01

Plot file version 14 created 02-MAR-2009 11:48:00
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:32:02 to 00/11:54:01

Plot file version 15 created 02-MAR-2009 11:48:03
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:54:03 to 00/11:58:57

Plot file version 16 created 02-MAR-2009 11:48:04
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/11:54:03 to 00/11:58:57

Plot file version 17 created 02-MAR-2009 11:48:05
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/12:06:33 to 00/12:28:31

Plot file version 18 created 02-MAR-2009 11:48:07
B1156+29 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:06:33 to 00/12:28:31

Plot file version 19 created 02-MAR-2009 11:48:09
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/12:28:33 to 00/12:30:57

Plot file version 20 created 02-MAR-2009 11:48:09
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/12:28:33 to 00/12:30:57

Plot file version 21 created 02-MAR-2009 11:48:10
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/12:39:32 to 00/12:46:59

Plot file version 22 created 02-MAR-2009 11:48:11


J2058+05 EL036B.UVDATA.1

Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:39:32 to 00/12:46:59

Plot file version 23 created 02-MAR-2009 11:48:12
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/12:53:23 to 00/13:02:59

Plot file version 24 created 02-MAR-2009 11:48:13
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/12:53:23 to 00/13:02:59

Plot file version 25 created 02-MAR-2009 11:48:15
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:09:13 to 00/13:18:57

Plot file version 26 created 02-MAR-2009 11:48:17
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:09:13 to 00/13:18:57

Plot file version 27 created 02-MAR-2009 11:48:18
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:31:32 to 00/13:35:26

Plot file version 28 created 02-MAR-2009 11:48:19
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:31:32 to 00/13:35:26

Plot file version 29 created 02-MAR-2009 11:48:19
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:48:03 to 00/13:51:59

Plot file version 30 created 02-MAR-2009 11:48:20
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:48:03 to 00/13:51:59

Plot file version 31 created 02-MAR-2009 11:48:21
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:58:33 to 00/14:06:59

Plot file version 32 created 02-MAR-2009 11:48:21
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/13:58:33 to 00/14:06:59

Plot file version 33 created 02-MAR-2009 11:48:22
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/14:14:03 to 00/14:22:59

Plot file version 34 created 02-MAR-2009 11:48:23
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/14:14:03 to 00/14:22:59

Plot file version 35 created 02-MAR-2009 11:48:24
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/14:35:03 to 00/14:38:57

Plot file version 36 created 02-MAR-2009 11:48:25


J2058+05 EL036B.UVDATA.1

Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:35:03 to 00/14:38:57

Plot file version 37 created 02-MAR-2009 11:48:26
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/14:51:32 to 00/14:55:30

Plot file version 38 created 02-MAR-2009 11:48:26
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/14:51:32 to 00/14:55:30

Plot file version 39 created 02-MAR-2009 11:48:27
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:02:02 to 00/15:11:27

Plot file version 40 created 02-MAR-2009 11:48:28
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:02:02 to 00/15:11:27

Plot file version 41 created 02-MAR-2009 11:48:29
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:18:03 to 00/15:27:57

Plot file version 42 created 02-MAR-2009 11:48:30
B1156+29 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:18:03 to 00/15:27:57

Plot file version 43 created 02-MAR-2009 11:48:30
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:40:02 to 00/15:44:00

Plot file version 44 created 02-MAR-2009 11:48:31
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:40:02 to 00/15:44:00

Plot file version 45 created 02-MAR-2009 11:48:32
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:51:12 to 00/16:00:00

Plot file version 46 created 02-MAR-2009 11:48:33
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:51:12 to 00/16:00:00

Plot file version 47 created 02-MAR-2009 11:48:34
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:07:02 to 00/16:15:56

Plot file version 48 created 02-MAR-2009 11:48:35
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:07:02 to 00/16:15:56

Plot file version 49 created 02-MAR-2009 11:48:36
 B1156+29 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:28:02 to 00/16:31:56

Plot file version 50 created 02-MAR-2009 11:48:38
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:38:03 to 00/16:47:57

Plot file version 51 created 02-MAR-2009 11:48:40
J1600-00 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:38:03 to 00/16:47:57

Plot file version 52 created 02-MAR-2009 11:48:41
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:55:02 to 00/17:04:00

Plot file version 53 created 02-MAR-2009 11:48:43
J2058+05 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:55:02 to 00/17:04:00

Plot file version 54 created 02-MAR-2009 11:48:44
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/17:10:52 to 00/17:20:00

Plot file version 55 created 02-MAR-2009 11:48:46
J1600-00 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:10:52 to 00/17:20:00

Plot file version 56 created 02-MAR-2009 11:48:47
 J2058+05 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/17:27:02 to 00/17:35:56

Plot file version 57 created 02-MAR-2009 11:48:49










J2058+05 EL036B.UVDATA.1

Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:27:02 to 00/17:35:56

Plot file version 58 created 02-MAR-2009 11:48:50
 J1600-00 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/17:43:03 to 00/17:51:57

Plot file version 59 created 02-MAR-2009 11:48:51
J1600-00 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:43:03 to 00/17:51:57

Plot file version 60 created 02-MAR-2009 11:48:53

J0210+04 EL036B.UVDATA.1

Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:01:32 to 00/18:22:58

Plot file version 61 created 02-MAR-2009 11:48:58


J0210+04 EL036B.UVDATA.1

Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:01:32 to 00/18:22:58

Plot file version 62 created 02-MAR-2009 11:49:00
 J0210+04 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/18:24:02 to 00/18:46:02

Plot file version 63 created 02-MAR-2009 11:49:04
 J0210+04 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/18:24:02 to 00/18:46:02

Plot file version 64 created 02-MAR-2009 11:49:06
 J0210+04 EL036B.UVDATA.1
 Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/18:46:04 to 00/18:59:26

Plot file version 65 created 02-MAR-2009 11:49:09
J0210+04 EL036B.UVDATA.1
Freq = 4.9745 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:46:04 to 00/18:59:26