








Plot file version 1 created 24-JAN-2018 16:08:32

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:27:10 to 00/06:31:24

Plot file version 2 created 24-JAN-2018 16:08:32

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:31:26 to 00/06:33:09

Plot file version 3 created 24-JAN-2018 16:08:33

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:33:11 to 00/06:37:25

Plot file version 4 created 24-JAN-2018 16:08:33

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:38:00 to 00/06:39:09

Plot file version 5 created 24-JAN-2018 16:08:33

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:39:11 to 00/06:43:25

Plot file version 6 created 24-JAN-2018 16:08:34

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:43:26 to 00/06:45:25

Plot file version 7 created 24-JAN-2018 16:08:34

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:46:01 to 00/06:47:09

Plot file version 8 created 24-JAN-2018 16:08:35

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:47:11 to 00/06:51:25

Plot file version 9 created 24-JAN-2018 16:08:35

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:51:25 to 00/06:53:09

Plot file version 10 created 24-JAN-2018 16:08:35

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:53:10 to 00/06:57:24

Plot file version 11 created 24-JAN-2018 16:08:36

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:58:00 to 00/06:59:09

Plot file version 12 created 24-JAN-2018 16:08:36

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/06:59:10 to 00/07:03:25

Plot file version 13 created 24-JAN-2018 16:08:37

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:03:26 to 00/07:05:25

Plot file version 14 created 24-JAN-2018 16:08:37

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:06:01 to 00/07:07:09

Plot file version 15 created 24-JAN-2018 16:08:37

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied




Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:07:10 to 00/07:11:24

Plot file version 16 created 24-JAN-2018 16:08:38

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:11:25 to 00/07:13:10

Plot file version 17 created 24-JAN-2018 16:08:38

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:13:11 to 00/07:17:25

Plot file version 18 created 24-JAN-2018 16:08:38

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:18:01 to 00/07:19:09

Plot file version 19 created 24-JAN-2018 16:08:39

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:19:10 to 00/07:23:24

Plot file version 20 created 24-JAN-2018 16:08:39

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:23:25 to 00/07:25:24

Plot file version 21 created 24-JAN-2018 16:08:39

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:26:01 to 00/07:27:09

Plot file version 22 created 24-JAN-2018 16:08:40

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/07:27:11 to 00/07:31:25

Plot file version 23 created 24-JAN-2018 16:08:46

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:18:01 to 00/08:19:09

Plot file version 24 created 24-JAN-2018 16:08:46

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Channels

Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:19:10 to 00/08:23:24

Plot file version 25 created 24-JAN-2018 16:08:47

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:23:25 to 00/08:25:25

Plot file version 26 created 24-JAN-2018 16:08:47

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:26:01 to 00/08:27:09

Plot file version 27 created 24-JAN-2018 16:08:47

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:27:11 to 00/08:31:24

Plot file version 28 created 24-JAN-2018 16:08:48

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - MC (03)
Timerange: 00/08:31:26 to 00/08:33:10

Plot file version 29 created 24-JAN-2018 16:08:48

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:33:10 to 00/08:37:24

Plot file version 30 created 24-JAN-2018 16:08:49

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:38:01 to 00/08:39:10

Plot file version 31 created 24-JAN-2018 16:08:49

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
 Timerange: 00/08:39:10 to 00/08:43:25

Plot file version 32 created 24-JAN-2018 16:08:50

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:43:25 to 00/08:45:24

Plot file version 33 created 24-JAN-2018 16:08:50

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:46:01 to 00/08:47:09

Plot file version 34 created 24-JAN-2018 16:08:50

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:47:11 to 00/08:51:25

Plot file version 35 created 24-JAN-2018 16:08:51

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:51:25 to 00/08:53:10

Plot file version 36 created 24-JAN-2018 16:08:51

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:53:10 to 00/08:57:25

Plot file version 37 created 24-JAN-2018 16:08:52

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:58:01 to 00/08:59:10

Plot file version 38 created 24-JAN-2018 16:08:52

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/08:59:10 to 00/09:03:25

Plot file version 39 created 24-JAN-2018 16:08:52

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:03:25 to 00/09:05:25

Plot file version 40 created 24-JAN-2018 16:08:53

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Channels

Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:06:00 to 00/09:07:09

Plot file version 41 created 24-JAN-2018 16:08:53

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:07:10 to 00/09:11:25

Plot file version 42 created 24-JAN-2018 16:08:53

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:11:25 to 00/09:13:09

Plot file version 43 created 24-JAN-2018 16:08:54

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:13:11 to 00/09:17:25

Plot file version 44 created 24-JAN-2018 16:08:54

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied










Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:18:01 to 00/09:19:09

Plot file version 45 created 24-JAN-2018 16:08:54

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:19:11 to 00/09:23:24

Plot file version 46 created 24-JAN-2018 16:08:55

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:23:26 to 00/09:25:25

Plot file version 47 created 24-JAN-2018 16:08:55

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:26:00 to 00/09:27:09

Plot file version 48 created 24-JAN-2018 16:08:55

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
 Timerange: 00/09:27:10 to 00/09:31:24

Plot file version 49 created 24-JAN-2018 16:08:56

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied









Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:31:26 to 00/09:33:09

Plot file version 50 created 24-JAN-2018 16:08:56

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:33:11 to 00/09:37:24

Plot file version 51 created 24-JAN-2018 16:08:56

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:38:01 to 00/09:39:09

Plot file version 52 created 24-JAN-2018 16:08:56

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:39:11 to 00/09:43:25

Plot file version 53 created 24-JAN-2018 16:08:57

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:43:26 to 00/09:45:25

Plot file version 54 created 24-JAN-2018 16:08:57

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:46:01 to 00/09:47:09

Plot file version 55 created 24-JAN-2018 16:08:57

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:47:11 to 00/09:51:25

Plot file version 56 created 24-JAN-2018 16:08:58

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:51:25 to 00/09:53:09

Plot file version 57 created 24-JAN-2018 16:08:58

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:53:10 to 00/09:57:24

Plot file version 58 created 24-JAN-2018 16:08:58

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:58:00 to 00/09:59:09

Plot file version 59 created 24-JAN-2018 16:08:59

ARSCO EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/09:59:10 to 00/10:03:25

Plot file version 60 created 24-JAN-2018 16:08:59

J1621-2241 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/10:03:25 to 00/10:05:25

Plot file version 61 created 24-JAN-2018 16:08:59

J1625-2527 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied








Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/10:06:01 to 00/10:07:09

Plot file version 62 created 24-JAN-2018 16:08:59

J0013+4051 EL058E.UVDATA.1

Freq = 4.7990 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Baseline: EF (01) - JB (02)
Timerange: 00/10:14:10 to 00/10:15:39