Plot file version 1 created 30-NOV-2005 11:29:33
J2052+36 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:00:13 to 00/02:09:57


Plot file version 2 created 30-NOV-2005 11:29:33
J2202+42 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
16
12
8
4
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
6
4
2
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/02:50:53 to 00/02:53:33


Plot file version 3 created 30-NOV-2005 11:29:33
J2216+35 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
2.0
1.6
1.2
0.8
0.4
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
EF - JB
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:27:58 to 00/03:30:32


Plot file version 4 created 30-NOV-2005 11:29:33
J2358+19 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
1.6
1.2
0.8
0.4
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.0
0.6
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/03:49:10 to 00/03:51:54


Plot file version 5 created 30-NOV-2005 11:29:33
J0105+48 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
4.0
3.0
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
2.0
1.6
1.2
0.8
0.4
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:43:07 to 00/04:45:41


Plot file version 6 created 30-NOV-2005 11:29:33
J0154+47 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.0
0.6
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:31:23 to 00/05:33:57

Plot file version 7 created 30-NOV-2005 11:29:33
J0226+34 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:10:51 to 00/06:13:35

Plot file version 8 created 30-NOV-2005 11:29:33
J0209+13 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:46:47 to 00/06:49:09


Plot file version 9 created 30-NOV-2005 11:29:34
J0319+41 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
EF - WB
EF - JB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
30
20
10
0
2.0
1.0
0.0
0
5
10
15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:08:15 to 00/07:17:59


Plot file version 10 created 30-NOV-2005 11:29:34
J0154+47 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.0
0.6
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:20:11 to 00/07:22:55


Plot file version 11 created 30-NOV-2005 11:29:34
J0231+13 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
6
4
2
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
3.0
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:42:41 to 00/07:45:19


Plot file version 12 created 30-NOV-2005 11:29:34
J0231+13 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
EF - WB
EF - JB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
0
2
4
6
0.0
1.0
2.0
3.0
0
5
10
15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:02:25 to 00/08:05:09

Plot file version 13 created 30-NOV-2005 11:29:34
J0226+34 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:23:01 to 00/08:25:45

Plot file version 14 created 30-NOV-2005 11:29:34
J0226+34 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:42:48 to 00/08:45:28

Plot file version 15 created 30-NOV-2005 11:29:34
J0226+34 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:02:24 to 00/09:05:08

Plot file version 16 created 30-NOV-2005 11:29:34
J0242+11 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:24:10 to 00/09:26:48


Plot file version 17 created 30-NOV-2005 11:29:34
J0242+11 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
3.0
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.3
1.1
0.9
0.7
0.5
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:43:04 to 00/09:45:48

Plot file version 18 created 30-NOV-2005 11:29:34
J0253+38 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:04:28 to 00/10:07:10

Plot file version 19 created 30-NOV-2005 11:29:34
J0319+41 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:14:16 to 00/11:16:54


Plot file version 20 created 30-NOV-2005 11:29:34
J0510+18 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
3.0
2.0
1.0
0.0
EF - WB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
1.4
1.0
0.6
EF - JB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:49:02 to 00/12:51:36

Plot file version 21 created 30-NOV-2005 11:29:34
J0927+39 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:16:10 to 00/13:25:54

Plot file version 22 created 30-NOV-2005 11:29:34
J0559+58 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:36:51 to 00/13:39:29

Plot file version 23 created 30-NOV-2005 11:29:34
J0541+53 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:57:22 to 00/13:59:56

Plot file version 24 created 30-NOV-2005 11:29:34
J0559+58 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:40:18 to 00/14:42:58

Plot file version 25 created 30-NOV-2005 11:29:34
J0750+82 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:03:00 to 00/15:05:38

Plot file version 26 created 30-NOV-2005 11:29:35
J0750+82 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:24:02 to 00/15:26:46

Plot file version 27 created 30-NOV-2005 11:29:35
J0639+73 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:44:53 to 00/15:47:27


Plot file version 28 created 30-NOV-2005 11:29:35
J0646+44 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
8
4
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
4
2
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:23:12 to 00/16:25:50

Plot file version 29 created 30-NOV-2005 11:29:35
J0741+31 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:44:06 to 00/16:46:50


Plot file version 30 created 30-NOV-2005 11:29:35
J0741+31 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
4
2
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.8
1.4
1.0
0.6
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:03:44 to 00/17:06:28


Plot file version 31 created 30-NOV-2005 11:29:35
J0903+67 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
2.0
1.6
1.2
0.8
0.4
0.0
EF - WB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
1.4
1.0
0.6
EF - JB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:04:42 to 00/18:14:16


Plot file version 32 created 30-NOV-2005 11:29:35
J1310+32 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
8
6
4
2
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
3.0
2.0
1.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:43:20 to 00/18:45:58

Plot file version 33 created 30-NOV-2005 11:29:35
J1411+52 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:11:31 to 00/20:21:09

Plot file version 34 created 30-NOV-2005 11:29:35
J1153+80 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:00:17 to 00/21:02:51

Plot file version 35 created 30-NOV-2005 11:29:35
J1657+57 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:25:27 to 00/21:28:11


Plot file version 36 created 30-NOV-2005 11:29:35
J1657+57 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
3.0
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.2
1.0
0.8
0.6
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:01:58 to 00/22:04:40

Plot file version 37 created 30-NOV-2005 11:29:35
J1657+57 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:21:40 to 00/22:24:24


Plot file version 38 created 30-NOV-2005 11:29:35
J1746+62 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.2
1.0
0.8
0.6
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:41:40 to 00/22:44:24


Plot file version 39 created 30-NOV-2005 11:29:35
J1756+15 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
2.0
1.6
1.2
0.8
0.4
0.0
EF - WB
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.6
1.2
0.8
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:11:41 to 00/23:14:19


Plot file version 40 created 30-NOV-2005 11:29:35
J1743+37 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.2
1.0
0.8
0.6
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:32:59 to 00/23:35:37


Plot file version 41 created 30-NOV-2005 11:29:35
J1806+69 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
4
2
0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.4
1.0
0.6
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:01:30 to 01/00:04:08


Plot file version 42 created 30-NOV-2005 11:29:36
J1806+69 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied
200
-200
EF - WB
4.0
3.0
2.0
1.0
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
200
-200
EF - JB
1.6
1.2
0.8
0.4
0.0
IF 1(LR)
IF 2(LR)
IF 3(LR)
IF 4(LR)
IF 5(LR)
IF 6(LR)
IF 7(LR)
IF 8(LR)
0 5 10 15
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:20:42 to 01/00:23:16

Plot file version 43 created 30-NOV-2005 11:29:36
J2202+42 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:04:50 to 01/01:07:34

Plot file version 44 created 30-NOV-2005 11:29:36
J0019+73 ep049c.MSORT.1
Freq = 4.9275 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:27:28 to 01/01:30:12