Plot file version 1 created 11-MAR-2003 17:37:10
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:00:24 to 00/09:14:36

Plot file version 2 created 11-MAR-2003 17:37:10
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:14:44 to 00/09:29:16

Plot file version 3 created 11-MAR-2003 17:37:10
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:37:12 to 00/09:51:44

Plot file version 4 created 11-MAR-2003 17:37:11
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:52:54 to 00/10:07:06

Plot file version 5 created 11-MAR-2003 17:37:11
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:07:14 to 00/10:21:46

Plot file version 6 created 11-MAR-2003 17:37:11
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:24:54 to 00/10:39:10

Plot file version 7 created 11-MAR-2003 17:37:11
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:40:34 to 00/10:50:46

Plot file version 8 created 11-MAR-2003 17:37:12
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:53:22 to 00/10:57:14

Plot file version 9 created 11-MAR-2003 17:37:12
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:07:18 to 00/11:21:50

Plot file version 10 created 11-MAR-2003 17:37:12
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:21:58 to 00/11:36:30

Plot file version 11 created 11-MAR-2003 17:37:13
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:47:00 to 00/12:01:12

Plot file version 12 created 11-MAR-2003 17:37:13
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:01:20 to 00/12:15:52

Plot file version 13 created 11-MAR-2003 17:37:13
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:16:00 to 00/12:30:28

Plot file version 14 created 11-MAR-2003 17:37:13
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:31:40 to 00/12:45:52

Plot file version 15 created 11-MAR-2003 17:37:14
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:46:00 to 00/13:00:32

Plot file version 16 created 11-MAR-2003 17:37:14
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:13:04 to 00/13:27:36

Plot file version 17 created 11-MAR-2003 17:37:14
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:42:56 to 00/13:57:12

Plot file version 18 created 11-MAR-2003 17:37:15
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:57:20 to 00/14:11:52

Plot file version 19 created 11-MAR-2003 17:37:15
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:12:00 to 00/14:26:28

Plot file version 20 created 11-MAR-2003 17:37:15
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:27:25 to 00/14:41:53

Plot file version 21 created 11-MAR-2003 17:37:16
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:42:01 to 00/14:56:33

Plot file version 22 created 11-MAR-2003 17:37:16
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:03:05 to 00/15:17:33

Plot file version 23 created 11-MAR-2003 17:37:16
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:26:10 to 00/15:40:34

Plot file version 24 created 11-MAR-2003 17:37:17
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:45:02 to 00/15:59:34

Plot file version 25 created 11-MAR-2003 17:37:17
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:59:42 to 00/16:14:14

Plot file version 26 created 11-MAR-2003 17:37:17
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:16:58 to 00/16:24:42

Plot file version 27 created 11-MAR-2003 17:37:18
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:26:38 to 00/16:33:10

Plot file version 28 created 11-MAR-2003 17:37:18
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:39:22 to 00/16:53:54

Plot file version 29 created 11-MAR-2003 17:37:18
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:00:18 to 00/17:14:46

Plot file version 30 created 11-MAR-2003 17:37:18
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:15:58 to 00/17:30:10

Plot file version 31 created 11-MAR-2003 17:37:19
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:30:18 to 00/17:44:50

Plot file version 32 created 11-MAR-2003 17:37:19
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:52:18 to 00/18:06:50

Plot file version 33 created 11-MAR-2003 17:37:19
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:13:20 to 00/18:27:32

Plot file version 34 created 11-MAR-2003 17:37:20
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:27:40 to 00/18:38:12

Plot file version 35 created 11-MAR-2003 17:37:20
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:39:40 to 00/18:54:12

Plot file version 36 created 11-MAR-2003 17:37:20
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:56:48 to 00/19:00:40

Plot file version 37 created 11-MAR-2003 17:37:20
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:07:39 to 00/19:21:51

Plot file version 38 created 11-MAR-2003 17:37:21
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:25:47 to 00/19:40:19

Plot file version 39 created 11-MAR-2003 17:37:21
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:49:59 to 00/20:04:27

Plot file version 40 created 11-MAR-2003 17:37:21
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:17:30 to 00/20:31:42

Plot file version 41 created 11-MAR-2003 17:37:22
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:35:46 to 00/20:50:18

Plot file version 42 created 11-MAR-2003 17:37:22
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:50:26 to 00/21:04:58

Plot file version 43 created 11-MAR-2003 17:37:22
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:06:08 to 00/21:20:20

Plot file version 44 created 11-MAR-2003 17:37:23
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:20:28 to 00/21:35:00

Plot file version 45 created 11-MAR-2003 17:37:23
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:35:08 to 00/21:49:36

Plot file version 46 created 11-MAR-2003 17:37:23
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:05:00 to 00/22:19:20

Plot file version 47 created 11-MAR-2003 17:37:24
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:19:28 to 00/22:34:00

Plot file version 48 created 11-MAR-2003 17:37:24
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:34:08 to 00/22:48:36

Plot file version 49 created 11-MAR-2003 17:37:24
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:49:48 to 00/23:04:00

Plot file version 50 created 11-MAR-2003 17:37:25
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:14:40 to 00/23:29:12

Plot file version 51 created 11-MAR-2003 17:37:25
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:33:08 to 00/23:47:28

Plot file version 52 created 11-MAR-2003 17:37:25
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:48:37 to 01/00:03:01

Plot file version 53 created 11-MAR-2003 17:37:26
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:33:29 to 01/00:47:41

Plot file version 54 created 11-MAR-2003 17:37:26
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:47:49 to 01/01:02:21

Plot file version 55 created 11-MAR-2003 17:37:26
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:02:29 to 01/01:16:57

Plot file version 56 created 11-MAR-2003 17:37:27
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:17:57 to 01/01:32:21

Plot file version 57 created 11-MAR-2003 17:37:27
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:32:29 to 01/01:47:01

Plot file version 58 created 11-MAR-2003 17:37:27
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:47:09 to 01/02:01:37

Plot file version 59 created 11-MAR-2003 17:37:27
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:02:49 to 01/02:17:01

Plot file version 60 created 11-MAR-2003 17:37:28
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:17:09 to 01/02:31:41

Plot file version 61 created 11-MAR-2003 17:37:28
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:31:49 to 01/02:46:17

Plot file version 62 created 11-MAR-2003 17:37:28
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:47:29 to 01/03:01:41

Plot file version 63 created 11-MAR-2003 17:37:29
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:01:49 to 01/03:16:21

Plot file version 64 created 11-MAR-2003 17:37:29
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:16:29 to 01/03:30:57

Plot file version 65 created 11-MAR-2003 17:37:29
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:32:09 to 01/03:46:21

Plot file version 66 created 11-MAR-2003 17:37:30
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:46:29 to 01/04:01:01

Plot file version 67 created 11-MAR-2003 17:37:30
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:01:09 to 01/04:15:37

Plot file version 68 created 11-MAR-2003 17:37:30
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:20:01 to 01/04:34:21

Plot file version 69 created 11-MAR-2003 17:37:31
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:34:29 to 01/04:49:01

Plot file version 70 created 11-MAR-2003 17:37:31
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:49:09 to 01/05:03:37

Plot file version 71 created 11-MAR-2003 17:37:31
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:04:50 to 01/05:19:02

Plot file version 72 created 11-MAR-2003 17:37:31
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:19:10 to 01/05:33:42

Plot file version 73 created 11-MAR-2003 17:37:32
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:33:50 to 01/05:48:18

Plot file version 74 created 11-MAR-2003 17:37:32
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:49:29 to 01/06:03:41

Plot file version 75 created 11-MAR-2003 17:37:32
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:03:49 to 01/06:18:21

Plot file version 76 created 11-MAR-2003 17:37:33
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:18:29 to 01/06:32:57

Plot file version 77 created 11-MAR-2003 17:37:33
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:34:01 to 01/06:48:21

Plot file version 78 created 11-MAR-2003 17:37:33
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:48:29 to 01/07:03:01

Plot file version 79 created 11-MAR-2003 17:37:34
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:03:09 to 01/07:17:37

Plot file version 80 created 11-MAR-2003 17:37:34
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:18:37 to 01/07:33:01

Plot file version 81 created 11-MAR-2003 17:37:34
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:33:09 to 01/07:47:41

Plot file version 82 created 11-MAR-2003 17:37:35
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:47:49 to 01/08:02:17

Plot file version 83 created 11-MAR-2003 17:37:35
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:05:33 to 01/08:13:05

Plot file version 84 created 11-MAR-2003 17:37:35
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:13:13 to 01/08:25:05

Plot file version 85 created 11-MAR-2003 17:37:35
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:25:13 to 01/08:37:05

Plot file version 86 created 11-MAR-2003 17:37:36
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:37:13 to 01/08:49:01

Plot file version 87 created 11-MAR-2003 17:37:36
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:00:24 to 00/09:14:36

Plot file version 88 created 11-MAR-2003 17:37:36
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:14:44 to 00/09:29:16

Plot file version 89 created 11-MAR-2003 17:37:37
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:37:12 to 00/09:51:44

Plot file version 90 created 11-MAR-2003 17:37:37
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:52:54 to 00/10:07:06

Plot file version 91 created 11-MAR-2003 17:37:37
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:07:14 to 00/10:21:46

Plot file version 92 created 11-MAR-2003 17:37:38
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:24:54 to 00/10:39:10

Plot file version 93 created 11-MAR-2003 17:37:38
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:40:34 to 00/10:50:46

Plot file version 94 created 11-MAR-2003 17:37:38
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:53:22 to 00/10:57:14

Plot file version 95 created 11-MAR-2003 17:37:38
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:07:18 to 00/11:21:50

Plot file version 96 created 11-MAR-2003 17:37:38
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:21:58 to 00/11:36:30

Plot file version 97 created 11-MAR-2003 17:37:39
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:47:00 to 00/12:01:12

Plot file version 98 created 11-MAR-2003 17:37:39
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:01:20 to 00/12:15:52

Plot file version 99 created 11-MAR-2003 17:37:39
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:16:00 to 00/12:30:28

Plot file version 100 created 11-MAR-2003 17:37:40
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:31:40 to 00/12:45:52

Plot file version 101 created 11-MAR-2003 17:37:40
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:46:00 to 00/13:00:32

Plot file version 102 created 11-MAR-2003 17:37:40
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:13:04 to 00/13:27:36

Plot file version 103 created 11-MAR-2003 17:37:40
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:42:56 to 00/13:57:12

Plot file version 104 created 11-MAR-2003 17:37:41
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:57:20 to 00/14:11:52

Plot file version 105 created 11-MAR-2003 17:37:41
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:12:00 to 00/14:26:28

Plot file version 106 created 11-MAR-2003 17:37:41
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:27:25 to 00/14:41:53

Plot file version 107 created 11-MAR-2003 17:37:42
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:42:01 to 00/14:56:33

Plot file version 108 created 11-MAR-2003 17:37:42
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:03:05 to 00/15:17:33

Plot file version 109 created 11-MAR-2003 17:37:42
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:26:10 to 00/15:40:34

Plot file version 110 created 11-MAR-2003 17:37:43
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:45:02 to 00/15:59:34

Plot file version 111 created 11-MAR-2003 17:37:43
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:59:42 to 00/16:14:14

Plot file version 112 created 11-MAR-2003 17:37:43
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:16:58 to 00/16:24:42

Plot file version 113 created 11-MAR-2003 17:37:43
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:26:38 to 00/16:33:10

Plot file version 114 created 11-MAR-2003 17:37:44
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:39:22 to 00/16:53:54

Plot file version 115 created 11-MAR-2003 17:37:44
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:00:18 to 00/17:14:46

Plot file version 116 created 11-MAR-2003 17:37:44
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:15:58 to 00/17:30:10

Plot file version 117 created 11-MAR-2003 17:37:44
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:30:18 to 00/17:44:50

Plot file version 118 created 11-MAR-2003 17:37:45
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:52:18 to 00/18:06:50

Plot file version 119 created 11-MAR-2003 17:37:45
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:13:20 to 00/18:27:32

Plot file version 120 created 11-MAR-2003 17:37:45
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:27:40 to 00/18:38:12

Plot file version 121 created 11-MAR-2003 17:37:46
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:39:40 to 00/18:54:12

Plot file version 122 created 11-MAR-2003 17:37:46
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:56:48 to 00/19:00:40

Plot file version 123 created 11-MAR-2003 17:37:46
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:07:39 to 00/19:21:51

Plot file version 124 created 11-MAR-2003 17:37:46
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:25:47 to 00/19:40:19

Plot file version 125 created 11-MAR-2003 17:37:47
1ES0806+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:49:59 to 00/20:04:27

Plot file version 126 created 11-MAR-2003 17:37:47
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:17:30 to 00/20:31:42

Plot file version 127 created 11-MAR-2003 17:37:47
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:35:46 to 00/20:50:18

Plot file version 128 created 11-MAR-2003 17:37:47
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:50:26 to 00/21:04:58

Plot file version 129 created 11-MAR-2003 17:37:48
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:06:08 to 00/21:20:20

Plot file version 130 created 11-MAR-2003 17:37:48
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:20:28 to 00/21:35:00

Plot file version 131 created 11-MAR-2003 17:37:48
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:35:08 to 00/21:49:36

Plot file version 132 created 11-MAR-2003 17:37:49
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:05:00 to 00/22:19:20

Plot file version 133 created 11-MAR-2003 17:37:49
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:19:28 to 00/22:34:00

Plot file version 134 created 11-MAR-2003 17:37:49
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:34:08 to 00/22:48:36

Plot file version 135 created 11-MAR-2003 17:37:50
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:49:48 to 00/23:04:00

Plot file version 136 created 11-MAR-2003 17:37:50
1ES1212+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:14:40 to 00/23:29:12

Plot file version 137 created 11-MAR-2003 17:37:50
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:33:08 to 00/23:47:28

Plot file version 138 created 11-MAR-2003 17:37:50
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:48:37 to 01/00:03:01

Plot file version 139 created 11-MAR-2003 17:37:51
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:33:29 to 01/00:47:41

Plot file version 140 created 11-MAR-2003 17:37:51
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:47:49 to 01/01:02:21

Plot file version 141 created 11-MAR-2003 17:37:52
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:02:29 to 01/01:16:57

Plot file version 142 created 11-MAR-2003 17:37:52
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:17:57 to 01/01:32:21

Plot file version 143 created 11-MAR-2003 17:37:52
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:32:29 to 01/01:47:01

Plot file version 144 created 11-MAR-2003 17:37:52
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:47:09 to 01/02:01:37

Plot file version 145 created 11-MAR-2003 17:37:52
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:02:49 to 01/02:17:01

Plot file version 146 created 11-MAR-2003 17:37:53
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:17:09 to 01/02:31:41

Plot file version 147 created 11-MAR-2003 17:37:53
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:31:49 to 01/02:46:17

Plot file version 148 created 11-MAR-2003 17:37:53
1ES1553+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:47:29 to 01/03:01:41

Plot file version 149 created 11-MAR-2003 17:37:54
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:01:49 to 01/03:16:21

Plot file version 150 created 11-MAR-2003 17:37:54
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:16:29 to 01/03:30:57

Plot file version 151 created 11-MAR-2003 17:37:54
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:32:09 to 01/03:46:21

Plot file version 152 created 11-MAR-2003 17:37:54
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:46:29 to 01/04:01:01

Plot file version 153 created 11-MAR-2003 17:37:55
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:01:09 to 01/04:15:37

Plot file version 154 created 11-MAR-2003 17:37:55
1ES1741+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:20:01 to 01/04:34:21

Plot file version 155 created 11-MAR-2003 17:37:55
RGB1745+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:34:29 to 01/04:49:01

Plot file version 156 created 11-MAR-2003 17:37:56
1ES1959+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:49:09 to 01/05:03:37

Plot file version 157 created 11-MAR-2003 17:37:56
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:04:50 to 01/05:19:02

Plot file version 158 created 11-MAR-2003 17:37:56
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:19:10 to 01/05:33:42

Plot file version 159 created 11-MAR-2003 17:37:56
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:33:50 to 01/05:48:18

Plot file version 160 created 11-MAR-2003 17:37:57
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/05:49:29 to 01/06:03:41

Plot file version 161 created 11-MAR-2003 17:37:57
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:03:49 to 01/06:18:21

Plot file version 162 created 11-MAR-2003 17:37:57
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:18:29 to 01/06:32:57

Plot file version 163 created 11-MAR-2003 17:37:58
1ES2344+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:34:01 to 01/06:48:21

Plot file version 164 created 11-MAR-2003 17:37:58
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/06:48:29 to 01/07:03:01

Plot file version 165 created 11-MAR-2003 17:37:58
1ES0033+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:03:09 to 01/07:17:37

Plot file version 166 created 11-MAR-2003 17:37:59
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:18:37 to 01/07:33:01

Plot file version 167 created 11-MAR-2003 17:37:59
1ES0229+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:33:09 to 01/07:47:41

Plot file version 168 created 11-MAR-2003 17:37:59
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/07:47:49 to 01/08:02:17

Plot file version 169 created 11-MAR-2003 17:37:59
DA193 er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:05:33 to 01/08:13:05

Plot file version 170 created 11-MAR-2003 17:38:00
1ES0647+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:13:13 to 01/08:25:05

Plot file version 171 created 11-MAR-2003 17:38:00
RGB0656+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:25:13 to 01/08:37:05

Plot file version 172 created 11-MAR-2003 17:38:00
1ES0414+ er014.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/08:37:13 to 01/08:49:01