Plot file version 1 created 28-NOV-2002 18:44:20
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:30:32 to 00/19:33:24
Baseline: Several displayed Stokes: LL

Plot file version 2 created 28-NOV-2002 18:44:21
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:39:12 to 00/19:42:04
Baseline: Several displayed Stokes: LL

Plot file version 3 created 28-NOV-2002 18:44:22
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:58:28 to 00/20:20:25
Baseline: Several displayed Stokes: LL

Plot file version 4 created 28-NOV-2002 18:44:28
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:20:29 to 00/20:42:27
Baseline: Several displayed Stokes: LL

Plot file version 5 created 28-NOV-2002 18:44:34
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:42:31 to 00/21:01:39
Baseline: Several displayed Stokes: LL

Plot file version 6 created 28-NOV-2002 18:44:39
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:03:45 to 00/21:06:09
Baseline: Several displayed Stokes: LL

Plot file version 7 created 28-NOV-2002 18:44:40
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:12:09 to 00/21:15:29
Baseline: Several displayed Stokes: LL

Plot file version 8 created 28-NOV-2002 18:44:43
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:15 to 00/21:44:13
Baseline: Several displayed Stokes: LL

Plot file version 9 created 28-NOV-2002 18:44:49
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:17 to 00/22:06:15
Baseline: Several displayed Stokes: LL

Plot file version 10 created 28-NOV-2002 18:44:55
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:06:19 to 00/22:28:17
Baseline: Several displayed Stokes: LL

Plot file version 11 created 28-NOV-2002 18:45:01
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:28:21 to 00/22:32:17
Baseline: Several displayed Stokes: LL

Plot file version 12 created 28-NOV-2002 18:45:03
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:40:49 to 00/22:43:41
Baseline: Several displayed Stokes: LL

Plot file version 13 created 28-NOV-2002 18:45:06
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:52:29 to 00/23:14:26
Baseline: Several displayed Stokes: LL

Plot file version 14 created 28-NOV-2002 18:45:12
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:14:30 to 00/23:24:04
Baseline: Several displayed Stokes: LL

Plot file version 15 created 28-NOV-2002 18:45:15
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:36:17 to 00/23:56:33
Baseline: Several displayed Stokes: LL

Plot file version 16 created 28-NOV-2002 18:45:22
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:12:12 to 01/00:15:00
Baseline: Several displayed Stokes: LL

Plot file version 17 created 28-NOV-2002 18:45:37
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:22:36 to 01/00:25:28
Baseline: Several displayed Stokes: LL

Plot file version 18 created 28-NOV-2002 18:46:00
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:35:29 to 01/00:57:27
Baseline: Several displayed Stokes: LL

Plot file version 19 created 28-NOV-2002 18:47:16
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:57:31 to 01/01:19:29
Baseline: Several displayed Stokes: LL

Plot file version 20 created 28-NOV-2002 18:48:15
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:19:33 to 01/01:41:31
Baseline: Several displayed Stokes: LL

Plot file version 21 created 28-NOV-2002 18:49:01
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:41:35 to 01/02:03:33
Baseline: Several displayed Stokes: LL

Plot file version 22 created 28-NOV-2002 18:49:31
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:03:37 to 01/02:21:29
Baseline: Several displayed Stokes: LL

Plot file version 23 created 28-NOV-2002 18:49:47
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:35:46 to 01/02:38:42
Baseline: Several displayed Stokes: LL

Plot file version 24 created 28-NOV-2002 18:49:49
1328+307 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:50:00 to 01/02:56:04
Baseline: Several displayed Stokes: LL

Plot file version 25 created 28-NOV-2002 18:49:52
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:30:32 to 00/19:33:24
Baseline: Several displayed Stokes: RR

Plot file version 26 created 28-NOV-2002 18:49:53
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:39:12 to 00/19:42:04
Baseline: Several displayed Stokes: RR

Plot file version 27 created 28-NOV-2002 18:49:54
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:58:28 to 00/20:20:25
Baseline: Several displayed Stokes: RR

Plot file version 28 created 28-NOV-2002 18:49:59
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:20:29 to 00/20:42:27
Baseline: Several displayed Stokes: RR

Plot file version 29 created 28-NOV-2002 18:50:04
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:42:31 to 00/21:01:39
Baseline: Several displayed Stokes: RR

Plot file version 30 created 28-NOV-2002 18:50:08
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:03:45 to 00/21:06:09
Baseline: Several displayed Stokes: RR

Plot file version 31 created 28-NOV-2002 18:50:09
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:12:09 to 00/21:15:29
Baseline: Several displayed Stokes: RR

Plot file version 32 created 28-NOV-2002 18:50:11
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:15 to 00/21:44:13
Baseline: Several displayed Stokes: RR

Plot file version 33 created 28-NOV-2002 18:50:17
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:17 to 00/22:06:15
Baseline: Several displayed Stokes: RR

Plot file version 34 created 28-NOV-2002 18:50:21
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:06:19 to 00/22:28:17
Baseline: Several displayed Stokes: RR

Plot file version 35 created 28-NOV-2002 18:50:27
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:28:21 to 00/22:32:17
Baseline: Several displayed Stokes: RR

Plot file version 36 created 28-NOV-2002 18:50:28
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:40:49 to 00/22:43:41
Baseline: Several displayed Stokes: RR

Plot file version 37 created 28-NOV-2002 18:50:31
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:52:29 to 00/23:14:26
Baseline: Several displayed Stokes: RR

Plot file version 38 created 28-NOV-2002 18:50:36
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:14:30 to 00/23:24:04
Baseline: Several displayed Stokes: RR

Plot file version 39 created 28-NOV-2002 18:50:38
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:36:17 to 00/23:56:33
Baseline: Several displayed Stokes: RR

Plot file version 40 created 28-NOV-2002 18:50:44
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:12:12 to 01/00:15:00
Baseline: Several displayed Stokes: RR

Plot file version 41 created 28-NOV-2002 18:50:59
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:22:36 to 01/00:25:28
Baseline: Several displayed Stokes: RR

Plot file version 42 created 28-NOV-2002 18:51:20
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:35:29 to 01/00:57:27
Baseline: Several displayed Stokes: RR

Plot file version 43 created 28-NOV-2002 18:52:34
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:57:31 to 01/01:19:29
Baseline: Several displayed Stokes: RR

Plot file version 44 created 28-NOV-2002 18:53:33
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:19:33 to 01/01:41:31
Baseline: Several displayed Stokes: RR

Plot file version 45 created 28-NOV-2002 18:54:18
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:41:35 to 01/02:03:33
Baseline: Several displayed Stokes: RR

Plot file version 46 created 28-NOV-2002 18:54:47
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:03:37 to 01/02:21:29
Baseline: Several displayed Stokes: RR

Plot file version 47 created 28-NOV-2002 18:55:01
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:35:46 to 01/02:38:42
Baseline: Several displayed Stokes: RR

Plot file version 48 created 28-NOV-2002 18:55:04
1328+307 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:50:00 to 01/02:56:04
Baseline: Several displayed Stokes: RR