Plot file version 1 created 28-NOV-2002 18:30:28
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:30:32 to 00/19:33:24
Baseline: Several displayed Stokes: LL

Plot file version 2 created 28-NOV-2002 18:30:29
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:39:12 to 00/19:42:04
Baseline: Several displayed Stokes: LL

Plot file version 3 created 28-NOV-2002 18:30:30
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:58:28 to 00/20:20:25
Baseline: Several displayed Stokes: LL

Plot file version 4 created 28-NOV-2002 18:30:31
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:20:29 to 00/20:42:27
Baseline: Several displayed Stokes: LL

Plot file version 5 created 28-NOV-2002 18:30:33
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:42:31 to 00/21:01:39
Baseline: Several displayed Stokes: LL

Plot file version 6 created 28-NOV-2002 18:30:34
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:03:45 to 00/21:06:09
Baseline: Several displayed Stokes: LL

Plot file version 7 created 28-NOV-2002 18:30:35
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:12:09 to 00/21:15:29
Baseline: Several displayed Stokes: LL

Plot file version 8 created 28-NOV-2002 18:30:36
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:15 to 00/21:44:13
Baseline: Several displayed Stokes: LL

Plot file version 9 created 28-NOV-2002 18:30:38
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:17 to 00/22:06:15
Baseline: Several displayed Stokes: LL

Plot file version 10 created 28-NOV-2002 18:30:40
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:06:19 to 00/22:28:17
Baseline: Several displayed Stokes: LL

Plot file version 11 created 28-NOV-2002 18:30:41
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:28:21 to 00/22:32:17
Baseline: Several displayed Stokes: LL

Plot file version 12 created 28-NOV-2002 18:30:42
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:40:49 to 00/22:43:41
Baseline: Several displayed Stokes: LL

Plot file version 13 created 28-NOV-2002 18:30:43
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:52:29 to 00/23:14:26
Baseline: Several displayed Stokes: LL

Plot file version 14 created 28-NOV-2002 18:30:44
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:14:30 to 00/23:24:04
Baseline: Several displayed Stokes: LL

Plot file version 15 created 28-NOV-2002 18:30:46
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:36:17 to 00/23:56:33
Baseline: Several displayed Stokes: LL

Plot file version 16 created 28-NOV-2002 18:30:47
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:12:12 to 01/00:15:00
Baseline: Several displayed Stokes: LL

Plot file version 17 created 28-NOV-2002 18:30:47
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:22:36 to 01/00:25:28
Baseline: Several displayed Stokes: LL

Plot file version 18 created 28-NOV-2002 18:30:48
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:35:29 to 01/00:57:27
Baseline: Several displayed Stokes: LL

Plot file version 19 created 28-NOV-2002 18:30:50
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:57:31 to 01/01:19:29
Baseline: Several displayed Stokes: LL

Plot file version 20 created 28-NOV-2002 18:30:52
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:19:33 to 01/01:41:31
Baseline: Several displayed Stokes: LL

Plot file version 21 created 28-NOV-2002 18:30:53
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:41:35 to 01/02:03:33
Baseline: Several displayed Stokes: LL

Plot file version 22 created 28-NOV-2002 18:30:54
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:03:37 to 01/02:21:29
Baseline: Several displayed Stokes: LL

Plot file version 23 created 28-NOV-2002 18:30:55
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:35:46 to 01/02:38:42
Baseline: Several displayed Stokes: LL

Plot file version 24 created 28-NOV-2002 18:30:56
1328+307 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:50:00 to 01/02:56:04
Baseline: Several displayed Stokes: LL

Plot file version 25 created 28-NOV-2002 18:30:56
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:30:32 to 00/19:33:24
Baseline: Several displayed Stokes: RR

Plot file version 26 created 28-NOV-2002 18:30:56
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:39:12 to 00/19:42:04
Baseline: Several displayed Stokes: RR

Plot file version 27 created 28-NOV-2002 18:30:57
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:58:28 to 00/20:20:25
Baseline: Several displayed Stokes: RR

Plot file version 28 created 28-NOV-2002 18:30:59
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:20:29 to 00/20:42:27
Baseline: Several displayed Stokes: RR

Plot file version 29 created 28-NOV-2002 18:31:01
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:42:31 to 00/21:01:39
Baseline: Several displayed Stokes: RR

Plot file version 30 created 28-NOV-2002 18:31:02
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:03:45 to 00/21:06:09
Baseline: Several displayed Stokes: RR

Plot file version 31 created 28-NOV-2002 18:31:03
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:12:09 to 00/21:15:29
Baseline: Several displayed Stokes: RR

Plot file version 32 created 28-NOV-2002 18:31:04
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:15 to 00/21:44:13
Baseline: Several displayed Stokes: RR

Plot file version 33 created 28-NOV-2002 18:31:06
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:17 to 00/22:06:15
Baseline: Several displayed Stokes: RR

Plot file version 34 created 28-NOV-2002 18:31:07
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:06:19 to 00/22:28:17
Baseline: Several displayed Stokes: RR

Plot file version 35 created 28-NOV-2002 18:31:09
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:28:21 to 00/22:32:17
Baseline: Several displayed Stokes: RR

Plot file version 36 created 28-NOV-2002 18:31:09
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:40:49 to 00/22:43:41
Baseline: Several displayed Stokes: RR

Plot file version 37 created 28-NOV-2002 18:31:10
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:52:29 to 00/23:14:26
Baseline: Several displayed Stokes: RR

Plot file version 38 created 28-NOV-2002 18:31:12
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:14:30 to 00/23:24:04
Baseline: Several displayed Stokes: RR

Plot file version 39 created 28-NOV-2002 18:31:13
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:36:17 to 00/23:56:33
Baseline: Several displayed Stokes: RR

Plot file version 40 created 28-NOV-2002 18:31:15
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:12:12 to 01/00:15:00
Baseline: Several displayed Stokes: RR

Plot file version 41 created 28-NOV-2002 18:31:15
DA193 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:22:36 to 01/00:25:28
Baseline: Several displayed Stokes: RR

Plot file version 42 created 28-NOV-2002 18:31:16
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:35:29 to 01/00:57:27
Baseline: Several displayed Stokes: RR

Plot file version 43 created 28-NOV-2002 18:31:18
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:57:31 to 01/01:19:29
Baseline: Several displayed Stokes: RR

Plot file version 44 created 28-NOV-2002 18:31:19
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:19:33 to 01/01:41:31
Baseline: Several displayed Stokes: RR

Plot file version 45 created 28-NOV-2002 18:31:21
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:41:35 to 01/02:03:33
Baseline: Several displayed Stokes: RR

Plot file version 46 created 28-NOV-2002 18:31:22
0429+415 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:03:37 to 01/02:21:29
Baseline: Several displayed Stokes: RR

Plot file version 47 created 28-NOV-2002 18:31:23
0016+731 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:35:46 to 01/02:38:42
Baseline: Several displayed Stokes: RR

Plot file version 48 created 28-NOV-2002 18:31:23
1328+307 es023.MSORT.1
Freq = 4.9795 GHz, Bw = 4.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:50:00 to 01/02:56:04
Baseline: Several displayed Stokes: RR