Plot file version 1 created 30-NOV-2005 16:37:17
DA193 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:30:24 to 00/07:35:59

Plot file version 2 created 30-NOV-2005 16:37:20
DA193 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:30:24 to 00/07:35:59

Plot file version 3 created 30-NOV-2005 16:37:24
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:37:19 to 00/07:40:29

Plot file version 4 created 30-NOV-2005 16:37:25
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:37:19 to 00/07:40:29

Plot file version 5 created 30-NOV-2005 16:37:28
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:47:01 to 00/07:50:29

Plot file version 6 created 30-NOV-2005 16:37:30
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:47:01 to 00/07:50:29

Plot file version 7 created 30-NOV-2005 16:37:33
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:57:01 to 00/08:04:59

Plot file version 8 created 30-NOV-2005 16:37:36
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:57:01 to 00/08:04:59

Plot file version 9 created 30-NOV-2005 16:37:41
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:11:31 to 00/08:14:59

Plot file version 10 created 30-NOV-2005 16:37:43
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:11:31 to 00/08:14:59

Plot file version 11 created 30-NOV-2005 16:37:47
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:21:31 to 00/08:29:29

Plot file version 12 created 30-NOV-2005 16:37:49
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:21:31 to 00/08:29:29

Plot file version 13 created 30-NOV-2005 16:37:55
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:36:01 to 00/08:39:29

Plot file version 14 created 30-NOV-2005 16:37:57
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:36:01 to 00/08:39:29

Plot file version 15 created 30-NOV-2005 16:38:01
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:46:01 to 00/08:53:59

Plot file version 16 created 30-NOV-2005 16:38:03
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:46:01 to 00/08:53:59

Plot file version 17 created 30-NOV-2005 16:38:08
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:00:31 to 00/09:03:59

Plot file version 18 created 30-NOV-2005 16:38:09
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:00:31 to 00/09:03:59

Plot file version 19 created 30-NOV-2005 16:38:15
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:31 to 00/09:13:59

Plot file version 20 created 30-NOV-2005 16:38:17
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:31 to 00/09:13:59

Plot file version 21 created 30-NOV-2005 16:38:22
DA193 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:15:32 to 00/09:25:29

Plot file version 22 created 30-NOV-2005 16:38:25
DA193 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:15:32 to 00/09:25:29

Plot file version 23 created 30-NOV-2005 16:38:31
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:26:55 to 00/09:29:59

Plot file version 24 created 30-NOV-2005 16:38:32
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:26:55 to 00/09:29:59

Plot file version 25 created 30-NOV-2005 16:38:37
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:36:31 to 00/09:39:59

Plot file version 26 created 30-NOV-2005 16:38:38
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:36:31 to 00/09:39:59

Plot file version 27 created 30-NOV-2005 16:38:42
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:46:31 to 00/09:54:29

Plot file version 28 created 30-NOV-2005 16:38:45
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:46:31 to 00/09:54:29

Plot file version 29 created 30-NOV-2005 16:38:51
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:01 to 00/10:04:29

Plot file version 30 created 30-NOV-2005 16:38:53
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:01 to 00/10:04:29

Plot file version 31 created 30-NOV-2005 16:38:56
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:01 to 00/10:18:59

Plot file version 32 created 30-NOV-2005 16:38:59
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:01 to 00/10:18:59

Plot file version 33 created 30-NOV-2005 16:39:04
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:25:31 to 00/10:28:59

Plot file version 34 created 30-NOV-2005 16:39:06
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:25:31 to 00/10:28:59

Plot file version 35 created 30-NOV-2005 16:39:09
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:35:31 to 00/10:43:29

Plot file version 36 created 30-NOV-2005 16:39:11
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:35:31 to 00/10:43:29

Plot file version 37 created 30-NOV-2005 16:39:17
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:50:01 to 00/10:53:29

Plot file version 38 created 30-NOV-2005 16:39:19
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:50:01 to 00/10:53:29

Plot file version 39 created 30-NOV-2005 16:39:23
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:00:01 to 00/11:07:59

Plot file version 40 created 30-NOV-2005 16:39:26
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:00:01 to 00/11:07:59

Plot file version 41 created 30-NOV-2005 16:39:31
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:14:31 to 00/11:17:59

Plot file version 42 created 30-NOV-2005 16:39:33
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:14:31 to 00/11:17:59

Plot file version 43 created 30-NOV-2005 16:39:36
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:24:31 to 00/11:32:29

Plot file version 44 created 30-NOV-2005 16:39:39
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:24:31 to 00/11:32:29


Plot file version 45 created 30-NOV-2005 16:39:43
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
JB - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
JB - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
EF - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
EF - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
ON - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
ON - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
MC - TR
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
MC - TR
IF 1(LL) 2(LL) 3(LL) 4(LL) 5(LL) 6(LL) 7(LL) 8(LL)
MC - SH
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
Channels
Channels
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:39:01 to 00/11:42:29

Plot file version 46 created 30-NOV-2005 16:39:45
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:39:01 to 00/11:42:29

Plot file version 47 created 30-NOV-2005 16:39:47
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:49:01 to 00/11:56:59

Plot file version 48 created 30-NOV-2005 16:39:49
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:49:01 to 00/11:56:59

Plot file version 49 created 30-NOV-2005 16:39:53
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:03:31 to 00/12:06:59

Plot file version 50 created 30-NOV-2005 16:39:55
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:03:31 to 00/12:06:59

Plot file version 51 created 30-NOV-2005 16:39:58
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:13:31 to 00/12:21:29

Plot file version 52 created 30-NOV-2005 16:40:00
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:13:31 to 00/12:21:29

Plot file version 53 created 30-NOV-2005 16:40:04
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:28:01 to 00/12:31:29

Plot file version 54 created 30-NOV-2005 16:40:06
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:28:01 to 00/12:31:29


Plot file version 55 created 30-NOV-2005 16:40:10
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
JB - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
JB - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
WB - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
WB - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
EF - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
EF - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
ON - MC
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
ON - MC
IF 1(LL) 2(LL) 3(LL) 4(LL) 5(LL) 6(LL) 7(LL) 8(LL)
MC - TR
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
Channels
Channels
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:38:01 to 00/12:45:59

Plot file version 56 created 30-NOV-2005 16:40:13
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:38:01 to 00/12:45:59


Plot file version 57 created 30-NOV-2005 16:40:19
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
JB - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
JB - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
WB - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
WB - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
EF - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
EF - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
ON - MC
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
ON - MC
IF 1(LL) 2(LL) 3(LL) 4(LL) 5(LL) 6(LL) 7(LL) 8(LL)
MC - TR
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
Channels
Channels
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:52:50 to 00/12:55:59

Plot file version 58 created 30-NOV-2005 16:40:21
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:52:50 to 00/12:55:59

Plot file version 59 created 30-NOV-2005 16:40:26
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:02:31 to 00/13:10:29

Plot file version 60 created 30-NOV-2005 16:40:28
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:02:31 to 00/13:10:29

Plot file version 61 created 30-NOV-2005 16:40:34
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:17:01 to 00/13:20:29

Plot file version 62 created 30-NOV-2005 16:40:37
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:17:01 to 00/13:20:29

Plot file version 63 created 30-NOV-2005 16:40:41
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:27:24 to 00/13:34:59


Plot file version 64 created 30-NOV-2005 16:40:44
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
MC - TR
MC - SH
MC - SH
MC - UR
MC - UR
MC - CM
MC - CM
MC - RO
MC - RO
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
IF 1(LL) 2(LL) IF 3(LL) 4(LL) IF 5(LL) 6(LL) IF 7(LL) 8(LL)
IF 1(RR) 2(RR) IF 3(RR) 4(RR) IF 5(RR) 6(RR) IF 7(RR) 8(RR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:27:24 to 00/13:34:59

Plot file version 65 created 30-NOV-2005 16:40:50
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:41:31 to 00/13:44:59

Plot file version 66 created 30-NOV-2005 16:40:51
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:41:31 to 00/13:44:59

Plot file version 67 created 30-NOV-2005 16:40:55
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:51:54 to 00/13:59:29

Plot file version 68 created 30-NOV-2005 16:40:58
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:51:54 to 00/13:59:29

Plot file version 69 created 30-NOV-2005 16:41:01
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:06:01 to 00/14:09:29

Plot file version 70 created 30-NOV-2005 16:41:02
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:06:01 to 00/14:09:29

Plot file version 71 created 30-NOV-2005 16:41:05
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:16:20 to 00/14:23:59

Plot file version 72 created 30-NOV-2005 16:41:07
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:16:20 to 00/14:23:59

Plot file version 73 created 30-NOV-2005 16:41:11
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:30:54 to 00/14:33:59

Plot file version 74 created 30-NOV-2005 16:41:12
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:30:54 to 00/14:33:59

Plot file version 75 created 30-NOV-2005 16:41:15
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:40:31 to 00/14:48:29

Plot file version 76 created 30-NOV-2005 16:41:18
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:40:31 to 00/14:48:29

Plot file version 77 created 30-NOV-2005 16:41:23
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:55:01 to 00/14:58:29

Plot file version 78 created 30-NOV-2005 16:41:24
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:55:01 to 00/14:58:29

Plot file version 79 created 30-NOV-2005 16:41:28
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:05:20 to 00/15:12:59

Plot file version 80 created 30-NOV-2005 16:41:31
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:05:20 to 00/15:12:59

Plot file version 81 created 30-NOV-2005 16:41:36
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:19:31 to 00/15:22:59

Plot file version 82 created 30-NOV-2005 16:41:39
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:19:31 to 00/15:22:59

Plot file version 83 created 30-NOV-2005 16:41:42
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:29:31 to 00/15:37:29

Plot file version 84 created 30-NOV-2005 16:41:45
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:29:31 to 00/15:37:29

Plot file version 85 created 30-NOV-2005 16:41:50
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:44:01 to 00/15:47:29

Plot file version 86 created 30-NOV-2005 16:41:52
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:44:01 to 00/15:47:29

Plot file version 87 created 30-NOV-2005 16:41:56
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:54:01 to 00/16:01:59

Plot file version 88 created 30-NOV-2005 16:41:59
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:54:01 to 00/16:01:59

Plot file version 89 created 30-NOV-2005 16:42:04
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:08:54 to 00/16:11:59

Plot file version 90 created 30-NOV-2005 16:42:06
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:08:54 to 00/16:11:59

Plot file version 91 created 30-NOV-2005 16:42:10
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:18:31 to 00/16:26:29

Plot file version 92 created 30-NOV-2005 16:42:12
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:18:31 to 00/16:26:29

Plot file version 93 created 30-NOV-2005 16:42:16
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:33:01 to 00/16:36:29

Plot file version 94 created 30-NOV-2005 16:42:17
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:33:01 to 00/16:36:29

Plot file version 95 created 30-NOV-2005 16:42:21
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:43:24 to 00/16:50:59

Plot file version 96 created 30-NOV-2005 16:42:23
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:43:24 to 00/16:50:59

Plot file version 97 created 30-NOV-2005 16:42:28
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:57:54 to 00/17:00:59

Plot file version 98 created 30-NOV-2005 16:42:29
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:57:54 to 00/17:00:59

Plot file version 99 created 30-NOV-2005 16:42:32
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:07:31 to 00/17:15:29

Plot file version 100 created 30-NOV-2005 16:42:34
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:07:31 to 00/17:15:29

Plot file version 101 created 30-NOV-2005 16:42:38
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:22:01 to 00/17:25:29

Plot file version 102 created 30-NOV-2005 16:42:39
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:22:01 to 00/17:25:29

Plot file version 103 created 30-NOV-2005 16:42:42
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:32:01 to 00/17:35:29

Plot file version 104 created 30-NOV-2005 16:42:44
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:32:01 to 00/17:35:29

Plot file version 105 created 30-NOV-2005 16:42:46
3C286 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:46:20 to 00/17:55:59

Plot file version 106 created 30-NOV-2005 16:42:48
3C286 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:46:20 to 00/17:55:59


Plot file version 107 created 30-NOV-2005 16:42:52
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
WB - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
EF - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
EF - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
ON - MC
IF 1(RR) 2(RR) IF 4(RR) IF 6(RR) IF 8(RR)
ON - MC
IF 1(LL) 2(LL) IF 4(LL) IF 6(LL) IF 8(LL)
MC - TR
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
MC - TR
IF 1(LL) 2(LL) 3(LL) 4(LL) 5(LL) 6(LL) 7(LL) 8(LL)
MC - CM
IF 1(RR) 2(RR) 3(RR) 4(RR) 5(RR) 6(RR) 7(RR) 8(RR)
Channels
Channels
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:07:02 to 00/18:10:29

Plot file version 108 created 30-NOV-2005 16:42:53
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:07:02 to 00/18:10:29

Plot file version 109 created 30-NOV-2005 16:42:53
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:17:01 to 00/18:20:29

Plot file version 110 created 30-NOV-2005 16:42:54
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:17:01 to 00/18:20:29

Plot file version 111 created 30-NOV-2005 16:42:56
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:27:20 to 00/18:34:59

Plot file version 112 created 30-NOV-2005 16:42:57
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:27:20 to 00/18:34:59

Plot file version 113 created 30-NOV-2005 16:43:00
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:41:31 to 00/18:43:59

Plot file version 114 created 30-NOV-2005 16:43:00
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:41:31 to 00/18:43:59

Plot file version 115 created 30-NOV-2005 16:43:03
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:50:31 to 00/18:52:59

Plot file version 116 created 30-NOV-2005 16:43:05
J0655+41 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:50:31 to 00/18:52:59

Plot file version 117 created 30-NOV-2005 16:43:06
3C286 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:03:49 to 00/19:13:29

Plot file version 118 created 30-NOV-2005 16:43:08
3C286 es054a.MSORT.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:03:49 to 00/19:13:29