Plot file version 1 created 18-NOV-2002 11:15:28
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/13:00:31 to 00/13:09:55
Baseline: Several displayed Stokes: LL

Plot file version 2 created 18-NOV-2002 11:15:30
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/13:37:23 to 00/13:42:11
Baseline: Several displayed Stokes: LL

Plot file version 3 created 18-NOV-2002 11:15:32
3C286 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/14:13:46 to 00/14:26:40
Baseline: Several displayed Stokes: LL

Plot file version 4 created 18-NOV-2002 11:15:36
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/14:38:11 to 00/14:42:35
Baseline: Several displayed Stokes: LL

Plot file version 5 created 18-NOV-2002 11:15:38
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/15:04:13 to 00/15:09:01
Baseline: Several displayed Stokes: LL

Plot file version 6 created 18-NOV-2002 11:15:41
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/15:31:11 to 00/15:35:47
Baseline: Several displayed Stokes: LL

Plot file version 7 created 18-NOV-2002 11:15:44
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/16:01:31 to 00/16:06:19
Baseline: Several displayed Stokes: LL

Plot file version 8 created 18-NOV-2002 11:15:46
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/16:39:44 to 00/16:44:32
Baseline: Several displayed Stokes: LL

Plot file version 9 created 18-NOV-2002 11:15:48
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/17:12:18 to 00/17:16:42
Baseline: Several displayed Stokes: LL

Plot file version 10 created 18-NOV-2002 11:15:51
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/17:47:15 to 00/17:51:47
Baseline: Several displayed Stokes: LL

Plot file version 11 created 18-NOV-2002 11:15:53
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/18:27:41 to 00/18:32:29
Baseline: Several displayed Stokes: LL

Plot file version 12 created 18-NOV-2002 11:15:56
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/19:31:09 to 00/19:36:01
Baseline: Several displayed Stokes: LL

Plot file version 13 created 18-NOV-2002 11:15:59
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/20:01:58 to 00/20:11:34
Baseline: Several displayed Stokes: LL

Plot file version 14 created 18-NOV-2002 11:16:04
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/21:18:26 to 00/21:23:14
Baseline: Several displayed Stokes: LL

Plot file version 15 created 18-NOV-2002 11:16:07
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/21:46:38 to 00/21:53:14
Baseline: Several displayed Stokes: LL

Plot file version 16 created 18-NOV-2002 11:16:11
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/22:17:50 to 00/22:22:38
Baseline: Several displayed Stokes: LL

Plot file version 17 created 18-NOV-2002 11:16:13
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/22:46:16 to 00/22:51:04
Baseline: Several displayed Stokes: LL

Plot file version 18 created 18-NOV-2002 11:16:16
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/23:20:18 to 00/23:24:54
Baseline: Several displayed Stokes: LL

Plot file version 19 created 18-NOV-2002 11:16:19
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/23:44:46 to 00/23:49:34
Baseline: Several displayed Stokes: LL

Plot file version 20 created 18-NOV-2002 11:16:22
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 01/00:06:40 to 01/00:11:04
Baseline: Several displayed Stokes: LL

Plot file version 21 created 18-NOV-2002 11:16:25
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 01/00:45:40 to 01/00:50:28
Baseline: Several displayed Stokes: LL

Plot file version 22 created 18-NOV-2002 11:16:28
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/13:00:31 to 00/13:09:55
Baseline: Several displayed Stokes: RR

Plot file version 23 created 18-NOV-2002 11:16:30
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/13:37:23 to 00/13:42:11
Baseline: Several displayed Stokes: RR

Plot file version 24 created 18-NOV-2002 11:16:31
3C286 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/14:13:46 to 00/14:26:40
Baseline: Several displayed Stokes: RR

Plot file version 25 created 18-NOV-2002 11:16:35
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/14:38:11 to 00/14:42:35
Baseline: Several displayed Stokes: RR

Plot file version 26 created 18-NOV-2002 11:16:37
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/15:04:13 to 00/15:09:01
Baseline: Several displayed Stokes: RR

Plot file version 27 created 18-NOV-2002 11:16:40
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/15:31:11 to 00/15:35:47
Baseline: Several displayed Stokes: RR

Plot file version 28 created 18-NOV-2002 11:16:43
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/16:01:31 to 00/16:06:19
Baseline: Several displayed Stokes: RR

Plot file version 29 created 18-NOV-2002 11:16:45
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/16:39:44 to 00/16:44:32
Baseline: Several displayed Stokes: RR

Plot file version 30 created 18-NOV-2002 11:16:47
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/17:12:18 to 00/17:16:42
Baseline: Several displayed Stokes: RR

Plot file version 31 created 18-NOV-2002 11:16:49
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/17:47:15 to 00/17:51:47
Baseline: Several displayed Stokes: RR

Plot file version 32 created 18-NOV-2002 11:16:51
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/18:27:41 to 00/18:32:29
Baseline: Several displayed Stokes: RR

Plot file version 33 created 18-NOV-2002 11:16:54
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/19:31:09 to 00/19:36:01
Baseline: Several displayed Stokes: RR

Plot file version 34 created 18-NOV-2002 11:16:57
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/20:01:58 to 00/20:11:34
Baseline: Several displayed Stokes: RR

Plot file version 35 created 18-NOV-2002 11:17:02
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/21:18:26 to 00/21:23:14
Baseline: Several displayed Stokes: RR

Plot file version 36 created 18-NOV-2002 11:17:05
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/21:46:38 to 00/21:53:14
Baseline: Several displayed Stokes: RR

Plot file version 37 created 18-NOV-2002 11:17:08
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/22:17:50 to 00/22:22:38
Baseline: Several displayed Stokes: RR

Plot file version 38 created 18-NOV-2002 11:17:11
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/22:46:16 to 00/22:51:04
Baseline: Several displayed Stokes: RR

Plot file version 39 created 18-NOV-2002 11:17:14
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/23:20:18 to 00/23:24:54
Baseline: Several displayed Stokes: RR

Plot file version 40 created 18-NOV-2002 11:17:17
J2022+61 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 00/23:44:46 to 00/23:49:34
Baseline: Several displayed Stokes: RR

Plot file version 41 created 18-NOV-2002 11:17:19
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 01/00:06:40 to 01/00:11:04
Baseline: Several displayed Stokes: RR

Plot file version 42 created 18-NOV-2002 11:17:22
J2202+42 ev012.MSORT.1
Freq = 6.6683 GHz, Bw = 2.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 1
Timerange: 01/00:45:40 to 01/00:50:28
Baseline: Several displayed Stokes: RR