


Plot file version 1 created 10-OCT-2023 03:50:49

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:00:01 to 00/08:04:59

Plot file version 2 created 10-OCT-2023 03:50:49

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:00:01 to 00/08:04:59

Plot file version 3 created 10-OCT-2023 03:50:52

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:20:31 to 00/09:34:59

Plot file version 4 created 10-OCT-2023 03:50:55

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:20:33 to 00/10:34:59

Plot file version 5 created 10-OCT-2023 03:50:56

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:35:33 to 00/10:49:59

Plot file version 6 created 10-OCT-2023 03:50:57

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/10:50:33 to 00/11:04:59

Plot file version 7 created 10-OCT-2023 03:51:01

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/12:11:01 to 00/12:15:59

Plot file version 8 created 10-OCT-2023 03:51:01

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:11:01 to 00/12:15:59



Plot file version 9 created 10-OCT-2023 03:51:02

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:17:13 to 00/12:30:59

Plot file version 10 created 10-OCT-2023 03:51:02

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/12:17:13 to 00/12:30:59

Plot file version 11 created 10-OCT-2023 03:51:02

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:31:33 to 00/12:45:59

Plot file version 12 created 10-OCT-2023 03:51:03

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:31:33 to 00/12:45:59

Plot file version 13 created 10-OCT-2023 03:51:03

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:46:33 to 00/13:00:59

Plot file version 14 created 10-OCT-2023 03:51:04

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/13:01:33 to 00/13:15:59

Plot file version 15 created 10-OCT-2023 03:51:05

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:16:33 to 00/13:30:59

Plot file version 16 created 10-OCT-2023 03:51:06

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:31:33 to 00/13:45:59



Plot file version 17 created 10-OCT-2023 03:51:07

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/13:31:33 to 00/13:45:59

Plot file version 18 created 10-OCT-2023 03:51:07

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:46:33 to 00/14:00:59

Plot file version 19 created 10-OCT-2023 03:51:08

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/13:46:33 to 00/14:00:59

Plot file version 20 created 10-OCT-2023 03:51:08

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg




Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/14:01:33 to 00/14:15:59

Plot file version 21 created 10-OCT-2023 03:51:09

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/14:01:33 to 00/14:15:59

Plot file version 22 created 10-OCT-2023 03:51:10

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:46:33 to 00/15:00:59

Plot file version 23 created 10-OCT-2023 03:51:10

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:46:33 to 00/15:00:59

Plot file version 24 created 10-OCT-2023 03:51:11

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:01:33 to 00/15:15:59



Plot file version 25 created 10-OCT-2023 03:51:11

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:01:33 to 00/15:15:59

Plot file version 26 created 10-OCT-2023 03:51:11

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:16:33 to 00/15:30:59

Plot file version 27 created 10-OCT-2023 03:51:12

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:16:33 to 00/15:30:59

Plot file version 28 created 10-OCT-2023 03:51:12

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:31:33 to 00/15:45:59

Plot file version 29 created 10-OCT-2023 03:51:13

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:31:33 to 00/15:45:59

Plot file version 30 created 10-OCT-2023 03:51:13

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/15:46:33 to 00/16:00:59

Plot file version 31 created 10-OCT-2023 03:51:13

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/15:46:33 to 00/16:00:59

Plot file version 32 created 10-OCT-2023 03:51:13

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/16:03:01 to 00/16:07:59



Plot file version 33 created 10-OCT-2023 03:51:13

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/16:03:01 to 00/16:07:59

Plot file version 34 created 10-OCT-2023 03:51:14

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/16:09:13 to 00/16:22:59

Plot file version 35 created 10-OCT-2023 03:51:14

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/16:09:13 to 00/16:22:59

Plot file version 36 created 10-OCT-2023 03:51:15

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/16:23:33 to 00/16:37:59

Plot file version 37 created 10-OCT-2023 03:51:15

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/16:23:33 to 00/16:37:59

Plot file version 38 created 10-OCT-2023 03:51:15

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/16:38:33 to 00/16:52:59

Plot file version 39 created 10-OCT-2023 03:51:16

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/16:53:33 to 00/17:07:59

Plot file version 40 created 10-OCT-2023 03:51:16

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/17:08:33 to 00/17:22:59



Plot file version 41 created 10-OCT-2023 03:51:17

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/17:08:33 to 00/17:22:59

Plot file version 42 created 10-OCT-2023 03:51:17

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/17:23:33 to 00/17:37:59

Plot file version 43 created 10-OCT-2023 03:51:17

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/17:23:33 to 00/17:37:59

Plot file version 44 created 10-OCT-2023 03:51:19

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/18:08:33 to 00/18:22:59

Plot file version 45 created 10-OCT-2023 03:51:19

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/18:08:33 to 00/18:22:59

Plot file version 46 created 10-OCT-2023 03:51:19

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/18:23:33 to 00/18:37:59

Plot file version 47 created 10-OCT-2023 03:51:20

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/18:23:33 to 00/18:37:59

Plot file version 48 created 10-OCT-2023 03:51:20

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed


Timerange: 00/18:38:33 to 00/18:52:59



Plot file version 49 created 10-OCT-2023 03:51:20

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/18:53:33 to 00/19:07:59

Plot file version 50 created 10-OCT-2023 03:51:21

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/18:53:33 to 00/19:07:59

Plot file version 51 created 10-OCT-2023 03:51:21

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/19:08:33 to 00/19:22:59

Plot file version 52 created 10-OCT-2023 03:51:21

NVSS0222 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/19:08:33 to 00/19:22:59

Plot file version 53 created 10-OCT-2023 03:51:22

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/19:55:01 to 00/19:59:59

Plot file version 54 created 10-OCT-2023 03:51:22

0133+476 EV024G 3.UVDATA.1

Freq = 1.5950 GHz, Bw = 32.000 MH Calibrated with CL # 4 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/19:55:01 to 00/19:59:59