Plot file version 1 created 27-MAY-2005 13:39:12
0914+114 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:07:02 to 00/04:20:58

Plot file version 2 created 27-MAY-2005 13:39:14
0554-026 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:23:20 to 00/04:28:58

Plot file version 3 created 27-MAY-2005 13:39:15
DA193 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:30:26 to 00/04:35:58

Plot file version 4 created 27-MAY-2005 13:39:17
0554-026 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:38:20 to 00/04:43:58

Plot file version 5 created 27-MAY-2005 13:39:19
0914+114 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:45:26 to 00/04:58:58

Plot file version 6 created 27-MAY-2005 13:39:21
1133+432 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:00:26 to 00/05:13:58

Plot file version 7 created 27-MAY-2005 13:39:23
0554-026 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:15:02 to 00/05:28:58

Plot file version 8 created 27-MAY-2005 13:39:26
0914+114 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:26 to 00/05:43:58

Plot file version 9 created 27-MAY-2005 13:39:28
OQ208 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:46:26 to 00/05:51:58

Plot file version 10 created 27-MAY-2005 13:39:30
1333+589 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:53:26 to 00/06:05:58

Plot file version 11 created 27-MAY-2005 13:39:31
1133+432 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:07:26 to 00/06:20:58

Plot file version 12 created 27-MAY-2005 13:39:33
0914+114 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:23:18 to 00/06:28:58

Plot file version 13 created 27-MAY-2005 13:39:35
0554-026 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:31:18 to 00/06:36:58

Plot file version 14 created 27-MAY-2005 13:39:37
2323+790 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:38:28 to 00/06:58:58

Plot file version 15 created 27-MAY-2005 13:39:40
0914+114 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:02 to 00/07:13:58

Plot file version 16 created 27-MAY-2005 13:39:41
1133+432 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:16:18 to 00/07:21:58

Plot file version 17 created 27-MAY-2005 13:39:42
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:23:34 to 00/07:28:58

Plot file version 18 created 27-MAY-2005 13:39:44
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:30:26 to 00/07:35:58

Plot file version 19 created 27-MAY-2005 13:39:45
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:37:26 to 00/07:42:58

Plot file version 20 created 27-MAY-2005 13:39:46
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:44:26 to 00/07:49:58

Plot file version 21 created 27-MAY-2005 13:39:48
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:51:26 to 00/07:56:58

Plot file version 22 created 27-MAY-2005 13:39:49
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:58:18 to 00/08:03:58

Plot file version 23 created 27-MAY-2005 13:39:50
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:05:26 to 00/08:10:58

Plot file version 24 created 27-MAY-2005 13:39:51
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:12:26 to 00/08:17:58

Plot file version 25 created 27-MAY-2005 13:39:54
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:19:26 to 00/08:24:58

Plot file version 26 created 27-MAY-2005 13:39:57
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:26:26 to 00/08:31:58

Plot file version 27 created 27-MAY-2005 13:39:59
OQ208 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:33:26 to 00/08:38:58

Plot file version 28 created 27-MAY-2005 13:40:02
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:40:26 to 00/08:45:58

Plot file version 29 created 27-MAY-2005 13:40:04
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:18 to 00/08:53:58

Plot file version 30 created 27-MAY-2005 13:40:06
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:03:26 to 00/09:08:58

Plot file version 31 created 27-MAY-2005 13:40:07
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:18 to 00/09:15:58

Plot file version 32 created 27-MAY-2005 13:40:09
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:18:18 to 00/09:23:58

Plot file version 33 created 27-MAY-2005 13:40:10
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:33:26 to 00/09:38:58

Plot file version 34 created 27-MAY-2005 13:40:11
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:40:26 to 00/09:45:58

Plot file version 35 created 27-MAY-2005 13:40:12
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:47:20 to 00/09:52:58

Plot file version 36 created 27-MAY-2005 13:40:13
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:54:38 to 00/09:59:58

Plot file version 37 created 27-MAY-2005 13:40:14
OQ208 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:26 to 00/10:06:58

Plot file version 38 created 27-MAY-2005 13:40:16
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:08:38 to 00/10:13:58

Plot file version 39 created 27-MAY-2005 13:40:17
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:16:18 to 00/10:21:58

Plot file version 40 created 27-MAY-2005 13:40:18
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:31:38 to 00/10:36:58

Plot file version 41 created 27-MAY-2005 13:40:19
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:38:38 to 00/10:43:58

Plot file version 42 created 27-MAY-2005 13:40:20
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:46:18 to 00/10:51:58

Plot file version 43 created 27-MAY-2005 13:40:21
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:01:18 to 00/11:06:58

Plot file version 44 created 27-MAY-2005 13:40:22
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:08:38 to 00/11:13:58

Plot file version 45 created 27-MAY-2005 13:40:24
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:15:38 to 00/11:20:58

Plot file version 46 created 27-MAY-2005 13:40:25
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:23:18 to 00/11:28:58

Plot file version 47 created 27-MAY-2005 13:40:26
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:30:38 to 00/11:35:58

Plot file version 48 created 27-MAY-2005 13:40:27
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:46:26 to 00/11:51:58

Plot file version 49 created 27-MAY-2005 13:40:29
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/11:54:18 to 00/11:59:58

Plot file version 50 created 27-MAY-2005 13:40:31
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:01:02 to 00/12:13:58

Plot file version 51 created 27-MAY-2005 13:40:33
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:15:38 to 00/12:27:58

Plot file version 52 created 27-MAY-2005 13:40:35
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:18 to 00/12:35:58

Plot file version 53 created 27-MAY-2005 13:40:36
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:45:02 to 00/12:50:58

Plot file version 54 created 27-MAY-2005 13:40:37
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:52:02 to 00/12:57:58

Plot file version 55 created 27-MAY-2005 13:40:38
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:00:02 to 00/13:05:58

Plot file version 56 created 27-MAY-2005 13:40:40
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:08:18 to 00/13:13:58

Plot file version 57 created 27-MAY-2005 13:40:41
2121-014 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:16:18 to 00/13:21:58

Plot file version 58 created 27-MAY-2005 13:40:42
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:31:18 to 00/13:36:58

Plot file version 59 created 27-MAY-2005 13:40:43
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:38:38 to 00/13:43:58

Plot file version 60 created 27-MAY-2005 13:40:44
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:45:38 to 00/13:50:58

Plot file version 61 created 27-MAY-2005 13:40:45
1509+054 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:53:18 to 00/13:58:58

Plot file version 62 created 27-MAY-2005 13:40:46
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:25:18 to 00/14:30:58

Plot file version 63 created 27-MAY-2005 13:40:48
2121-014 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:41:18 to 00/14:46:58

Plot file version 64 created 27-MAY-2005 13:40:49
1433-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:49:18 to 00/14:54:58

Plot file version 65 created 27-MAY-2005 13:40:50
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:57:18 to 00/15:02:58

Plot file version 66 created 27-MAY-2005 13:40:51
2121-014 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:05:20 to 00/15:10:58

Plot file version 67 created 27-MAY-2005 13:40:52
1518+046 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:20:20 to 00/15:31:58

Plot file version 68 created 27-MAY-2005 13:40:55
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:32:02 to 00/15:37:58

Plot file version 69 created 27-MAY-2005 13:40:56
2322-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:38:02 to 00/15:43:58

Plot file version 70 created 27-MAY-2005 13:40:57
2121-014 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:44:02 to 00/15:49:58

Plot file version 71 created 27-MAY-2005 13:40:59
2322-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:50:02 to 00/15:55:58

Plot file version 72 created 27-MAY-2005 13:41:01
1824+271 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:18:38 to 00/16:31:58

Plot file version 73 created 27-MAY-2005 13:41:03
2322-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:33:38 to 00/16:38:58

Plot file version 74 created 27-MAY-2005 13:41:04
2121-014 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:40:38 to 00/16:45:58

Plot file version 75 created 27-MAY-2005 13:41:05
2322-040 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:47:38 to 00/16:52:58

Plot file version 76 created 27-MAY-2005 13:41:07
2121-014 ex004.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:54:38 to 00/16:59:58