










Plot file version 1 created 08-OCT-2010 01:18:22  
 3C345G85 EZ020A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/19:50:50 to 00/19:53:49

Plot file version 2 created 08-OCT-2010 01:18:34







3C345G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/19:50:50 to 00/19:53:49

Plot file version 3 created 08-OCT-2010 01:18:49  
2102-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/19:58:31 to 00/20:00:00

Plot file version 4 created 08-OCT-2010 01:19:02

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:01:32 to 00/20:03:01

Plot file version 5 created 08-OCT-2010 01:19:15

2102-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:04:31 to 00/20:06:00

Plot file version 6 created 08-OCT-2010 01:19:28








2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:07:32 to 00/20:09:00

Plot file version 7 created 08-OCT-2010 01:19:42  
 2102-G85 EZ020A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/20:10:31 to 00/20:12:01

Plot file version 8 created 08-OCT-2010 01:19:53

2114-G85 EZ020A 3.UVDATA.1








Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:13:33 to 00/20:15:02



Plot file version 9 created 08-OCT-2010 01:20:06  
 2102-G85 EZ20A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/20:16:34 to 00/20:18:03

Plot file version 10 created 08-OCT-2010 01:20:19

2114-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:19:33 to 00/20:21:03

Plot file version 11 created 08-OCT-2010 01:20:32






2102-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:22:34 to 00/20:24:02

Plot file version 12 created 08-OCT-2010 01:20:46  
2114-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/20:25:33 to 00/20:27:03

Plot file version 13 created 08-OCT-2010 01:21:00  
2102-G85 EZ202A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:02:29 to 00/21:03:58

Plot file version 14 created 08-OCT-2010 01:21:14  
2114-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:05:28 to 00/21:06:57

Plot file version 15 created 08-OCT-2010 01:21:26

2102-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:08:29 to 00/21:09:58

Plot file version 16 created 08-OCT-2010 01:21:39

2114-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:11:28 to 00/21:12:58



Plot file version 17 created 08-OCT-2010 01:21:53






2102-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:14:29 to 00/21:15:57

Plot file version 18 created 08-OCT-2010 01:22:04  
2114-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:17:31 to 00/21:19:00

Plot file version 19 created 08-OCT-2010 01:22:17

2102-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:20:32 to 00/21:22:01

Plot file version 20 created 08-OCT-2010 01:22:30









2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:23:31 to 00/21:25:00

Plot file version 21 created 08-OCT-2010 01:22:43  
2102-G85 EZ2020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:26:32 to 00/21:28:01

Plot file version 22 created 08-OCT-2010 01:22:57  
2114-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)










Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/21:29:31 to 00/21:31:00

Plot file version 23 created 08-OCT-2010 01:23:13

2102-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:06:29 to 00/22:07:58

Plot file version 24 created 08-OCT-2010 01:23:31

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:09:30 to 00/22:10:59



Plot file version 25 created 08-OCT-2010 01:23:48







2102-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:12:29 to 00/22:13:58

Plot file version 26 created 08-OCT-2010 01:24:06  
2114-G85 EZ2020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:15:30 to 00/22:16:59

Plot file version 27 created 08-OCT-2010 01:24:23  
 2102-G85 EZ20A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/22:18:29 to 00/22:19:58

Plot file version 28 created 08-OCT-2010 01:24:36






2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:21:35 to 00/22:23:03

Plot file version 29 created 08-OCT-2010 01:24:47  
2102-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:24:34 to 00/22:26:02

Plot file version 30 created 08-OCT-2010 01:24:59







2114-G85 EZ202A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:27:34 to 00/22:29:03

Plot file version 31 created 08-OCT-2010 01:25:16  
2102-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/22:30:33 to 00/22:32:02

Plot file version 32 created 08-OCT-2010 01:25:34

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00:22:33:34 to 00:22:35:03



Plot file version 33 created 08-OCT-2010 01:25:49

J1800G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:15:55 to 00/23:18:54

Plot file version 34 created 08-OCT-2010 01:26:03


J1800G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:15:55 to 00/23:18:54

Plot file version 35 created 08-OCT-2010 01:26:15  
2102-G85 EZ2020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:22:32 to 00/23:24:01

Plot file version 36 created 08-OCT-2010 01:26:32  
2114-G85 EZ020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:25:31 to 00/23:27:00

Plot file version 37 created 08-OCT-2010 01:26:49  
 2102-G85 EZ020A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 00/23:28:32 to 00/23:30:01

Plot file version 38 created 08-OCT-2010 01:27:06


2114-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:31:31 to 00/23:33:00

Plot file version 39 created 08-OCT-2010 01:27:23  
2102-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:34:32 to 00/23:36:01

Plot file version 40 created 08-OCT-2010 01:27:38

2114-G85 EZ020A 3.UVDATA.1







Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:37:40 to 00/23:39:09



Plot file version 41 created 08-OCT-2010 01:27:54  
2102-G85 EZ202A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:40:39 to 00/23:42:08

Plot file version 42 created 08-OCT-2010 01:28:09

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:43:40 to 00/23:45:09

Plot file version 43 created 08-OCT-2010 01:28:26

2102-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:46:39 to 00/23:48:08

Plot file version 44 created 08-OCT-2010 01:28:43


2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/23:49:40 to 00/23:51:09

Plot file version 45 created 08-OCT-2010 01:29:03  
 2102-G85 EZ020A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:26:52 to 01/00:28:21

Plot file version 46 created 08-OCT-2010 01:29:20

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:29:52 to 01/00:31:22

Plot file version 47 created 08-OCT-2010 01:29:37





2102-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:32:53 to 01/00:34:22







Plot file version 48 created 08-OCT-2010 01:29:54  
2114-G85 EZ020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:35:53 to 01/00:37:21



Plot file version 49 created 08-OCT-2010 01:30:10  
 2102-G85 EZ202A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/00:38:53 to 01/00:40:21

Plot file version 50 created 08-OCT-2010 01:30:24

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed






Timerange: 01/00:42:04 to 01/00:43:32

Plot file version 51 created 08-OCT-2010 01:30:40  
2102-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:45:04 to 01/00:46:32

Plot file version 52 created 08-OCT-2010 01:30:57  
2114-G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:48:03 to 01/00:49:32

Plot file version 53 created 08-OCT-2010 01:31:13






2102-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:51:03 to 01/00:52:32

Plot file version 54 created 08-OCT-2010 01:31:30  
2114-G85 EZ020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/00:54:04 to 01/00:55:33

Plot file version 55 created 08-OCT-2010 01:31:49  
 2102-G85 EZ020A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:31:43 to 01/01:33:11







Plot file version 56 created 08-OCT-2010 01:32:06  
2114-G85 EZ020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:34:42 to 01/01:36:11



Plot file version 57 created 08-OCT-2010 01:32:22  
 2102-G85 EZ20A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:37:42 to 01/01:39:11

Plot file version 58 created 08-OCT-2010 01:32:39







2114-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:40:43 to 01/01:42:12

Plot file version 59 created 08-OCT-2010 01:32:56  
 2102-G85 EZ020A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/01:43:43 to 01/01:45:12

Plot file version 60 created 08-OCT-2010 01:33:10

2114-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:47:01 to 01/01:48:30

Plot file version 61 created 08-OCT-2010 01:33:26




2102-G85 EZ020A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:50:01 to 01/01:51:29

Plot file version 62 created 08-OCT-2010 01:33:43  
2114-G85 EZ020A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:53:01 to 01/01:54:29

Plot file version 63 created 08-OCT-2010 01:34:00

2102-G85 EZ20A 3.UVDATA.1

Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:56:01 to 01/01:57:29

Plot file version 64 created 08-OCT-2010 01:34:21

2114-G85 EZ020A 3.UVDATA.1


Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/01:59:01 to 01/02:00:29




Plot file version 65 created 08-OCT-2010 01:34:31  
 J1800G85 EZ20A 3.UVDATA.1  
 Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
 Vector averaged cross-power spectrum Several baselines displayed  
 Timerange: 01/02:53:02 to 01/02:56:02

Plot file version 66 created 08-OCT-2010 01:34:41  
J1800G85 EZ20A 3.UVDATA.1  
Freq = 6.6659 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 01/02:53:02 to 01/02:56:02