







Plot file version 1 created 01-DEC-2006 12:19:52
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/15:00:19 to 00/15:05:55

Plot file version 2 created 01-DEC-2006 12:19:57

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:06:03 to 00/15:21:55

Plot file version 3 created 01-DEC-2006 12:20:03


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/15:35:31 to 00/15:56:55

Plot file version 4 created 01-DEC-2006 12:20:19
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:10:31 to 00/16:31:55

Plot file version 5 created 01-DEC-2006 12:20:25
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:10:31 to 00/16:31:55

Plot file version 6 created 01-DEC-2006 12:20:40
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/16:45:19 to 00/17:06:55

Plot file version 7 created 01-DEC-2006 12:20:45
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:45:19 to 00/17:06:55

Plot file version 8 created 01-DEC-2006 12:20:56


1613+341 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:20:03 to 00/17:25:55

Plot file version 9 created 01-DEC-2006 12:20:57
1613+341 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:20:03 to 00/17:25:55

Plot file version 10 created 01-DEC-2006 12:21:03

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:26:03 to 00/17:41:55

Plot file version 11 created 01-DEC-2006 12:21:07










ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:26:03 to 00/17:41:55

Plot file version 12 created 01-DEC-2006 12:21:18
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/18:01:19 to 00/18:22:55

Plot file version 13 created 01-DEC-2006 12:21:22

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:01:19 to 00/18:22:55

Plot file version 14 created 01-DEC-2006 12:21:37


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:30:31 to 00/18:51:55

Plot file version 15 created 01-DEC-2006 12:21:42
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:30:31 to 00/18:51:55

Plot file version 16 created 01-DEC-2006 12:21:53
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/19:05:31 to 00/19:26:55

Plot file version 17 created 01-DEC-2006 12:21:58
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:05:31 to 00/19:26:55

Plot file version 18 created 01-DEC-2006 12:22:11
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/19:40:31 to 00/19:45:55

Plot file version 19 created 01-DEC-2006 12:22:13
1613+341 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:40:31 to 00/19:45:55

Plot file version 20 created 01-DEC-2006 12:22:18


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:46:03 to 00/20:01:55

Plot file version 21 created 01-DEC-2006 12:22:22
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:46:03 to 00/20:01:55

Plot file version 22 created 01-DEC-2006 12:22:34
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/20:15:31 to 00/20:36:55

Plot file version 23 created 01-DEC-2006 12:22:38
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:15:31 to 00/20:36:55

Plot file version 24 created 01-DEC-2006 12:22:50

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:45:03 to 00/21:06:55

Plot file version 25 created 01-DEC-2006 12:22:56

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:45:03 to 00/21:06:55

Plot file version 26 created 01-DEC-2006 12:23:11


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:15:03 to 00/21:36:55

Plot file version 27 created 01-DEC-2006 12:23:15
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:15:03 to 00/21:36:55

Plot file version 28 created 01-DEC-2006 12:23:27
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/21:45:31 to 00/21:50:55

Plot file version 29 created 01-DEC-2006 12:23:28
1613+341 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:45:31 to 00/21:50:55

Plot file version 30 created 01-DEC-2006 12:23:34
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/21:51:03 to 00/22:06:55

Plot file version 31 created 01-DEC-2006 12:23:38
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:51:03 to 00/22:06:55

Plot file version 32 created 01-DEC-2006 12:23:46
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/22:15:03 to 00/22:36:55

Plot file version 33 created 01-DEC-2006 12:23:50
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:15:03 to 00/22:36:55

Plot file version 34 created 01-DEC-2006 12:24:02
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/23:00:31 to 00/23:05:55

Plot file version 35 created 01-DEC-2006 12:24:04
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/23:00:31 to 00/23:05:55

Plot file version 36 created 01-DEC-2006 12:24:11






ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:06:03 to 00/23:27:59

Plot file version 37 created 01-DEC-2006 12:24:17
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 00/23:06:03 to 00/23:27:59

Plot file version 38 created 01-DEC-2006 12:24:35

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)








Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:28:03 to 00/23:47:55

Plot file version 39 created 01-DEC-2006 12:24:42










ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:28:03 to 00/23:47:55

Plot file version 40 created 01-DEC-2006 12:25:02
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/00:01:31 to 01/00:03:55

Plot file version 41 created 01-DEC-2006 12:25:06
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/00:01:31 to 01/00:03:55

Plot file version 42 created 01-DEC-2006 12:25:11
1613+341 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:01:31 to 01/00:03:55

Plot file version 43 created 01-DEC-2006 12:25:21

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:04:03 to 01/00:26:03

Plot file version 44 created 01-DEC-2006 12:25:44

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:04:03 to 01/00:26:03

Plot file version 45 created 01-DEC-2006 12:26:14

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:04:03 to 01/00:26:03

Plot file version 46 created 01-DEC-2006 12:26:39


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:26:07 to 01/00:46:55

Plot file version 47 created 01-DEC-2006 12:27:08
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/00:26:07 to 01/00:46:55

Plot file version 48 created 01-DEC-2006 12:27:39

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:26:07 to 01/00:46:55

Plot file version 49 created 01-DEC-2006 12:28:12

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:49:03 to 01/01:10:55

Plot file version 50 created 01-DEC-2006 12:28:37

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:49:03 to 01/01:10:55

Plot file version 51 created 01-DEC-2006 12:29:09










ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:49:03 to 01/01:10:55

Plot file version 52 created 01-DEC-2006 12:29:43
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/01:13:03 to 01/01:34:55

Plot file version 53 created 01-DEC-2006 12:30:10

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:13:03 to 01/01:34:55

Plot file version 54 created 01-DEC-2006 12:30:44

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:13:03 to 01/01:34:55

Plot file version 55 created 01-DEC-2006 12:31:22

1516+193 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:37:19 to 01/01:39:55

Plot file version 56 created 01-DEC-2006 12:31:28

1516+193 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:37:19 to 01/01:39:55

Plot file version 57 created 01-DEC-2006 12:31:36




1516+193 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:37:19 to 01/01:39:55

Plot file version 58 created 01-DEC-2006 12:31:40
1516+193 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:37:19 to 01/01:39:55

Plot file version 59 created 01-DEC-2006 12:31:50

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:40:03 to 01/01:58:55

Plot file version 60 created 01-DEC-2006 12:32:21

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:40:03 to 01/01:58:55

Plot file version 61 created 01-DEC-2006 12:33:02

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:40:03 to 01/01:58:55

Plot file version 62 created 01-DEC-2006 12:33:34

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:40:03 to 01/01:58:55

Plot file version 63 created 01-DEC-2006 12:33:56

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:03:31 to 01/02:24:55

Plot file version 64 created 01-DEC-2006 12:34:38

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:03:31 to 01/02:24:55

Plot file version 65 created 01-DEC-2006 12:35:25

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:03:31 to 01/02:24:55

Plot file version 66 created 01-DEC-2006 12:35:55

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:03:31 to 01/02:24:55

Plot file version 67 created 01-DEC-2006 12:36:11

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:28:11 to 01/02:49:55

Plot file version 68 created 01-DEC-2006 12:36:42

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:28:11 to 01/02:49:55

Plot file version 69 created 01-DEC-2006 12:37:31




ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:28:11 to 01/02:49:55

Plot file version 70 created 01-DEC-2006 12:38:02
ARP220 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:28:11 to 01/02:49:55

Plot file version 71 created 01-DEC-2006 12:38:18

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:52:31 to 01/03:13:55

Plot file version 72 created 01-DEC-2006 12:38:56

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:52:31 to 01/03:13:55

Plot file version 73 created 01-DEC-2006 12:39:38

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:52:31 to 01/03:13:55

Plot file version 74 created 01-DEC-2006 12:40:06










ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:52:31 to 01/03:13:55

Plot file version 75 created 01-DEC-2006 12:40:18
 1516+193 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:17:31 to 01/03:26:55

Plot file version 76 created 01-DEC-2006 12:40:32
 1516+193 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:17:31 to 01/03:26:55

Plot file version 77 created 01-DEC-2006 12:40:53




1516+193 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:17:31 to 01/03:26:55

Plot file version 78 created 01-DEC-2006 12:41:09
1516+193 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:17:31 to 01/03:26:55

Plot file version 79 created 01-DEC-2006 12:41:23

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:27:03 to 01/03:49:03

Plot file version 80 created 01-DEC-2006 12:42:03

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:27:03 to 01/03:49:03

Plot file version 81 created 01-DEC-2006 12:42:29

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:27:03 to 01/03:49:03

Plot file version 82 created 01-DEC-2006 12:43:02


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:27:03 to 01/03:49:03

Plot file version 83 created 01-DEC-2006 12:43:09
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:49:07 to 01/04:11:07

Plot file version 84 created 01-DEC-2006 12:43:39
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)












Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/03:49:07 to 01/04:11:07

Plot file version 85 created 01-DEC-2006 12:44:18

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:49:07 to 01/04:11:07

Plot file version 86 created 01-DEC-2006 12:44:44

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:49:07 to 01/04:11:07

Plot file version 87 created 01-DEC-2006 12:44:55


ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:11:11 to 01/04:25:55

Plot file version 88 created 01-DEC-2006 12:45:27
 ARP220 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/04:11:11 to 01/04:25:55

Plot file version 89 created 01-DEC-2006 12:45:48

ARP220 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:11:11 to 01/04:25:55

Plot file version 90 created 01-DEC-2006 12:46:03










1613+341 GD021A 1.FQ1.1

Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:26:03 to 01/04:28:55

Plot file version 91 created 01-DEC-2006 12:46:10
 1613+341 GD021A 1.FQ1.1
 Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
 Vector averaged cross-power spectrum Several baselines displayed
 Timerange: 01/04:26:03 to 01/04:28:55

Plot file version 92 created 01-DEC-2006 12:46:16
1613+341 GD021A 1.FQ1.1
Freq = 1.6340 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 01/04:26:03 to 01/04:28:55