Plot file version 1 created 17-DEC-2002 10:51:33
2007+777 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:35:20 to 00/14:45:44
Baseline: Several displayed Stokes: LL

Plot file version 2 created 17-DEC-2002 10:51:43
2007+777 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:35:20 to 00/14:45:44
Baseline: Several displayed Stokes: LL

Plot file version 3 created 17-DEC-2002 10:51:45
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/17:45:35 to 00/17:50:11
Baseline: Several displayed Stokes: LL

Plot file version 4 created 17-DEC-2002 10:51:50
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/17:45:35 to 00/17:50:11
Baseline: Several displayed Stokes: LL

Plot file version 5 created 17-DEC-2002 10:51:51
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/18:45:17 to 00/18:50:05
Baseline: Several displayed Stokes: LL

Plot file version 6 created 17-DEC-2002 10:51:57
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/18:45:17 to 00/18:50:05
Baseline: Several displayed Stokes: LL

Plot file version 7 created 17-DEC-2002 10:51:58
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/20:01:14 to 00/20:06:06
Baseline: Several displayed Stokes: LL

Plot file version 8 created 17-DEC-2002 10:52:04
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/20:01:14 to 00/20:06:06
Baseline: Several displayed Stokes: LL

Plot file version 9 created 17-DEC-2002 10:52:06
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/21:41:34 to 00/21:52:26
Baseline: Several displayed Stokes: LL

Plot file version 10 created 17-DEC-2002 10:52:18
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/21:41:34 to 00/21:52:26
Baseline: Several displayed Stokes: LL


Plot file version 11 created 17-DEC-2002 10:52:21
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - NL
MC - NL
SC - NL
HN - NL
NL - FD
NL - LA
NL - PT
NL - KP
NL - OV
Channels/IF
Channels/IF
Channels/IF
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/22:42:27 to 00/22:46:51
Baseline: Several displayed Stokes: LL

Plot file version 12 created 17-DEC-2002 10:52:27
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/22:42:27 to 00/22:46:51
Baseline: Several displayed Stokes: LL

Plot file version 13 created 17-DEC-2002 10:52:28
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:07:40 to 01/00:12:32
Baseline: Several displayed Stokes: LL

Plot file version 14 created 17-DEC-2002 10:52:35
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:54:06 to 01/00:58:58
Baseline: Several displayed Stokes: LL

Plot file version 15 created 17-DEC-2002 10:52:41
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:54:06 to 01/00:58:58
Baseline: Several displayed Stokes: LL

Plot file version 16 created 17-DEC-2002 10:53:11
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/07:58:47 to 01/08:03:27
Baseline: Several displayed Stokes: LL

Plot file version 17 created 17-DEC-2002 10:54:38
1308+326 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/08:45:30 to 01/08:54:54
Baseline: Several displayed Stokes: LL

Plot file version 18 created 17-DEC-2002 10:56:05
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/09:29:53 to 01/09:34:17
Baseline: Several displayed Stokes: LL

Plot file version 19 created 17-DEC-2002 10:56:49
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/10:59:23 to 01/11:03:39
Baseline: Several displayed Stokes: LL

Plot file version 20 created 17-DEC-2002 10:57:20
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/12:28:49 to 01/12:33:13
Baseline: Several displayed Stokes: LL

Plot file version 21 created 17-DEC-2002 10:57:36
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/13:52:48 to 01/13:57:40
Baseline: Several displayed Stokes: LL

Plot file version 22 created 17-DEC-2002 10:57:40
2007+777 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:35:20 to 00/14:45:44
Baseline: Several displayed Stokes: RR

Plot file version 23 created 17-DEC-2002 10:57:47
2007+777 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:35:20 to 00/14:45:44
Baseline: Several displayed Stokes: RR

Plot file version 24 created 17-DEC-2002 10:57:49
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/17:45:35 to 00/17:50:11
Baseline: Several displayed Stokes: RR

Plot file version 25 created 17-DEC-2002 10:57:53
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/17:45:35 to 00/17:50:11
Baseline: Several displayed Stokes: RR

Plot file version 26 created 17-DEC-2002 10:57:55
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/18:45:17 to 00/18:50:05
Baseline: Several displayed Stokes: RR

Plot file version 27 created 17-DEC-2002 10:57:59
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/18:45:17 to 00/18:50:05
Baseline: Several displayed Stokes: RR

Plot file version 28 created 17-DEC-2002 10:58:01
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/20:01:14 to 00/20:06:06
Baseline: Several displayed Stokes: RR

Plot file version 29 created 17-DEC-2002 10:58:06
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/20:01:14 to 00/20:06:06
Baseline: Several displayed Stokes: RR

Plot file version 30 created 17-DEC-2002 10:58:08
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/21:41:34 to 00/21:52:26
Baseline: Several displayed Stokes: RR

Plot file version 31 created 17-DEC-2002 10:58:17
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/21:41:34 to 00/21:52:26
Baseline: Several displayed Stokes: RR

Plot file version 32 created 17-DEC-2002 10:58:21
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/22:42:27 to 00/22:46:51
Baseline: Several displayed Stokes: RR

Plot file version 33 created 17-DEC-2002 10:58:26
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/22:42:27 to 00/22:46:51
Baseline: Several displayed Stokes: RR


Plot file version 34 created 17-DEC-2002 10:58:28
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - NL
ON - NL
MC - NL
YB - NL
SC - NL
HN - NL
NL - LA
NL - PT
NL - KP
Channels/IF
Channels/IF
Channels/IF
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:07:40 to 01/00:12:32
Baseline: Several displayed Stokes: RR

Plot file version 35 created 17-DEC-2002 10:58:33
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:07:40 to 01/00:12:32
Baseline: Several displayed Stokes: RR

Plot file version 36 created 17-DEC-2002 10:58:34
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:54:06 to 01/00:58:58
Baseline: Several displayed Stokes: RR

Plot file version 37 created 17-DEC-2002 10:58:39
3C84 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/00:54:06 to 01/00:58:58
Baseline: Several displayed Stokes: RR

Plot file version 38 created 17-DEC-2002 10:59:08
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/07:58:47 to 01/08:03:27
Baseline: Several displayed Stokes: RR

Plot file version 39 created 17-DEC-2002 11:00:35
1308+326 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/08:45:30 to 01/08:54:54
Baseline: Several displayed Stokes: RR

Plot file version 40 created 17-DEC-2002 11:02:02
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/09:29:53 to 01/09:34:17
Baseline: Several displayed Stokes: RR

Plot file version 41 created 17-DEC-2002 11:02:46
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/10:59:23 to 01/11:03:39
Baseline: Several displayed Stokes: RR

Plot file version 42 created 17-DEC-2002 11:03:16
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/12:28:49 to 01/12:33:13
Baseline: Several displayed Stokes: RR

Plot file version 43 created 17-DEC-2002 11:03:32
1156+295 gk022.MSORT.1
Freq = 8.4075 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 01/13:52:48 to 01/13:57:40
Baseline: Several displayed Stokes: RR