Plot file version 1 created 07-DEC-2002 20:34:35
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:00:26 to 00/18:11:26
Baseline: Several displayed Stokes: RR

Plot file version 2 created 07-DEC-2002 20:34:38
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:00:26 to 00/18:11:26
Baseline: Several displayed Stokes: RR

Plot file version 3 created 07-DEC-2002 20:34:39
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:11:30 to 00/18:22:30
Baseline: Several displayed Stokes: RR

Plot file version 4 created 07-DEC-2002 20:34:41
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:11:30 to 00/18:22:30
Baseline: Several displayed Stokes: RR

Plot file version 5 created 07-DEC-2002 20:34:43
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:22:34 to 00/18:33:34
Baseline: Several displayed Stokes: RR

Plot file version 6 created 07-DEC-2002 20:34:45
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:22:34 to 00/18:33:34
Baseline: Several displayed Stokes: RR

Plot file version 7 created 07-DEC-2002 20:34:47
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:34:30 to 00/18:45:30
Baseline: Several displayed Stokes: RR

Plot file version 8 created 07-DEC-2002 20:34:49
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:34:30 to 00/18:45:30
Baseline: Several displayed Stokes: RR

Plot file version 9 created 07-DEC-2002 20:34:50
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:45:34 to 00/18:56:34
Baseline: Several displayed Stokes: RR

Plot file version 10 created 07-DEC-2002 20:34:51
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:45:34 to 00/18:56:34
Baseline: Several displayed Stokes: RR

Plot file version 11 created 07-DEC-2002 20:34:53
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:56:38 to 00/19:07:38
Baseline: Several displayed Stokes: RR

Plot file version 12 created 07-DEC-2002 20:34:55
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/18:56:38 to 00/19:07:38
Baseline: Several displayed Stokes: RR

Plot file version 13 created 07-DEC-2002 20:34:56
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:07:42 to 00/19:18:42
Baseline: Several displayed Stokes: RR

Plot file version 14 created 07-DEC-2002 20:34:59
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:07:42 to 00/19:18:42
Baseline: Several displayed Stokes: RR

Plot file version 15 created 07-DEC-2002 20:35:00
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:18:46 to 00/19:29:46
Baseline: Several displayed Stokes: RR

Plot file version 16 created 07-DEC-2002 20:35:02
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:18:46 to 00/19:29:46
Baseline: Several displayed Stokes: RR

Plot file version 17 created 07-DEC-2002 20:35:03
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:29:50 to 00/19:40:50
Baseline: Several displayed Stokes: RR

Plot file version 18 created 07-DEC-2002 20:35:05
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:29:50 to 00/19:40:50
Baseline: Several displayed Stokes: RR

Plot file version 19 created 07-DEC-2002 20:35:07
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:42:54 to 00/19:53:54
Baseline: Several displayed Stokes: RR

Plot file version 20 created 07-DEC-2002 20:35:09
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:42:54 to 00/19:53:54
Baseline: Several displayed Stokes: RR

Plot file version 21 created 07-DEC-2002 20:35:11
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:53:58 to 00/20:04:58
Baseline: Several displayed Stokes: RR

Plot file version 22 created 07-DEC-2002 20:35:13
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/19:53:58 to 00/20:04:58
Baseline: Several displayed Stokes: RR


Plot file version 23 created 07-DEC-2002 20:35:15
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied
SC - EB
HN - EB
NL - EB
FD - EB
LA - EB
PT - EB
KP - EB
OV - EB
BR - EB
Channels/IF
Channels/IF
Channels/IF
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:05:02 to 00/20:16:02
Baseline: Several displayed Stokes: RR

Plot file version 24 created 07-DEC-2002 20:35:17
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:05:02 to 00/20:16:02
Baseline: Several displayed Stokes: RR

Plot file version 25 created 07-DEC-2002 20:35:19
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:16:06 to 00/20:27:06
Baseline: Several displayed Stokes: RR

Plot file version 26 created 07-DEC-2002 20:35:21
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:16:06 to 00/20:27:06
Baseline: Several displayed Stokes: RR

Plot file version 27 created 07-DEC-2002 20:35:23
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:27:10 to 00/20:38:10
Baseline: Several displayed Stokes: RR

Plot file version 28 created 07-DEC-2002 20:35:25
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:27:10 to 00/20:38:10
Baseline: Several displayed Stokes: RR

Plot file version 29 created 07-DEC-2002 20:35:27
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:38:14 to 00/20:49:14
Baseline: Several displayed Stokes: RR

Plot file version 30 created 07-DEC-2002 20:35:29
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:38:14 to 00/20:49:14
Baseline: Several displayed Stokes: RR

Plot file version 31 created 07-DEC-2002 20:35:31
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:49:16 to 00/21:00:16
Baseline: Several displayed Stokes: RR

Plot file version 32 created 07-DEC-2002 20:35:34
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/20:49:16 to 00/21:00:16
Baseline: Several displayed Stokes: RR

Plot file version 33 created 07-DEC-2002 20:35:36
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:00:20 to 00/21:11:20
Baseline: Several displayed Stokes: RR

Plot file version 34 created 07-DEC-2002 20:35:39
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:00:20 to 00/21:11:20
Baseline: Several displayed Stokes: RR

Plot file version 35 created 07-DEC-2002 20:35:40
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:11:24 to 00/21:22:24
Baseline: Several displayed Stokes: RR

Plot file version 36 created 07-DEC-2002 20:35:43
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:11:24 to 00/21:22:24
Baseline: Several displayed Stokes: RR

Plot file version 37 created 07-DEC-2002 20:35:44
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:28 to 00/21:33:28
Baseline: Several displayed Stokes: RR

Plot file version 38 created 07-DEC-2002 20:35:47
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:22:28 to 00/21:33:28
Baseline: Several displayed Stokes: RR

Plot file version 39 created 07-DEC-2002 20:35:48
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:33:44 to 00/21:44:44
Baseline: Several displayed Stokes: RR

Plot file version 40 created 07-DEC-2002 20:35:50
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:33:44 to 00/21:44:44
Baseline: Several displayed Stokes: RR

Plot file version 41 created 07-DEC-2002 20:35:52
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:48 to 00/21:55:48
Baseline: Several displayed Stokes: RR

Plot file version 42 created 07-DEC-2002 20:35:54
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:44:48 to 00/21:55:48
Baseline: Several displayed Stokes: RR

Plot file version 43 created 07-DEC-2002 20:35:55
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:55:52 to 00/22:06:52
Baseline: Several displayed Stokes: RR

Plot file version 44 created 07-DEC-2002 20:35:57
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/21:55:52 to 00/22:06:52
Baseline: Several displayed Stokes: RR

Plot file version 45 created 07-DEC-2002 20:35:58
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:06:56 to 00/22:17:56
Baseline: Several displayed Stokes: RR

Plot file version 46 created 07-DEC-2002 20:36:00
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:06:56 to 00/22:17:56
Baseline: Several displayed Stokes: RR

Plot file version 47 created 07-DEC-2002 20:36:02
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:18:00 to 00/22:29:00
Baseline: Several displayed Stokes: RR

Plot file version 48 created 07-DEC-2002 20:36:05
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:18:00 to 00/22:29:00
Baseline: Several displayed Stokes: RR

Plot file version 49 created 07-DEC-2002 20:36:07
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:31:08 to 00/22:42:08
Baseline: Several displayed Stokes: RR

Plot file version 50 created 07-DEC-2002 20:36:10
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:31:08 to 00/22:42:08
Baseline: Several displayed Stokes: RR

Plot file version 51 created 07-DEC-2002 20:36:12
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:42:12 to 00/22:53:12
Baseline: Several displayed Stokes: RR

Plot file version 52 created 07-DEC-2002 20:36:15
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:42:12 to 00/22:53:12
Baseline: Several displayed Stokes: RR

Plot file version 53 created 07-DEC-2002 20:36:16
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:53:16 to 00/23:04:16
Baseline: Several displayed Stokes: RR

Plot file version 54 created 07-DEC-2002 20:36:19
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/22:53:16 to 00/23:04:16
Baseline: Several displayed Stokes: RR

Plot file version 55 created 07-DEC-2002 20:36:20
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:06:12 to 00/23:17:12
Baseline: Several displayed Stokes: RR

Plot file version 56 created 07-DEC-2002 20:36:22
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:06:12 to 00/23:17:12
Baseline: Several displayed Stokes: RR

Plot file version 57 created 07-DEC-2002 20:36:24
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:17:16 to 00/23:28:16
Baseline: Several displayed Stokes: RR

Plot file version 58 created 07-DEC-2002 20:36:26
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:17:16 to 00/23:28:16
Baseline: Several displayed Stokes: RR

Plot file version 59 created 07-DEC-2002 20:36:27
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:28:18 to 00/23:39:18
Baseline: Several displayed Stokes: RR

Plot file version 60 created 07-DEC-2002 20:36:29
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:28:18 to 00/23:39:18
Baseline: Several displayed Stokes: RR

Plot file version 61 created 07-DEC-2002 20:36:31
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:39:22 to 00/23:50:22
Baseline: Several displayed Stokes: RR

Plot file version 62 created 07-DEC-2002 20:36:34
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:39:22 to 00/23:50:22
Baseline: Several displayed Stokes: RR

Plot file version 63 created 07-DEC-2002 20:36:35
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:50:26 to 01/00:01:26
Baseline: Several displayed Stokes: RR

Plot file version 64 created 07-DEC-2002 20:36:37
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 00/23:50:26 to 01/00:01:26
Baseline: Several displayed Stokes: RR

Plot file version 65 created 07-DEC-2002 20:36:38
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:01:30 to 01/00:12:30
Baseline: Several displayed Stokes: RR

Plot file version 66 created 07-DEC-2002 20:36:40
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:01:30 to 01/00:12:30
Baseline: Several displayed Stokes: RR

Plot file version 67 created 07-DEC-2002 20:36:41
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:12:34 to 01/00:23:34
Baseline: Several displayed Stokes: RR

Plot file version 68 created 07-DEC-2002 20:36:42
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:12:34 to 01/00:23:34
Baseline: Several displayed Stokes: RR

Plot file version 69 created 07-DEC-2002 20:36:44
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:23:35 to 01/00:34:35
Baseline: Several displayed Stokes: RR

Plot file version 70 created 07-DEC-2002 20:36:46
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:23:35 to 01/00:34:35
Baseline: Several displayed Stokes: RR

Plot file version 71 created 07-DEC-2002 20:36:49
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:34:39 to 01/00:45:39
Baseline: Several displayed Stokes: RR

Plot file version 72 created 07-DEC-2002 20:36:52
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:34:39 to 01/00:45:39
Baseline: Several displayed Stokes: RR

Plot file version 73 created 07-DEC-2002 20:36:54
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:45:43 to 01/00:56:43
Baseline: Several displayed Stokes: RR

Plot file version 74 created 07-DEC-2002 20:36:57
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:45:43 to 01/00:56:43
Baseline: Several displayed Stokes: RR

Plot file version 75 created 07-DEC-2002 20:36:59
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:56:47 to 01/01:07:47
Baseline: Several displayed Stokes: RR

Plot file version 76 created 07-DEC-2002 20:37:01
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/00:56:47 to 01/01:07:47
Baseline: Several displayed Stokes: RR

Plot file version 77 created 07-DEC-2002 20:37:04
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:07:49 to 01/01:18:49
Baseline: Several displayed Stokes: RR

Plot file version 78 created 07-DEC-2002 20:37:06
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:07:49 to 01/01:18:49
Baseline: Several displayed Stokes: RR

Plot file version 79 created 07-DEC-2002 20:37:08
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:19:01 to 01/01:30:01
Baseline: Several displayed Stokes: RR

Plot file version 80 created 07-DEC-2002 20:37:10
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:19:01 to 01/01:30:01
Baseline: Several displayed Stokes: RR

Plot file version 81 created 07-DEC-2002 20:37:12
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:30:05 to 01/01:41:05
Baseline: Several displayed Stokes: RR

Plot file version 82 created 07-DEC-2002 20:37:14
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:30:05 to 01/01:41:05
Baseline: Several displayed Stokes: RR

Plot file version 83 created 07-DEC-2002 20:37:16
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:41:09 to 01/01:52:09
Baseline: Several displayed Stokes: RR

Plot file version 84 created 07-DEC-2002 20:37:19
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:41:09 to 01/01:52:09
Baseline: Several displayed Stokes: RR

Plot file version 85 created 07-DEC-2002 20:37:21
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:52:11 to 01/02:03:11
Baseline: Several displayed Stokes: RR

Plot file version 86 created 07-DEC-2002 20:37:24
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/01:52:11 to 01/02:03:11
Baseline: Several displayed Stokes: RR

Plot file version 87 created 07-DEC-2002 20:37:27
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:03:15 to 01/02:14:15
Baseline: Several displayed Stokes: RR

Plot file version 88 created 07-DEC-2002 20:37:30
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:03:15 to 01/02:14:15
Baseline: Several displayed Stokes: RR

Plot file version 89 created 07-DEC-2002 20:37:32
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:14:19 to 01/02:25:19
Baseline: Several displayed Stokes: RR

Plot file version 90 created 07-DEC-2002 20:37:34
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:14:19 to 01/02:25:19
Baseline: Several displayed Stokes: RR

Plot file version 91 created 07-DEC-2002 20:37:36
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:25:23 to 01/02:36:23
Baseline: Several displayed Stokes: RR

Plot file version 92 created 07-DEC-2002 20:37:38
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:25:23 to 01/02:36:23
Baseline: Several displayed Stokes: RR

Plot file version 93 created 07-DEC-2002 20:37:40
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:36:27 to 01/02:47:27
Baseline: Several displayed Stokes: RR

Plot file version 94 created 07-DEC-2002 20:37:42
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:36:27 to 01/02:47:27
Baseline: Several displayed Stokes: RR

Plot file version 95 created 07-DEC-2002 20:37:44
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:47:31 to 01/02:58:31
Baseline: Several displayed Stokes: RR

Plot file version 96 created 07-DEC-2002 20:37:47
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:47:31 to 01/02:58:31
Baseline: Several displayed Stokes: RR

Plot file version 97 created 07-DEC-2002 20:37:48
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:58:35 to 01/03:09:35
Baseline: Several displayed Stokes: RR

Plot file version 98 created 07-DEC-2002 20:37:51
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/02:58:35 to 01/03:09:35
Baseline: Several displayed Stokes: RR

Plot file version 99 created 07-DEC-2002 20:37:53
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:09:39 to 01/03:20:39
Baseline: Several displayed Stokes: RR

Plot file version 100 created 07-DEC-2002 20:37:54
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:09:39 to 01/03:20:39
Baseline: Several displayed Stokes: RR

Plot file version 101 created 07-DEC-2002 20:37:56
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:20:43 to 01/03:31:43
Baseline: Several displayed Stokes: RR

Plot file version 102 created 07-DEC-2002 20:37:59
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:20:43 to 01/03:31:43
Baseline: Several displayed Stokes: RR

Plot file version 103 created 07-DEC-2002 20:38:01
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:34:30 to 01/03:45:30
Baseline: Several displayed Stokes: RR

Plot file version 104 created 07-DEC-2002 20:38:03
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:34:30 to 01/03:45:30
Baseline: Several displayed Stokes: RR

Plot file version 105 created 07-DEC-2002 20:38:05
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:45:34 to 01/03:56:34
Baseline: Several displayed Stokes: RR

Plot file version 106 created 07-DEC-2002 20:38:07
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:45:34 to 01/03:56:34
Baseline: Several displayed Stokes: RR

Plot file version 107 created 07-DEC-2002 20:38:09
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:56:38 to 01/04:07:38
Baseline: Several displayed Stokes: RR

Plot file version 108 created 07-DEC-2002 20:38:12
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/03:56:38 to 01/04:07:38
Baseline: Several displayed Stokes: RR

Plot file version 109 created 07-DEC-2002 20:38:14
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:10:42 to 01/04:21:42
Baseline: Several displayed Stokes: RR

Plot file version 110 created 07-DEC-2002 20:38:16
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:10:42 to 01/04:21:42
Baseline: Several displayed Stokes: RR

Plot file version 111 created 07-DEC-2002 20:38:19
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:21:46 to 01/04:32:46
Baseline: Several displayed Stokes: RR

Plot file version 112 created 07-DEC-2002 20:38:21
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:21:46 to 01/04:32:46
Baseline: Several displayed Stokes: RR

Plot file version 113 created 07-DEC-2002 20:38:23
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:32:48 to 01/04:43:48
Baseline: Several displayed Stokes: RR

Plot file version 114 created 07-DEC-2002 20:38:26
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:32:48 to 01/04:43:48
Baseline: Several displayed Stokes: RR

Plot file version 115 created 07-DEC-2002 20:38:28
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:47:12 to 01/04:58:12
Baseline: Several displayed Stokes: RR

Plot file version 116 created 07-DEC-2002 20:38:30
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:47:12 to 01/04:58:12
Baseline: Several displayed Stokes: RR

Plot file version 117 created 07-DEC-2002 20:38:32
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:58:16 to 01/05:09:16
Baseline: Several displayed Stokes: RR

Plot file version 118 created 07-DEC-2002 20:38:34
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/04:58:16 to 01/05:09:16
Baseline: Several displayed Stokes: RR

Plot file version 119 created 07-DEC-2002 20:38:35
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:09:20 to 01/05:20:20
Baseline: Several displayed Stokes: RR

Plot file version 120 created 07-DEC-2002 20:38:37
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:09:20 to 01/05:20:20
Baseline: Several displayed Stokes: RR

Plot file version 121 created 07-DEC-2002 20:38:39
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:20:24 to 01/05:31:24
Baseline: Several displayed Stokes: RR

Plot file version 122 created 07-DEC-2002 20:38:41
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:20:24 to 01/05:31:24
Baseline: Several displayed Stokes: RR

Plot file version 123 created 07-DEC-2002 20:38:43
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:31:27 to 01/05:42:27
Baseline: Several displayed Stokes: RR

Plot file version 124 created 07-DEC-2002 20:38:47
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:31:27 to 01/05:42:27
Baseline: Several displayed Stokes: RR

Plot file version 125 created 07-DEC-2002 20:38:49
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:42:31 to 01/05:53:31
Baseline: Several displayed Stokes: RR

Plot file version 126 created 07-DEC-2002 20:38:52
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:42:31 to 01/05:53:31
Baseline: Several displayed Stokes: RR

Plot file version 127 created 07-DEC-2002 20:38:54
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:53:35 to 01/06:04:35
Baseline: Several displayed Stokes: RR

Plot file version 128 created 07-DEC-2002 20:38:57
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/05:53:35 to 01/06:04:35
Baseline: Several displayed Stokes: RR

Plot file version 129 created 07-DEC-2002 20:38:59
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:04:39 to 01/06:15:39
Baseline: Several displayed Stokes: RR

Plot file version 130 created 07-DEC-2002 20:39:00
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:04:39 to 01/06:15:39
Baseline: Several displayed Stokes: RR

Plot file version 131 created 07-DEC-2002 20:39:02
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:25:20 to 01/06:36:20
Baseline: Several displayed Stokes: RR

Plot file version 132 created 07-DEC-2002 20:39:04
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:25:20 to 01/06:36:20
Baseline: Several displayed Stokes: RR

Plot file version 133 created 07-DEC-2002 20:39:05
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:36:24 to 01/06:47:24
Baseline: Several displayed Stokes: RR

Plot file version 134 created 07-DEC-2002 20:39:07
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:36:24 to 01/06:47:24
Baseline: Several displayed Stokes: RR

Plot file version 135 created 07-DEC-2002 20:39:09
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:47:28 to 01/06:58:28
Baseline: Several displayed Stokes: RR

Plot file version 136 created 07-DEC-2002 20:39:11
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:47:28 to 01/06:58:28
Baseline: Several displayed Stokes: RR

Plot file version 137 created 07-DEC-2002 20:39:12
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:58:32 to 01/07:09:32
Baseline: Several displayed Stokes: RR

Plot file version 138 created 07-DEC-2002 20:39:14
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/06:58:32 to 01/07:09:32
Baseline: Several displayed Stokes: RR

Plot file version 139 created 07-DEC-2002 20:39:16
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:09:36 to 01/07:20:36
Baseline: Several displayed Stokes: RR

Plot file version 140 created 07-DEC-2002 20:39:18
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:09:36 to 01/07:20:36
Baseline: Several displayed Stokes: RR

Plot file version 141 created 07-DEC-2002 20:39:20
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:24:10 to 01/07:35:10
Baseline: Several displayed Stokes: RR

Plot file version 142 created 07-DEC-2002 20:39:23
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:24:10 to 01/07:35:10
Baseline: Several displayed Stokes: RR

Plot file version 143 created 07-DEC-2002 20:39:25
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:35:14 to 01/07:46:14
Baseline: Several displayed Stokes: RR

Plot file version 144 created 07-DEC-2002 20:39:27
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:35:14 to 01/07:46:14
Baseline: Several displayed Stokes: RR

Plot file version 145 created 07-DEC-2002 20:39:29
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:46:18 to 01/07:57:18
Baseline: Several displayed Stokes: RR

Plot file version 146 created 07-DEC-2002 20:39:32
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:46:18 to 01/07:57:18
Baseline: Several displayed Stokes: RR

Plot file version 147 created 07-DEC-2002 20:39:34
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:59:54 to 01/08:10:54
Baseline: Several displayed Stokes: RR

Plot file version 148 created 07-DEC-2002 20:39:36
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/07:59:54 to 01/08:10:54
Baseline: Several displayed Stokes: RR

Plot file version 149 created 07-DEC-2002 20:39:37
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:10:58 to 01/08:21:58
Baseline: Several displayed Stokes: RR

Plot file version 150 created 07-DEC-2002 20:39:39
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:10:58 to 01/08:21:58
Baseline: Several displayed Stokes: RR

Plot file version 151 created 07-DEC-2002 20:39:40
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:23:22 to 01/08:34:22
Baseline: Several displayed Stokes: RR

Plot file version 152 created 07-DEC-2002 20:39:42
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:23:22 to 01/08:34:22
Baseline: Several displayed Stokes: RR

Plot file version 153 created 07-DEC-2002 20:39:44
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:39:06 to 01/08:50:06
Baseline: Several displayed Stokes: RR

Plot file version 154 created 07-DEC-2002 20:39:46
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:39:06 to 01/08:50:06
Baseline: Several displayed Stokes: RR

Plot file version 155 created 07-DEC-2002 20:39:48
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:50:10 to 01/09:01:10
Baseline: Several displayed Stokes: RR

Plot file version 156 created 07-DEC-2002 20:39:50
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/08:50:10 to 01/09:01:10
Baseline: Several displayed Stokes: RR

Plot file version 157 created 07-DEC-2002 20:39:51
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:01:14 to 01/09:12:14
Baseline: Several displayed Stokes: RR

Plot file version 158 created 07-DEC-2002 20:39:54
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:01:14 to 01/09:12:14
Baseline: Several displayed Stokes: RR

Plot file version 159 created 07-DEC-2002 20:39:55
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:12:42 to 01/09:23:42
Baseline: Several displayed Stokes: RR

Plot file version 160 created 07-DEC-2002 20:39:58
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:12:42 to 01/09:23:42
Baseline: Several displayed Stokes: RR

Plot file version 161 created 07-DEC-2002 20:39:59
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:23:46 to 01/09:34:46
Baseline: Several displayed Stokes: RR

Plot file version 162 created 07-DEC-2002 20:40:01
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:23:46 to 01/09:34:46
Baseline: Several displayed Stokes: RR

Plot file version 163 created 07-DEC-2002 20:40:02
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:34:47 to 01/09:45:47
Baseline: Several displayed Stokes: RR

Plot file version 164 created 07-DEC-2002 20:40:04
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:34:47 to 01/09:45:47
Baseline: Several displayed Stokes: RR

Plot file version 165 created 07-DEC-2002 20:40:06
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:45:51 to 01/09:56:51
Baseline: Several displayed Stokes: RR

Plot file version 166 created 07-DEC-2002 20:40:08
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:45:51 to 01/09:56:51
Baseline: Several displayed Stokes: RR

Plot file version 167 created 07-DEC-2002 20:40:10
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:59:27 to 01/10:10:27
Baseline: Several displayed Stokes: RR

Plot file version 168 created 07-DEC-2002 20:40:12
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/09:59:27 to 01/10:10:27
Baseline: Several displayed Stokes: RR

Plot file version 169 created 07-DEC-2002 20:40:15
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/10:10:31 to 01/10:21:31
Baseline: Several displayed Stokes: RR

Plot file version 170 created 07-DEC-2002 20:40:17
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/10:10:31 to 01/10:21:31
Baseline: Several displayed Stokes: RR

Plot file version 171 created 07-DEC-2002 20:40:19
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/10:21:35 to 01/10:32:35
Baseline: Several displayed Stokes: RR

Plot file version 172 created 07-DEC-2002 20:40:22
gp032.MSORT.1
Freq = 8.4055 GHz, Bw = 8.000 MHz
No calibration applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 4
Timerange: 01/10:21:35 to 01/10:32:35
Baseline: Several displayed Stokes: RR