Plot file version 1 created 09-APR-2003 10:37:35
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:32:25 to 00/16:54:25

Plot file version 2 created 09-APR-2003 10:37:38
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:54:29 to 00/17:15:53

Plot file version 3 created 09-APR-2003 10:37:42
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:20:17 to 00/17:42:17

Plot file version 4 created 09-APR-2003 10:37:51
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:42:21 to 00/18:03:37


Plot file version 5 created 09-APR-2003 10:38:02
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
EB - WB
EB - GB
EB - SC
EB - NL
EB - FD
EB - LA
EB - PT
EB - OV
IF 1(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:31:32 to 00/23:41:56

Plot file version 6 created 09-APR-2003 10:38:27
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:31:32 to 00/23:41:56


Plot file version 7 created 09-APR-2003 10:38:55
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(LL)
EB - WB
IF 1(LL)
EB - GB
IF 1(LL)
EB - SC
IF 1(LL)
EB - NL
IF 1(LL)
EB - FD
IF 1(LL)
EB - LA
IF 1(LL)
EB - PT
IF 1(LL)
EB - OV
IF 1(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:23:36 to 01/00:33:56

Plot file version 8 created 09-APR-2003 10:39:20
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:23:36 to 01/00:33:56


Plot file version 9 created 09-APR-2003 10:39:39
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
EB - WB
EB - GB
EB - SC
EB - NL
EB - FD
EB - LA
EB - PT
EB - OV
IF 1(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:38:04 to 01/00:48:56

Plot file version 10 created 09-APR-2003 10:40:13
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:38:04 to 01/00:48:56


Plot file version 11 created 09-APR-2003 10:40:34
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(LL)
EB - WB
IF 1(LL)
EB - GB
IF 1(LL)
EB - SC
IF 1(LL)
EB - NL
IF 1(LL)
EB - FD
IF 1(LL)
EB - LA
IF 1(LL)
EB - PT
IF 1(LL)
EB - OV
IF 1(LL)
Channels
Channels
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:49:24 to 01/03:11:24

Plot file version 12 created 09-APR-2003 10:41:26
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:49:24 to 01/03:11:24


Plot file version 13 created 09-APR-2003 10:41:41
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
EB - WB
EB - GB
EB - SC
EB - NL
EB - FD
EB - LA
EB - PT
EB - OV
IF 1(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:11:28 to 01/03:21:56

Plot file version 14 created 09-APR-2003 10:42:10
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:11:28 to 01/03:21:56

Plot file version 15 created 09-APR-2003 10:42:34
DA193 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:25:04 to 01/03:35:56

Plot file version 16 created 09-APR-2003 10:42:59
DA193 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:25:04 to 01/03:35:56

Plot file version 17 created 09-APR-2003 10:45:46
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:32:25 to 00/16:54:25

Plot file version 18 created 09-APR-2003 10:45:49
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:54:29 to 00/17:15:53

Plot file version 19 created 09-APR-2003 10:45:51
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:20:17 to 00/17:42:17

Plot file version 20 created 09-APR-2003 10:46:00
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:42:21 to 00/18:03:37


Plot file version 21 created 09-APR-2003 10:46:10
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(RR)
200
-200
15.4
15.0
EB - WB
IF 1(RR)
200
-200
15.8
15.6
15.4
EB - GB
IF 1(RR)
200
-200
4.65
4.55
EB - SC
IF 1(RR)
200
-200
5.8
5.6
EB - NL
IF 1(RR)
200
-200
6.55
6.45
6.35
EB - FD
IF 1(RR)
200
-200
6.15
6.05
EB - LA
IF 1(RR)
200
-200
7
5
EB - PT
IF 1(RR)
200
-200
6.25
6.15
6.05
EB - OV
IF 1(RR)
200
-200
5.85
5.75
5.65
0
100
200
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:31:32 to 00/23:41:56

Plot file version 22 created 09-APR-2003 10:46:29
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:31:32 to 00/23:41:56


Plot file version 23 created 09-APR-2003 10:46:47
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(RR)
EB - WB
IF 1(RR)
EB - GB
IF 1(RR)
EB - SC
IF 1(RR)
EB - NL
IF 1(RR)
EB - FD
IF 1(RR)
EB - LA
IF 1(RR)
EB - PT
IF 1(RR)
EB - OV
IF 1(RR)
Channels
Channels
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:23:36 to 01/00:33:56

Plot file version 24 created 09-APR-2003 10:47:11
3C454.3 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:23:36 to 01/00:33:56


Plot file version 25 created 09-APR-2003 10:47:31
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(RR)
EB - WB
IF 1(RR)
EB - GB
IF 1(RR)
EB - SC
IF 1(RR)
EB - NL
IF 1(RR)
EB - FD
IF 1(RR)
EB - LA
IF 1(RR)
EB - PT
IF 1(RR)
EB - OV
IF 1(RR)
Channels
Channels
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:38:04 to 01/00:48:56

Plot file version 26 created 09-APR-2003 10:47:54
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:38:04 to 01/00:48:56


Plot file version 27 created 09-APR-2003 10:48:17
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(RR)
EB - WB
IF 1(RR)
EB - GB
IF 1(RR)
EB - SC
IF 1(RR)
EB - NL
IF 1(RR)
EB - FD
IF 1(RR)
EB - LA
IF 1(RR)
EB - PT
IF 1(RR)
EB - OV
IF 1(RR)
Channels
Channels
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:49:24 to 01/03:11:24

Plot file version 28 created 09-APR-2003 10:49:02
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:49:24 to 01/03:11:24


Plot file version 29 created 09-APR-2003 10:49:16
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
IF 1(RR)
EB - WB
IF 1(RR)
EB - GB
IF 1(RR)
EB - SC
IF 1(RR)
EB - NL
IF 1(RR)
EB - FD
IF 1(RR)
EB - LA
IF 1(RR)
EB - PT
IF 1(RR)
EB - OV
IF 1(RR)
Channels
Channels
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:11:28 to 01/03:21:56

Plot file version 30 created 09-APR-2003 10:49:39
3C84 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:11:28 to 01/03:21:56


Plot file version 31 created 09-APR-2003 10:51:19
DA193 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EB - MC
EB - WB
EB - GB
EB - SC
EB - NL
EB - FD
EB - LA
EB - PT
EB - OV
IF 1(RR)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:25:04 to 01/03:35:56

Plot file version 32 created 09-APR-2003 10:51:45
DA193 gv016 1.MSORT.1
Freq = 1.7075 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/03:25:04 to 01/03:35:56