Plot file version 1 created 12-MAR-2001 11:51:05
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/12:30:24 to 00/12:41:24
Baseline: Several displayed Stokes: RR

Plot file version 2 created 12-MAR-2001 11:51:34
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/12:41:28 to 00/12:52:28
Baseline: Several displayed Stokes: RR

Plot file version 3 created 12-MAR-2001 11:51:57
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/12:52:31 to 00/13:03:31
Baseline: Several displayed Stokes: RR

Plot file version 4 created 12-MAR-2001 11:52:19
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:03:34 to 00/13:14:34
Baseline: Several displayed Stokes: RR

Plot file version 5 created 12-MAR-2001 11:52:44
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:15:32 to 00/13:26:32
Baseline: Several displayed Stokes: RR

Plot file version 6 created 12-MAR-2001 11:53:11
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:26:36 to 00/13:37:36
Baseline: Several displayed Stokes: RR

Plot file version 7 created 12-MAR-2001 11:53:33
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:37:39 to 00/13:48:39
Baseline: Several displayed Stokes: RR

Plot file version 8 created 12-MAR-2001 11:53:55
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:48:40 to 00/13:59:40
Baseline: Several displayed Stokes: RR

Plot file version 9 created 12-MAR-2001 11:54:19
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:00:29 to 00/14:11:29
Baseline: Several displayed Stokes: RR

Plot file version 10 created 12-MAR-2001 11:54:40
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:11:33 to 00/14:22:33
Baseline: Several displayed Stokes: RR

Plot file version 11 created 12-MAR-2001 11:55:02
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:22:35 to 00/14:33:35
Baseline: Several displayed Stokes: RR

Plot file version 12 created 12-MAR-2001 11:55:25
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:33:36 to 00/14:44:36
Baseline: Several displayed Stokes: RR

Plot file version 13 created 12-MAR-2001 11:55:48
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:45:34 to 00/14:56:34
Baseline: Several displayed Stokes: RR

Plot file version 14 created 12-MAR-2001 11:56:09
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:56:38 to 00/15:07:38
Baseline: Several displayed Stokes: RR

Plot file version 15 created 12-MAR-2001 11:56:31
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/15:07:41 to 00/15:18:41
Baseline: Several displayed Stokes: RR

Plot file version 16 created 12-MAR-2001 11:56:55
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/15:18:42 to 00/15:27:54
Baseline: Several displayed Stokes: RR

Plot file version 17 created 12-MAR-2001 11:57:26
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/12:30:24 to 00/12:41:24
Baseline: Several displayed Stokes: LL

Plot file version 18 created 12-MAR-2001 11:58:09
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/12:41:28 to 00/12:52:28
Baseline: Several displayed Stokes: LL

Plot file version 19 created 12-MAR-2001 11:58:42
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/12:52:31 to 00/13:03:31
Baseline: Several displayed Stokes: LL

Plot file version 20 created 12-MAR-2001 11:59:06
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:03:34 to 00/13:14:34
Baseline: Several displayed Stokes: LL

Plot file version 21 created 12-MAR-2001 11:59:44
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:15:32 to 00/13:26:32
Baseline: Several displayed Stokes: LL

Plot file version 22 created 12-MAR-2001 12:00:19
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:26:36 to 00/13:37:36
Baseline: Several displayed Stokes: LL

Plot file version 23 created 12-MAR-2001 12:00:43
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:37:39 to 00/13:48:39
Baseline: Several displayed Stokes: LL

Plot file version 24 created 12-MAR-2001 12:01:06
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/13:48:40 to 00/13:59:40
Baseline: Several displayed Stokes: LL

Plot file version 25 created 12-MAR-2001 12:01:41
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:00:29 to 00/14:11:29
Baseline: Several displayed Stokes: LL

Plot file version 26 created 12-MAR-2001 12:02:04
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:11:33 to 00/14:22:33
Baseline: Several displayed Stokes: LL

Plot file version 27 created 12-MAR-2001 12:02:31
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:22:35 to 00/14:33:35
Baseline: Several displayed Stokes: LL

Plot file version 28 created 12-MAR-2001 12:02:55
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:33:36 to 00/14:44:36
Baseline: Several displayed Stokes: LL

Plot file version 29 created 12-MAR-2001 12:03:25
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:45:34 to 00/14:56:34
Baseline: Several displayed Stokes: LL

Plot file version 30 created 12-MAR-2001 12:03:52
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/14:56:38 to 00/15:07:38
Baseline: Several displayed Stokes: LL

Plot file version 31 created 12-MAR-2001 12:04:17
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/15:07:41 to 00/15:18:41
Baseline: Several displayed Stokes: LL

Plot file version 32 created 12-MAR-2001 12:04:42
n01c1.MSORT.1
Freq = 4.9825 GHz, Bw = 8.000 MHz
No calibration applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 2
Timerange: 00/15:18:42 to 00/15:27:54
Baseline: Several displayed Stokes: LL