Plot file version 1 created 29-AUG-2002 12:05:00
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:20:29 to 00/06:22:29
Baseline: Several displayed Stokes: LL

Plot file version 2 created 29-AUG-2002 12:05:14
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:22:31 to 00/06:26:29
Baseline: Several displayed Stokes: LL

Plot file version 3 created 29-AUG-2002 12:05:32
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:26:31 to 00/06:28:59
Baseline: Several displayed Stokes: LL

Plot file version 4 created 29-AUG-2002 12:05:47
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:29:01 to 00/06:32:59
Baseline: Several displayed Stokes: LL

Plot file version 5 created 29-AUG-2002 12:06:06
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:33:01 to 00/06:35:29
Baseline: Several displayed Stokes: LL

Plot file version 6 created 29-AUG-2002 12:06:20
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:35:31 to 00/06:39:29
Baseline: Several displayed Stokes: LL

Plot file version 7 created 29-AUG-2002 12:06:39
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:39:31 to 00/06:41:59
Baseline: Several displayed Stokes: LL

Plot file version 8 created 29-AUG-2002 12:06:50
J0607+47 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:46:26 to 00/06:48:59
Baseline: Several displayed Stokes: LL

Plot file version 9 created 29-AUG-2002 12:07:03
J0625+44 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:50:12 to 00/06:53:10
Baseline: Several displayed Stokes: LL

Plot file version 10 created 29-AUG-2002 12:07:12
J0612+41 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:54:27 to 00/06:57:25
Baseline: Several displayed Stokes: LL

Plot file version 11 created 29-AUG-2002 12:07:26
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:57:27 to 00/06:59:55
Baseline: Several displayed Stokes: LL

Plot file version 12 created 29-AUG-2002 12:07:38
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:59:57 to 00/07:03:55
Baseline: Several displayed Stokes: LL

Plot file version 13 created 29-AUG-2002 12:07:53
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:03:57 to 00/07:06:25
Baseline: Several displayed Stokes: LL

Plot file version 14 created 29-AUG-2002 12:08:11
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:06:27 to 00/07:10:25
Baseline: Several displayed Stokes: LL

Plot file version 15 created 29-AUG-2002 12:08:48
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:11:48 to 00/07:22:55
Baseline: Several displayed Stokes: LL

Plot file version 16 created 29-AUG-2002 12:09:48
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:22:57 to 00/07:26:55
Baseline: Several displayed Stokes: LL

Plot file version 17 created 29-AUG-2002 12:10:13
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:26:57 to 00/07:29:25
Baseline: Several displayed Stokes: LL

Plot file version 18 created 29-AUG-2002 12:10:31
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:29:27 to 00/07:33:25
Baseline: Several displayed Stokes: LL

Plot file version 19 created 29-AUG-2002 12:10:53
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:34:45 to 00/07:36:55
Baseline: Several displayed Stokes: LL

Plot file version 20 created 29-AUG-2002 12:11:11
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:36:57 to 00/07:40:55
Baseline: Several displayed Stokes: LL

Plot file version 21 created 29-AUG-2002 12:11:37
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:40:57 to 00/07:43:25
Baseline: Several displayed Stokes: LL

Plot file version 22 created 29-AUG-2002 12:11:56
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:43:27 to 00/07:47:25
Baseline: Several displayed Stokes: LL

Plot file version 23 created 29-AUG-2002 12:12:26
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:47:27 to 00/07:49:55
Baseline: Several displayed Stokes: LL

Plot file version 24 created 29-AUG-2002 12:12:51
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:49:57 to 00/07:53:55
Baseline: Several displayed Stokes: LL

Plot file version 25 created 29-AUG-2002 12:13:26
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:53:57 to 00/07:56:25
Baseline: Several displayed Stokes: LL

Plot file version 26 created 29-AUG-2002 12:14:07
J2148+06 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:06:48 to 00/08:28:25
Baseline: Several displayed Stokes: LL

Plot file version 27 created 29-AUG-2002 12:15:58
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:36:20 to 00/08:38:25
Baseline: Several displayed Stokes: LL

Plot file version 28 created 29-AUG-2002 12:17:00
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:38:27 to 00/08:42:25
Baseline: Several displayed Stokes: LL

Plot file version 29 created 29-AUG-2002 12:18:37
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:42:27 to 00/08:44:55
Baseline: Several displayed Stokes: LL

Plot file version 30 created 29-AUG-2002 12:19:36
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:44:57 to 00/08:48:55
Baseline: Several displayed Stokes: LL

Plot file version 31 created 29-AUG-2002 12:20:52
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:48:57 to 00/08:51:25
Baseline: Several displayed Stokes: LL

Plot file version 32 created 29-AUG-2002 12:21:32
J0607+47 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:52:21 to 00/08:54:29
Baseline: Several displayed Stokes: LL

Plot file version 33 created 29-AUG-2002 12:22:02
J0625+44 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:55:03 to 00/08:57:11
Baseline: Several displayed Stokes: LL


Plot file version 34 created 29-AUG-2002 12:22:31
J0612+41 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)
EF - MC
MC - WB
MC - ON
MC - TR
MC - JB
MC - UR
MC - SH
MC - NT
MC - HH
Channels/IF
Channels/IF
Channels/IF
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:57:47 to 00/08:59:55
Baseline: Several displayed Stokes: LL

Plot file version 35 created 29-AUG-2002 12:22:52
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:20:29 to 00/06:22:29
Baseline: Several displayed Stokes: RR

Plot file version 36 created 29-AUG-2002 12:23:02
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:22:31 to 00/06:26:29
Baseline: Several displayed Stokes: RR

Plot file version 37 created 29-AUG-2002 12:23:15
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:26:31 to 00/06:28:59
Baseline: Several displayed Stokes: RR

Plot file version 38 created 29-AUG-2002 12:23:26
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:29:01 to 00/06:32:59
Baseline: Several displayed Stokes: RR

Plot file version 39 created 29-AUG-2002 12:23:40
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:33:01 to 00/06:35:29
Baseline: Several displayed Stokes: RR

Plot file version 40 created 29-AUG-2002 12:23:50
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:35:31 to 00/06:39:29
Baseline: Several displayed Stokes: RR

Plot file version 41 created 29-AUG-2002 12:24:03
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:39:31 to 00/06:41:59
Baseline: Several displayed Stokes: RR

Plot file version 42 created 29-AUG-2002 12:24:11
J0607+47 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:46:26 to 00/06:48:59
Baseline: Several displayed Stokes: RR

Plot file version 43 created 29-AUG-2002 12:24:21
J0625+44 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:50:12 to 00/06:53:10
Baseline: Several displayed Stokes: RR

Plot file version 44 created 29-AUG-2002 12:24:27
J0612+41 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:54:27 to 00/06:57:25
Baseline: Several displayed Stokes: RR

Plot file version 45 created 29-AUG-2002 12:24:37
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:57:27 to 00/06:59:55
Baseline: Several displayed Stokes: RR

Plot file version 46 created 29-AUG-2002 12:24:46
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/06:59:57 to 00/07:03:55
Baseline: Several displayed Stokes: RR

Plot file version 47 created 29-AUG-2002 12:25:00
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:03:57 to 00/07:06:25
Baseline: Several displayed Stokes: RR

Plot file version 48 created 29-AUG-2002 12:25:15
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:06:27 to 00/07:10:25
Baseline: Several displayed Stokes: RR

Plot file version 49 created 29-AUG-2002 12:25:38
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:11:48 to 00/07:22:55
Baseline: Several displayed Stokes: RR

Plot file version 50 created 29-AUG-2002 12:26:19
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:22:57 to 00/07:26:55
Baseline: Several displayed Stokes: RR

Plot file version 51 created 29-AUG-2002 12:26:40
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:26:57 to 00/07:29:25
Baseline: Several displayed Stokes: RR

Plot file version 52 created 29-AUG-2002 12:26:53
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:29:27 to 00/07:33:25
Baseline: Several displayed Stokes: RR

Plot file version 53 created 29-AUG-2002 12:27:09
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:34:45 to 00/07:36:55
Baseline: Several displayed Stokes: RR

Plot file version 54 created 29-AUG-2002 12:27:22
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:36:57 to 00/07:40:55
Baseline: Several displayed Stokes: RR

Plot file version 55 created 29-AUG-2002 12:27:41
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:40:57 to 00/07:43:25
Baseline: Several displayed Stokes: RR

Plot file version 56 created 29-AUG-2002 12:27:55
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:43:27 to 00/07:47:25
Baseline: Several displayed Stokes: RR

Plot file version 57 created 29-AUG-2002 12:28:16
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:47:27 to 00/07:49:55
Baseline: Several displayed Stokes: RR

Plot file version 58 created 29-AUG-2002 12:28:36
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:49:57 to 00/07:53:55
Baseline: Several displayed Stokes: RR

Plot file version 59 created 29-AUG-2002 12:29:03
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/07:53:57 to 00/07:56:25
Baseline: Several displayed Stokes: RR

Plot file version 60 created 29-AUG-2002 12:29:40
J2148+06 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:06:48 to 00/08:28:25
Baseline: Several displayed Stokes: RR

Plot file version 61 created 29-AUG-2002 12:31:10
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:36:20 to 00/08:38:25
Baseline: Several displayed Stokes: RR

Plot file version 62 created 29-AUG-2002 12:32:07
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:38:27 to 00/08:42:25
Baseline: Several displayed Stokes: RR

Plot file version 63 created 29-AUG-2002 12:33:33
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:42:27 to 00/08:44:55
Baseline: Several displayed Stokes: RR

Plot file version 64 created 29-AUG-2002 12:34:26
J0605+40 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:44:57 to 00/08:48:55
Baseline: Several displayed Stokes: RR

Plot file version 65 created 29-AUG-2002 12:35:29
DA193 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:48:57 to 00/08:51:25
Baseline: Several displayed Stokes: RR

Plot file version 66 created 29-AUG-2002 12:36:04
J0607+47 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:52:21 to 00/08:54:29
Baseline: Several displayed Stokes: RR

Plot file version 67 created 29-AUG-2002 12:36:29
J0625+44 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:55:03 to 00/08:57:11
Baseline: Several displayed Stokes: RR

Plot file version 68 created 29-AUG-2002 12:36:51
J0612+41 n02l2.VBGLU.1
Freq = 1.6270 GHz, Bw = 8.000 MHz
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum IF range: 1 - 8
Timerange: 00/08:57:47 to 00/08:59:55
Baseline: Several displayed Stokes: RR