Plot file version 1 created 05-DEC-2003 15:01:35
2029+121 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:00:23 to 00/21:21:55

Plot file version 2 created 05-DEC-2003 15:01:37
3C84 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:26:35 to 00/21:47:55

Plot file version 3 created 05-DEC-2003 15:01:40
J0607+47 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:50:35 to 00/21:55:27


Plot file version 4 created 05-DEC-2003 15:01:40
J0518+33 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
EF - MC
EF - WB
EF - JB
EF - ON
EF - NT
EF - UR
EF - SH
EF - HH
IF 1(LR) IF 2(LR) IF 3(LR) IF 4(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:57:05 to 00/22:01:57

Plot file version 5 created 05-DEC-2003 15:01:41
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:02:05 to 00/22:07:25

Plot file version 6 created 05-DEC-2003 15:01:42
3C48 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:12:05 to 00/22:16:57

Plot file version 7 created 05-DEC-2003 15:01:43
3C84 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:21:23 to 00/22:26:27

Plot file version 8 created 05-DEC-2003 15:01:44
J0310+38 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:26:35 to 00/22:31:55

Plot file version 9 created 05-DEC-2003 15:01:45
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:34:35 to 00/22:44:27

Plot file version 10 created 05-DEC-2003 15:01:47
J0607+47 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:52:23 to 00/22:57:27

Plot file version 11 created 05-DEC-2003 15:01:48
J0518+33 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:59:05 to 00/23:03:57

Plot file version 12 created 05-DEC-2003 15:01:48
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:04:05 to 00/23:09:25

Plot file version 13 created 05-DEC-2003 15:01:49
3C48 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:14:05 to 00/23:18:57

Plot file version 14 created 05-DEC-2003 15:01:50
3C84 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:23:23 to 00/23:28:27

Plot file version 15 created 05-DEC-2003 15:01:51
J0310+38 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:28:35 to 00/23:33:55

Plot file version 16 created 05-DEC-2003 15:01:52
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:36:35 to 00/23:46:55

Plot file version 17 created 05-DEC-2003 15:01:54
J0607+47 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:48:35 to 00/23:53:27

Plot file version 18 created 05-DEC-2003 15:01:54
J0518+33 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/23:54:53 to 00/23:59:53

Plot file version 19 created 05-DEC-2003 15:01:56
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:03:53 to 01/00:14:25

Plot file version 20 created 05-DEC-2003 15:01:58
J0310+38 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:21:05 to 01/00:26:25

Plot file version 21 created 05-DEC-2003 15:01:59
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:29:05 to 01/00:39:25

Plot file version 22 created 05-DEC-2003 15:02:01
J0607+47 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:41:07 to 01/00:45:55

Plot file version 23 created 05-DEC-2003 15:02:02
J0518+33 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:47:35 to 01/00:52:27

Plot file version 24 created 05-DEC-2003 15:02:03
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/00:55:05 to 01/01:04:57

Plot file version 25 created 05-DEC-2003 15:02:04
3C84 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:09:01 to 01/01:13:57

Plot file version 26 created 05-DEC-2003 15:02:05
J0310+38 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:14:35 to 01/01:19:27

Plot file version 27 created 05-DEC-2003 15:02:06
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:22:05 to 01/01:32:25


Plot file version 28 created 05-DEC-2003 15:02:07
J0607+47 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
EF - MC
EF - WB
EF - JB
EF - ON
EF - NT
EF - UR
EF - SH
IF 1(LR) IF 2(LR) IF 3(LR) IF 4(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:39:05 to 01/01:43:57

Plot file version 29 created 05-DEC-2003 15:02:08
J0518+33 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:44:05 to 01/01:49:25

Plot file version 30 created 05-DEC-2003 15:02:10
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/01:49:33 to 01/02:00:25

Plot file version 31 created 05-DEC-2003 15:02:11
3C84 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:05:05 to 01/02:09:57

Plot file version 32 created 05-DEC-2003 15:02:12
J0310+38 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:10:05 to 01/02:15:25

Plot file version 33 created 05-DEC-2003 15:02:13
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:18:05 to 01/02:28:25

Plot file version 34 created 05-DEC-2003 15:02:14
3C84 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:33:05 to 01/02:37:57

Plot file version 35 created 05-DEC-2003 15:02:14
3C48 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:38:05 to 01/02:43:25

Plot file version 36 created 05-DEC-2003 15:02:15
DA193 n03l3 1.MSORT.1
Freq = 1.6250 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 01/02:48:05 to 01/02:58:25