Plot file version 1 created 19-JUL-2004 13:44:24
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:30:26 to 00/16:38:58

Plot file version 2 created 19-JUL-2004 13:44:26
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:39:02 to 00/16:42:58

Plot file version 3 created 19-JUL-2004 13:44:28
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:43:02 to 00/16:45:28

Plot file version 4 created 19-JUL-2004 13:44:29
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:45:32 to 00/16:49:28

Plot file version 5 created 19-JUL-2004 13:44:31
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:49:32 to 00/16:51:58

Plot file version 6 created 19-JUL-2004 13:44:32
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:53:26 to 00/16:56:58

Plot file version 7 created 19-JUL-2004 13:44:33
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:57:02 to 00/16:59:28

Plot file version 8 created 19-JUL-2004 13:44:35
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/16:59:32 to 00/17:03:28

Plot file version 9 created 19-JUL-2004 13:44:36
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:03:32 to 00/17:05:58

Plot file version 10 created 19-JUL-2004 13:44:37
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:06:02 to 00/17:09:58

Plot file version 11 created 19-JUL-2004 13:44:39
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:10:02 to 00/17:12:28

Plot file version 12 created 19-JUL-2004 13:44:40
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:12:32 to 00/17:14:58

Plot file version 13 created 19-JUL-2004 13:44:41
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:20:35 to 00/17:22:27

Plot file version 14 created 19-JUL-2004 13:44:42
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:22:31 to 00/17:26:27

Plot file version 15 created 19-JUL-2004 13:44:44
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:26:31 to 00/17:28:57

Plot file version 16 created 19-JUL-2004 13:44:46
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:29:01 to 00/17:32:57

Plot file version 17 created 19-JUL-2004 13:44:47
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:33:01 to 00/17:35:27

Plot file version 18 created 19-JUL-2004 13:44:49
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:35:31 to 00/17:39:27

Plot file version 19 created 19-JUL-2004 13:44:50
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:39:31 to 00/17:41:57

Plot file version 20 created 19-JUL-2004 13:44:51
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:43:18 to 00/17:46:58

Plot file version 21 created 19-JUL-2004 13:44:52
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:47:02 to 00/17:49:28

Plot file version 22 created 19-JUL-2004 13:44:54
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:49:32 to 00/17:53:28

Plot file version 23 created 19-JUL-2004 13:44:55
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:53:32 to 00/17:55:58

Plot file version 24 created 19-JUL-2004 13:44:56
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/17:56:02 to 00/17:59:58

Plot file version 25 created 19-JUL-2004 13:44:58
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:00:02 to 00/18:02:28

Plot file version 26 created 19-JUL-2004 13:44:59
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:02:32 to 00/18:04:58

Plot file version 27 created 19-JUL-2004 13:45:00
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:06:20 to 00/18:08:28

Plot file version 28 created 19-JUL-2004 13:45:01
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:08:32 to 00/18:12:28

Plot file version 29 created 19-JUL-2004 13:45:03
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:12:32 to 00/18:14:58

Plot file version 30 created 19-JUL-2004 13:45:04
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:15:02 to 00/18:18:58

Plot file version 31 created 19-JUL-2004 13:45:06
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:19:02 to 00/18:21:28

Plot file version 32 created 19-JUL-2004 13:45:07
1222+037 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:21:32 to 00/18:25:28

Plot file version 33 created 19-JUL-2004 13:45:10
3C273B n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:25:32 to 00/18:27:58

Plot file version 34 created 19-JUL-2004 13:45:15
OQ208 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:31:20 to 00/18:52:58

Plot file version 35 created 19-JUL-2004 13:45:22
OQ208 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/18:57:48 to 00/19:19:28

Plot file version 36 created 19-JUL-2004 13:45:27
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:26:56 to 00/19:28:58

Plot file version 37 created 19-JUL-2004 13:45:28
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:29:02 to 00/19:32:58

Plot file version 38 created 19-JUL-2004 13:45:30
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:33:02 to 00/19:35:28

Plot file version 39 created 19-JUL-2004 13:45:31
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:35:32 to 00/19:39:28

Plot file version 40 created 19-JUL-2004 13:45:33
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:40:54 to 00/19:42:58

Plot file version 41 created 19-JUL-2004 13:45:34
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:43:02 to 00/19:46:58

Plot file version 42 created 19-JUL-2004 13:45:36
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:47:02 to 00/19:49:28

Plot file version 43 created 19-JUL-2004 13:45:37
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:50:56 to 00/19:54:28

Plot file version 44 created 19-JUL-2004 13:45:38
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:54:32 to 00/19:56:58

Plot file version 45 created 19-JUL-2004 13:45:40
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/19:57:02 to 00/20:00:58

Plot file version 46 created 19-JUL-2004 13:45:42
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:01:02 to 00/20:03:28

Plot file version 47 created 19-JUL-2004 13:45:43
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:03:32 to 00/20:07:28

Plot file version 48 created 19-JUL-2004 13:45:44
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:07:32 to 00/20:09:58

Plot file version 49 created 19-JUL-2004 13:45:46
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:10:02 to 00/20:12:28

Plot file version 50 created 19-JUL-2004 13:45:47
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:15:56 to 00/20:26:28

Plot file version 51 created 19-JUL-2004 13:45:50
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:26:32 to 00/20:30:28

Plot file version 52 created 19-JUL-2004 13:45:52
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:30:32 to 00/20:32:58

Plot file version 53 created 19-JUL-2004 13:45:53
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:33:02 to 00/20:36:58

Plot file version 54 created 19-JUL-2004 13:45:54
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:37:02 to 00/20:39:28

Plot file version 55 created 19-JUL-2004 13:45:55
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:40:56 to 00/20:44:28

Plot file version 56 created 19-JUL-2004 13:45:57
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:44:32 to 00/20:46:58

Plot file version 57 created 19-JUL-2004 13:45:58
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:47:02 to 00/20:50:58

Plot file version 58 created 19-JUL-2004 13:45:59
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:51:02 to 00/20:53:28

Plot file version 59 created 19-JUL-2004 13:46:01
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:53:32 to 00/20:57:28

Plot file version 60 created 19-JUL-2004 13:46:02
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/20:57:32 to 00/20:59:58

Plot file version 61 created 19-JUL-2004 13:46:03
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:00:02 to 00/21:02:28

Plot file version 62 created 19-JUL-2004 13:46:05
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:03:56 to 00/21:05:58

Plot file version 63 created 19-JUL-2004 13:46:06
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:06:02 to 00/21:09:58

Plot file version 64 created 19-JUL-2004 13:46:07
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:10:02 to 00/21:12:28

Plot file version 65 created 19-JUL-2004 13:46:09
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:12:32 to 00/21:16:28

Plot file version 66 created 19-JUL-2004 13:46:10
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:18:08 to 00/21:19:58

Plot file version 67 created 19-JUL-2004 13:46:11
1633+382 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:20:02 to 00/21:23:58

Plot file version 68 created 19-JUL-2004 13:46:12
3C345 n04c2.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/21:24:02 to 00/21:26:28