Plot file version 1 created 10-DEC-2004 12:55:25
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:23:28 to 00/05:29:58

Plot file version 2 created 10-DEC-2004 12:55:27
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:23:28 to 00/05:29:58

Plot file version 3 created 10-DEC-2004 12:55:30
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:02 to 00/05:32:58

Plot file version 4 created 10-DEC-2004 12:55:31
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:02 to 00/05:32:58

Plot file version 5 created 10-DEC-2004 12:55:37
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:02 to 00/05:52:28

Plot file version 6 created 10-DEC-2004 12:55:39
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:02 to 00/05:52:28

Plot file version 7 created 10-DEC-2004 12:55:42
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:52:32 to 00/05:59:28

Plot file version 8 created 10-DEC-2004 12:55:44
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:52:32 to 00/05:59:28

Plot file version 9 created 10-DEC-2004 12:55:47
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:59:32 to 00/06:04:28

Plot file version 10 created 10-DEC-2004 12:55:48
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:59:32 to 00/06:04:28

Plot file version 11 created 10-DEC-2004 12:55:52
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:04:32 to 00/06:11:28

Plot file version 12 created 10-DEC-2004 12:55:55
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:04:32 to 00/06:11:28

Plot file version 13 created 10-DEC-2004 12:55:59
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:14:58 to 00/06:36:28

Plot file version 14 created 10-DEC-2004 12:56:05
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:14:58 to 00/06:36:28

Plot file version 15 created 10-DEC-2004 12:56:11
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:37:58 to 00/06:40:58

Plot file version 16 created 10-DEC-2004 12:56:12
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:37:58 to 00/06:40:58


Plot file version 17 created 10-DEC-2004 12:56:13
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EF - MC
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - MC
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - WB
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - WB
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - ON
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - ON
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - TR
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - TR
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - JB
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
Channels
Channels
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:41:02 to 00/06:48:28

Plot file version 18 created 10-DEC-2004 12:56:16
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:41:02 to 00/06:48:28

Plot file version 19 created 10-DEC-2004 12:56:19
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:48:32 to 00/06:51:58

Plot file version 20 created 10-DEC-2004 12:56:20
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:48:32 to 00/06:51:58

Plot file version 21 created 10-DEC-2004 12:56:22
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:52:02 to 00/06:59:28

Plot file version 22 created 10-DEC-2004 12:56:24
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:52:02 to 00/06:59:28

Plot file version 23 created 10-DEC-2004 12:56:28
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:58 to 00/07:03:58

Plot file version 24 created 10-DEC-2004 12:56:29
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:58 to 00/07:03:58

Plot file version 25 created 10-DEC-2004 12:56:33
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:02 to 00/07:11:28

Plot file version 26 created 10-DEC-2004 12:56:35
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:02 to 00/07:11:28

Plot file version 27 created 10-DEC-2004 12:56:39
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:11:32 to 00/07:22:28

Plot file version 28 created 10-DEC-2004 12:56:42
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:11:32 to 00/07:22:28

Plot file version 29 created 10-DEC-2004 12:56:48
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:25:58 to 00/07:47:28

Plot file version 30 created 10-DEC-2004 12:56:54
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:25:58 to 00/07:47:28

Plot file version 31 created 10-DEC-2004 12:57:02
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:54:56 to 00/07:59:28

Plot file version 32 created 10-DEC-2004 12:57:09
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:54:56 to 00/07:59:28

Plot file version 33 created 10-DEC-2004 12:57:18
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:59:32 to 00/08:06:28

Plot file version 34 created 10-DEC-2004 12:57:27
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:59:32 to 00/08:06:28

Plot file version 35 created 10-DEC-2004 12:57:38
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:06:32 to 00/08:09:28

Plot file version 36 created 10-DEC-2004 12:57:42
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:06:32 to 00/08:09:28

Plot file version 37 created 10-DEC-2004 12:57:49
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:09:32 to 00/08:16:28

Plot file version 38 created 10-DEC-2004 12:57:58
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:09:32 to 00/08:16:28


Plot file version 39 created 10-DEC-2004 12:58:09
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)
EF - MC
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - MC
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - WB
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - WB
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - ON
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - ON
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - TR
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
EF - TR
IF 1(LL)
IF 2(LL)
IF 3(LL)
IF 4(LL)
EF - JB
IF 1(RR)
IF 2(RR)
IF 3(RR)
IF 4(RR)
Channels
Channels
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:17:58 to 00/08:22:28

Plot file version 40 created 10-DEC-2004 12:58:15
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:17:58 to 00/08:22:28

Plot file version 41 created 10-DEC-2004 12:58:23
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:32 to 00/08:29:28

Plot file version 42 created 10-DEC-2004 12:58:31
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:32 to 00/08:29:28

Plot file version 43 created 10-DEC-2004 12:58:41
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:29:32 to 00/08:32:28

Plot file version 44 created 10-DEC-2004 12:58:45
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:29:32 to 00/08:32:28

Plot file version 45 created 10-DEC-2004 12:58:51
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:32:32 to 00/08:39:28

Plot file version 46 created 10-DEC-2004 12:58:59
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:32:32 to 00/08:39:28

Plot file version 47 created 10-DEC-2004 12:59:08
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:45:12 to 00/08:47:58

Plot file version 48 created 10-DEC-2004 12:59:11
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:45:12 to 00/08:47:58

Plot file version 49 created 10-DEC-2004 12:59:17
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:02 to 00/08:55:28

Plot file version 50 created 10-DEC-2004 12:59:25
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:02 to 00/08:55:28

Plot file version 51 created 10-DEC-2004 12:59:36
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:55:32 to 00/09:06:28

Plot file version 52 created 10-DEC-2004 12:59:47
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:55:32 to 00/09:06:28

Plot file version 53 created 10-DEC-2004 13:00:03
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:58 to 00/09:32:28

Plot file version 54 created 10-DEC-2004 13:00:27
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:58 to 00/09:32:28

Plot file version 55 created 10-DEC-2004 13:00:47
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:33:58 to 00/09:38:28

Plot file version 56 created 10-DEC-2004 13:00:51
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:33:58 to 00/09:38:28

Plot file version 57 created 10-DEC-2004 13:00:55
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:32 to 00/09:45:28

Plot file version 58 created 10-DEC-2004 13:01:01
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:32 to 00/09:45:28

Plot file version 59 created 10-DEC-2004 13:01:04
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:45:32 to 00/09:48:28

Plot file version 60 created 10-DEC-2004 13:01:07
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:45:32 to 00/09:48:28

Plot file version 61 created 10-DEC-2004 13:01:10
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:48:32 to 00/09:55:28

Plot file version 62 created 10-DEC-2004 13:01:16
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:48:32 to 00/09:55:28

Plot file version 63 created 10-DEC-2004 13:01:18
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:56:58 to 00/10:01:28

Plot file version 64 created 10-DEC-2004 13:01:21
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:56:58 to 00/10:01:28

Plot file version 65 created 10-DEC-2004 13:01:25
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:32 to 00/10:08:28

Plot file version 66 created 10-DEC-2004 13:01:29
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:32 to 00/10:08:28

Plot file version 67 created 10-DEC-2004 13:01:34
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:08:32 to 00/10:11:28

Plot file version 68 created 10-DEC-2004 13:01:35
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:08:32 to 00/10:11:28

Plot file version 69 created 10-DEC-2004 13:01:38
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:32 to 00/10:18:28

Plot file version 70 created 10-DEC-2004 13:01:41
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:32 to 00/10:18:28

Plot file version 71 created 10-DEC-2004 13:01:45
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:19:58 to 00/10:22:58

Plot file version 72 created 10-DEC-2004 13:01:47
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:19:58 to 00/10:22:58

Plot file version 73 created 10-DEC-2004 13:01:50
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:23:02 to 00/10:30:28

Plot file version 74 created 10-DEC-2004 13:01:53
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:23:02 to 00/10:30:28

Plot file version 75 created 10-DEC-2004 13:01:57
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:30:32 to 00/10:41:28

Plot file version 76 created 10-DEC-2004 13:02:01
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:30:32 to 00/10:41:28