Plot file version 1 created 06-DEC-2004 16:20:26
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:23:28 to 00/05:29:58

Plot file version 2 created 06-DEC-2004 16:20:28
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:02 to 00/05:32:58

Plot file version 3 created 06-DEC-2004 16:20:30
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:33:02 to 00/05:39:58

Plot file version 4 created 06-DEC-2004 16:20:33
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:02 to 00/05:52:28

Plot file version 5 created 06-DEC-2004 16:20:35
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:52:32 to 00/05:59:28

Plot file version 6 created 06-DEC-2004 16:20:37
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:59:32 to 00/06:04:28

Plot file version 7 created 06-DEC-2004 16:20:40
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:04:32 to 00/06:11:28

Plot file version 8 created 06-DEC-2004 16:20:44
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:14:58 to 00/06:36:28

Plot file version 9 created 06-DEC-2004 16:20:47
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:37:58 to 00/06:40:58

Plot file version 10 created 06-DEC-2004 16:20:49
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:41:02 to 00/06:48:28

Plot file version 11 created 06-DEC-2004 16:20:52
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:48:32 to 00/06:51:58

Plot file version 12 created 06-DEC-2004 16:20:53
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:52:02 to 00/06:59:28

Plot file version 13 created 06-DEC-2004 16:20:57
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:58 to 00/07:03:58

Plot file version 14 created 06-DEC-2004 16:21:00
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:02 to 00/07:11:28

Plot file version 15 created 06-DEC-2004 16:21:02
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:11:32 to 00/07:22:28

Plot file version 16 created 06-DEC-2004 16:21:08
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:25:58 to 00/07:47:28

Plot file version 17 created 06-DEC-2004 16:21:12
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:54:56 to 00/07:59:28

Plot file version 18 created 06-DEC-2004 16:21:14
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:59:32 to 00/08:06:28

Plot file version 19 created 06-DEC-2004 16:21:16
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:06:32 to 00/08:09:28

Plot file version 20 created 06-DEC-2004 16:21:17
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:09:32 to 00/08:16:28

Plot file version 21 created 06-DEC-2004 16:21:19
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:17:58 to 00/08:22:28

Plot file version 22 created 06-DEC-2004 16:21:21
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:32 to 00/08:29:28

Plot file version 23 created 06-DEC-2004 16:21:23
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:29:32 to 00/08:32:28

Plot file version 24 created 06-DEC-2004 16:21:24
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:32:32 to 00/08:39:28

Plot file version 25 created 06-DEC-2004 16:21:26
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:45:12 to 00/08:47:58

Plot file version 26 created 06-DEC-2004 16:21:28
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:02 to 00/08:55:28

Plot file version 27 created 06-DEC-2004 16:21:31
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:55:32 to 00/09:06:28

Plot file version 28 created 06-DEC-2004 16:21:34
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:58 to 00/09:32:28

Plot file version 29 created 06-DEC-2004 16:21:37
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:33:58 to 00/09:38:28

Plot file version 30 created 06-DEC-2004 16:21:38
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:32 to 00/09:45:28

Plot file version 31 created 06-DEC-2004 16:21:40
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:45:32 to 00/09:48:28

Plot file version 32 created 06-DEC-2004 16:21:41
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied













Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:48:32 to 00/09:55:28

Plot file version 33 created 06-DEC-2004 16:21:42
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:56:58 to 00/10:01:28

Plot file version 34 created 06-DEC-2004 16:21:44
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:32 to 00/10:08:28

Plot file version 35 created 06-DEC-2004 16:21:46
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:08:32 to 00/10:11:28

Plot file version 36 created 06-DEC-2004 16:21:47
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:32 to 00/10:18:28

Plot file version 37 created 06-DEC-2004 16:21:49
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:19:58 to 00/10:22:58

Plot file version 38 created 06-DEC-2004 16:21:50
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:23:02 to 00/10:30:28

Plot file version 39 created 06-DEC-2004 16:21:52
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:30:32 to 00/10:41:28