Plot file version 1 created 06-DEC-2004 16:19:04
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:23:28 to 00/05:29:58

Plot file version 2 created 06-DEC-2004 16:19:04
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:23:28 to 00/05:29:58

Plot file version 3 created 06-DEC-2004 16:19:05
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:02 to 00/05:32:58

Plot file version 4 created 06-DEC-2004 16:19:06
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:02 to 00/05:32:58

Plot file version 5 created 06-DEC-2004 16:19:07
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:33:02 to 00/05:39:58

Plot file version 6 created 06-DEC-2004 16:19:08
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:33:02 to 00/05:39:58

Plot file version 7 created 06-DEC-2004 16:19:09
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:02 to 00/05:52:28

Plot file version 8 created 06-DEC-2004 16:19:10
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:02 to 00/05:52:28

Plot file version 9 created 06-DEC-2004 16:19:11
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:52:32 to 00/05:59:28

Plot file version 10 created 06-DEC-2004 16:19:12
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:52:32 to 00/05:59:28

Plot file version 11 created 06-DEC-2004 16:19:14
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:59:32 to 00/06:04:28

Plot file version 12 created 06-DEC-2004 16:19:14
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:59:32 to 00/06:04:28

Plot file version 13 created 06-DEC-2004 16:19:17
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:04:32 to 00/06:11:28

Plot file version 14 created 06-DEC-2004 16:19:18
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:04:32 to 00/06:11:28

Plot file version 15 created 06-DEC-2004 16:19:20
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:14:58 to 00/06:36:28

Plot file version 16 created 06-DEC-2004 16:19:21
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:14:58 to 00/06:36:28

Plot file version 17 created 06-DEC-2004 16:19:23
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:37:58 to 00/06:40:58

Plot file version 18 created 06-DEC-2004 16:19:23
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:37:58 to 00/06:40:58

Plot file version 19 created 06-DEC-2004 16:19:24
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:41:02 to 00/06:48:28

Plot file version 20 created 06-DEC-2004 16:19:25
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:41:02 to 00/06:48:28

Plot file version 21 created 06-DEC-2004 16:19:26
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:48:32 to 00/06:51:58

Plot file version 22 created 06-DEC-2004 16:19:26
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:48:32 to 00/06:51:58

Plot file version 23 created 06-DEC-2004 16:19:27
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:52:02 to 00/06:59:28

Plot file version 24 created 06-DEC-2004 16:19:28
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:52:02 to 00/06:59:28

Plot file version 25 created 06-DEC-2004 16:19:30
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:58 to 00/07:03:58

Plot file version 26 created 06-DEC-2004 16:19:30
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:58 to 00/07:03:58

Plot file version 27 created 06-DEC-2004 16:19:33
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:02 to 00/07:11:28

Plot file version 28 created 06-DEC-2004 16:19:34
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:02 to 00/07:11:28

Plot file version 29 created 06-DEC-2004 16:19:35
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:11:32 to 00/07:22:28

Plot file version 30 created 06-DEC-2004 16:19:36
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:11:32 to 00/07:22:28

Plot file version 31 created 06-DEC-2004 16:19:39
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:25:58 to 00/07:47:28

Plot file version 32 created 06-DEC-2004 16:19:40
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:25:58 to 00/07:47:28

Plot file version 33 created 06-DEC-2004 16:19:43
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:54:56 to 00/07:59:28

Plot file version 34 created 06-DEC-2004 16:19:43
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:54:56 to 00/07:59:28

Plot file version 35 created 06-DEC-2004 16:19:44
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:59:32 to 00/08:06:28

Plot file version 36 created 06-DEC-2004 16:19:45
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:59:32 to 00/08:06:28

Plot file version 37 created 06-DEC-2004 16:19:46
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:06:32 to 00/08:09:28

Plot file version 38 created 06-DEC-2004 16:19:47
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:06:32 to 00/08:09:28

Plot file version 39 created 06-DEC-2004 16:19:48
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:09:32 to 00/08:16:28

Plot file version 40 created 06-DEC-2004 16:19:48
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:09:32 to 00/08:16:28

Plot file version 41 created 06-DEC-2004 16:19:49
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:17:58 to 00/08:22:28

Plot file version 42 created 06-DEC-2004 16:19:50
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:17:58 to 00/08:22:28

Plot file version 43 created 06-DEC-2004 16:19:51
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:32 to 00/08:29:28

Plot file version 44 created 06-DEC-2004 16:19:51
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:32 to 00/08:29:28

Plot file version 45 created 06-DEC-2004 16:19:53
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:29:32 to 00/08:32:28

Plot file version 46 created 06-DEC-2004 16:19:53
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:29:32 to 00/08:32:28

Plot file version 47 created 06-DEC-2004 16:19:54
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:32:32 to 00/08:39:28

Plot file version 48 created 06-DEC-2004 16:19:54
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:32:32 to 00/08:39:28

Plot file version 49 created 06-DEC-2004 16:19:55
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:45:12 to 00/08:47:58

Plot file version 50 created 06-DEC-2004 16:19:56
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:45:12 to 00/08:47:58

Plot file version 51 created 06-DEC-2004 16:19:57
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:02 to 00/08:55:28

Plot file version 52 created 06-DEC-2004 16:19:58
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:02 to 00/08:55:28

Plot file version 53 created 06-DEC-2004 16:20:00
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:55:32 to 00/09:06:28

Plot file version 54 created 06-DEC-2004 16:20:01
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:55:32 to 00/09:06:28

Plot file version 55 created 06-DEC-2004 16:20:03
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:58 to 00/09:32:28

Plot file version 56 created 06-DEC-2004 16:20:04
OQ208 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:10:58 to 00/09:32:28

Plot file version 57 created 06-DEC-2004 16:20:06
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:33:58 to 00/09:38:28

Plot file version 58 created 06-DEC-2004 16:20:07
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:33:58 to 00/09:38:28

Plot file version 59 created 06-DEC-2004 16:20:07
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:32 to 00/09:45:28

Plot file version 60 created 06-DEC-2004 16:20:08
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:38:32 to 00/09:45:28

Plot file version 61 created 06-DEC-2004 16:20:09
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:45:32 to 00/09:48:28

Plot file version 62 created 06-DEC-2004 16:20:09
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:45:32 to 00/09:48:28

Plot file version 63 created 06-DEC-2004 16:20:10
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:48:32 to 00/09:55:28

Plot file version 64 created 06-DEC-2004 16:20:10
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied







Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:48:32 to 00/09:55:28

Plot file version 65 created 06-DEC-2004 16:20:11
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:56:58 to 00/10:01:28

Plot file version 66 created 06-DEC-2004 16:20:11
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/09:56:58 to 00/10:01:28

Plot file version 67 created 06-DEC-2004 16:20:12
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:32 to 00/10:08:28

Plot file version 68 created 06-DEC-2004 16:20:13
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:01:32 to 00/10:08:28

Plot file version 69 created 06-DEC-2004 16:20:14
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:08:32 to 00/10:11:28

Plot file version 70 created 06-DEC-2004 16:20:15
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:08:32 to 00/10:11:28

Plot file version 71 created 06-DEC-2004 16:20:15
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:32 to 00/10:18:28

Plot file version 72 created 06-DEC-2004 16:20:16
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:11:32 to 00/10:18:28

Plot file version 73 created 06-DEC-2004 16:20:17
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:19:58 to 00/10:22:58

Plot file version 74 created 06-DEC-2004 16:20:17
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:19:58 to 00/10:22:58

Plot file version 75 created 06-DEC-2004 16:20:19
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:23:02 to 00/10:30:28

Plot file version 76 created 06-DEC-2004 16:20:19
1222+037 n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:23:02 to 00/10:30:28

Plot file version 77 created 06-DEC-2004 16:20:20
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:30:32 to 00/10:41:28

Plot file version 78 created 06-DEC-2004 16:20:21
3C273B n04c3.MSORT.1
Freq = 4.9750 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/10:30:32 to 00/10:41:28