Plot file version 1 created 15-SEP-2005 11:45:01
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:00:23 to 00/04:07:59

Plot file version 2 created 15-SEP-2005 11:45:05
J0209+13 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:08:00 to 00/04:09:39

Plot file version 3 created 15-SEP-2005 11:45:07
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:09:40 to 00/04:11:19

Plot file version 4 created 15-SEP-2005 11:45:09
J0209+13 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:11:20 to 00/04:12:59

Plot file version 5 created 15-SEP-2005 11:45:11
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:13:00 to 00/04:14:39

Plot file version 6 created 15-SEP-2005 11:45:12
J0209+13 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:14:40 to 00/04:16:19

Plot file version 7 created 15-SEP-2005 11:45:13
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:17:21 to 00/04:17:59

Plot file version 8 created 15-SEP-2005 11:45:14
J0203+11 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:18:00 to 00/04:19:39

Plot file version 9 created 15-SEP-2005 11:45:16
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:19:40 to 00/04:21:19

Plot file version 10 created 15-SEP-2005 11:45:18
J0203+11 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:21:20 to 00/04:22:59

Plot file version 11 created 15-SEP-2005 11:45:19
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:23:23 to 00/04:24:39

Plot file version 12 created 15-SEP-2005 11:45:21
J0203+11 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:24:40 to 00/04:26:19

Plot file version 13 created 15-SEP-2005 11:45:22
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:26:20 to 00/04:27:59

Plot file version 14 created 15-SEP-2005 11:45:24
J0225+18 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:28:00 to 00/04:29:39

Plot file version 15 created 15-SEP-2005 11:45:26
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:29:40 to 00/04:31:19

Plot file version 16 created 15-SEP-2005 11:45:28
J0225+18 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:31:20 to 00/04:32:59

Plot file version 17 created 15-SEP-2005 11:45:29
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:33:00 to 00/04:34:39

Plot file version 18 created 15-SEP-2005 11:45:31
J0225+18 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:34:40 to 00/04:36:19

Plot file version 19 created 15-SEP-2005 11:45:33
J0204+15 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:36:20 to 00/04:37:59

Plot file version 20 created 15-SEP-2005 11:45:34
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:46:00 to 00/04:47:39

Plot file version 21 created 15-SEP-2005 11:45:36
J0021+71 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:47:40 to 00/04:49:19

Plot file version 22 created 15-SEP-2005 11:45:37
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:49:20 to 00/04:50:59

Plot file version 23 created 15-SEP-2005 11:45:38
J0021+71 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:51:00 to 00/04:52:39

Plot file version 24 created 15-SEP-2005 11:45:39
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:52:40 to 00/04:54:19

Plot file version 25 created 15-SEP-2005 11:45:41
J0021+71 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:54:20 to 00/04:55:59

Plot file version 26 created 15-SEP-2005 11:45:42
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:56:00 to 00/04:57:39

Plot file version 27 created 15-SEP-2005 11:45:44
J0030+70 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:57:40 to 00/04:59:19

Plot file version 28 created 15-SEP-2005 11:45:45
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/04:59:38 to 00/05:00:59

Plot file version 29 created 15-SEP-2005 11:45:46
J0030+70 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:01:00 to 00/05:02:39

Plot file version 30 created 15-SEP-2005 11:45:47
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:02:40 to 00/05:04:19

Plot file version 31 created 15-SEP-2005 11:45:49
J0030+70 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:04:20 to 00/05:05:59

Plot file version 32 created 15-SEP-2005 11:45:50
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:07:01 to 00/05:07:39

Plot file version 33 created 15-SEP-2005 11:45:51
J0157+74 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:07:40 to 00/05:09:39

Plot file version 34 created 15-SEP-2005 11:45:52
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:09:40 to 00/05:11:39

Plot file version 35 created 15-SEP-2005 11:45:54
J0157+74 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:11:40 to 00/05:13:39

Plot file version 36 created 15-SEP-2005 11:45:56
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:13:40 to 00/05:15:39

Plot file version 37 created 15-SEP-2005 11:45:57
J0157+74 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:15:40 to 00/05:17:39

Plot file version 38 created 15-SEP-2005 11:46:00
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:17:40 to 00/05:19:39

Plot file version 39 created 15-SEP-2005 11:46:02
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:24:03 to 00/05:29:59

Plot file version 40 created 15-SEP-2005 11:46:06
J0357+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:30:00 to 00/05:31:39

Plot file version 41 created 15-SEP-2005 11:46:08
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:31:40 to 00/05:33:19

Plot file version 42 created 15-SEP-2005 11:46:10
J0357+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:33:20 to 00/05:34:59

Plot file version 43 created 15-SEP-2005 11:46:11
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:35:00 to 00/05:36:39

Plot file version 44 created 15-SEP-2005 11:46:13
J0357+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:36:40 to 00/05:38:19

Plot file version 45 created 15-SEP-2005 11:46:15
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:38:20 to 00/05:39:59

Plot file version 46 created 15-SEP-2005 11:46:17
J0412+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:40:00 to 00/05:41:39

Plot file version 47 created 15-SEP-2005 11:46:19
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:41:40 to 00/05:43:19

Plot file version 48 created 15-SEP-2005 11:46:21
J0412+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:43:20 to 00/05:44:59

Plot file version 49 created 15-SEP-2005 11:46:22
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:45:23 to 00/05:46:39

Plot file version 50 created 15-SEP-2005 11:46:24
J0412+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:46:40 to 00/05:48:19

Plot file version 51 created 15-SEP-2005 11:46:25
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:49:21 to 00/05:49:59

Plot file version 52 created 15-SEP-2005 11:46:26
J0403+26 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:50:00 to 00/05:51:39

Plot file version 53 created 15-SEP-2005 11:46:28
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:51:40 to 00/05:53:19

Plot file version 54 created 15-SEP-2005 11:46:30
J0403+26 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:53:20 to 00/05:54:59

Plot file version 55 created 15-SEP-2005 11:46:32
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:55:00 to 00/05:56:39

Plot file version 56 created 15-SEP-2005 11:46:33
J0403+26 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:56:40 to 00/05:58:19

Plot file version 57 created 15-SEP-2005 11:46:36
J0401+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/05:58:20 to 00/05:59:59

Plot file version 58 created 15-SEP-2005 11:46:38
J0222-16 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:23 to 00/07:03:59

Plot file version 59 created 15-SEP-2005 11:46:40
J0219-18 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:00 to 00/07:05:39

Plot file version 60 created 15-SEP-2005 11:46:42
J0222-16 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:05:40 to 00/07:07:19

Plot file version 61 created 15-SEP-2005 11:46:43
J0219-18 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:07:20 to 00/07:08:59

Plot file version 62 created 15-SEP-2005 11:46:45
J0222-16 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:09:00 to 00/07:10:39

Plot file version 63 created 15-SEP-2005 11:46:46
J0219-18 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:10:40 to 00/07:12:19

Plot file version 64 created 15-SEP-2005 11:46:48
J0222-16 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:12:20 to 00/07:13:59

Plot file version 65 created 15-SEP-2005 11:46:49
J0204-17 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:14:00 to 00/07:15:39

Plot file version 66 created 15-SEP-2005 11:46:51
J0222-16 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:15:40 to 00/07:17:19

Plot file version 67 created 15-SEP-2005 11:46:52
J0204-17 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:17:20 to 00/07:18:59

Plot file version 68 created 15-SEP-2005 11:46:54
J0222-16 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:19:00 to 00/07:20:39

Plot file version 69 created 15-SEP-2005 11:46:56
J0204-17 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:20:40 to 00/07:24:39

Plot file version 70 created 15-SEP-2005 11:47:00
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:32:00 to 00/07:33:39

Plot file version 71 created 15-SEP-2005 11:47:01
J0021+71 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:33:40 to 00/07:35:19

Plot file version 72 created 15-SEP-2005 11:47:03
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:35:20 to 00/07:36:59

Plot file version 73 created 15-SEP-2005 11:47:04
J0021+71 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:37:00 to 00/07:38:39

Plot file version 74 created 15-SEP-2005 11:47:05
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:38:40 to 00/07:40:19

Plot file version 75 created 15-SEP-2005 11:47:06
J0030+70 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:40:20 to 00/07:41:59

Plot file version 76 created 15-SEP-2005 11:47:08
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:42:00 to 00/07:43:39

Plot file version 77 created 15-SEP-2005 11:47:09
J0030+70 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:44:03 to 00/07:45:19

Plot file version 78 created 15-SEP-2005 11:47:10
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:45:20 to 00/07:46:59

Plot file version 79 created 15-SEP-2005 11:47:11
J2236+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:48:00 to 00/07:48:59

Plot file version 80 created 15-SEP-2005 11:47:13
J0019+73 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/07:53:59

Plot file version 81 created 15-SEP-2005 11:47:15
J2145+11 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:00:16 to 00/08:01:39

Plot file version 82 created 15-SEP-2005 11:47:15
J2147+09 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:01:40 to 00/08:03:19

Plot file version 83 created 15-SEP-2005 11:47:16
J2145+11 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:03:20 to 00/08:04:59

Plot file version 84 created 15-SEP-2005 11:47:16
J2147+09 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:05:00 to 00/08:06:39

Plot file version 85 created 15-SEP-2005 11:47:17
J2145+11 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied









Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:06:40 to 00/08:08:19

Plot file version 86 created 15-SEP-2005 11:47:18
J2148+06 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:08:20 to 00/08:15:19

Plot file version 87 created 15-SEP-2005 11:47:20
J2151+07 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:15:20 to 00/08:16:59

Plot file version 88 created 15-SEP-2005 11:47:20
J2148+06 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:17:13 to 00/08:18:39

Plot file version 89 created 15-SEP-2005 11:47:21
J2151+07 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:18:40 to 00/08:20:19

Plot file version 90 created 15-SEP-2005 11:47:22
J2148+06 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:20:20 to 00/08:21:59

Plot file version 91 created 15-SEP-2005 11:47:23
J2151+07 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:00 to 00/08:23:39

Plot file version 92 created 15-SEP-2005 11:47:23
J2148+06 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:23:40 to 00/08:25:19

Plot file version 93 created 15-SEP-2005 11:47:24
J2147+09 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:25:20 to 00/08:26:59

Plot file version 94 created 15-SEP-2005 11:47:25
J2148+06 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied













Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:27:00 to 00/08:28:39

Plot file version 95 created 15-SEP-2005 11:47:26
J2147+09 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:28:40 to 00/08:30:19

Plot file version 96 created 15-SEP-2005 11:47:26
J2148+06 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:30:20 to 00/08:31:59

Plot file version 97 created 15-SEP-2005 11:47:27
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied













Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:33:00 to 00/08:34:39

Plot file version 98 created 15-SEP-2005 11:47:27
J2212+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:34:40 to 00/08:36:19

Plot file version 99 created 15-SEP-2005 11:47:28
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:36:34 to 00/08:37:59

Plot file version 100 created 15-SEP-2005 11:47:29
J2212+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:38:00 to 00/08:39:39

Plot file version 101 created 15-SEP-2005 11:47:30
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:39:40 to 00/08:41:19

Plot file version 102 created 15-SEP-2005 11:47:31
J2212+23 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:41:20 to 00/08:42:59

Plot file version 103 created 15-SEP-2005 11:47:31
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:43:00 to 00/08:44:39

Plot file version 104 created 15-SEP-2005 11:47:32
J2225+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:44:40 to 00/08:46:19

Plot file version 105 created 15-SEP-2005 11:47:33
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:46:20 to 00/08:47:59

Plot file version 106 created 15-SEP-2005 11:47:34
J2225+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:48:00 to 00/08:49:39

Plot file version 107 created 15-SEP-2005 11:47:34
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied













Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:49:40 to 00/08:51:19

Plot file version 108 created 15-SEP-2005 11:47:35
J2225+21 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:51:20 to 00/08:52:59

Plot file version 109 created 15-SEP-2005 11:47:36
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:53:00 to 00/08:54:39

Plot file version 110 created 15-SEP-2005 11:47:37
J2155+22 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:54:40 to 00/08:57:19

Plot file version 111 created 15-SEP-2005 11:47:38
J2217+24 n05l4.MSORT.1
Freq = 1.6505 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:57:20 to 00/08:59:59