Plot file version 1 created 21-DEC-2010 17:30:03
J2022+61 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:03 to 00/12:09:59

Plot file version 2 created 21-DEC-2010 17:30:37
3C345 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:14:03 to 00/12:27:39

Plot file version 3 created 21-DEC-2010 17:31:16
3C345 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:14:03 to 00/12:27:39


Plot file version 4 created 21-DEC-2010 17:31:21
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:43 to 00/12:39:19

Plot file version 5 created 21-DEC-2010 17:31:45
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:43 to 00/12:39:19


Plot file version 6 created 21-DEC-2010 17:31:49
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) IF 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:39:23 to 00/12:45:19

Plot file version 7 created 21-DEC-2010 17:32:07
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:39:23 to 00/12:45:19


Plot file version 8 created 21-DEC-2010 17:32:10
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:45:23 to 00/12:49:19

Plot file version 9 created 21-DEC-2010 17:32:22
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:45:23 to 00/12:49:19

Plot file version 10 created 21-DEC-2010 17:32:26
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:50:03 to 00/12:55:59

Plot file version 11 created 21-DEC-2010 17:32:44
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:50:03 to 00/12:55:59

Plot file version 12 created 21-DEC-2010 17:32:47
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:56:03 to 00/12:59:59

Plot file version 13 created 21-DEC-2010 17:33:00
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:56:03 to 00/12:59:59

Plot file version 14 created 21-DEC-2010 17:33:04
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:00:03 to 00/13:05:59

Plot file version 15 created 21-DEC-2010 17:33:22
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:00:03 to 00/13:05:59

Plot file version 16 created 21-DEC-2010 17:33:24
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:06:43 to 00/13:10:39

Plot file version 17 created 21-DEC-2010 17:33:37
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:06:43 to 00/13:10:39

Plot file version 18 created 21-DEC-2010 17:33:41
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:10:43 to 00/13:16:39

Plot file version 19 created 21-DEC-2010 17:33:59
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:10:43 to 00/13:16:39

Plot file version 20 created 21-DEC-2010 17:34:01
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:16:43 to 00/13:20:39

Plot file version 21 created 21-DEC-2010 17:34:14
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:16:43 to 00/13:20:39


Plot file version 22 created 21-DEC-2010 17:34:18
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:21:23 to 00/13:27:19

Plot file version 23 created 21-DEC-2010 17:34:36
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:21:23 to 00/13:27:19


Plot file version 24 created 21-DEC-2010 17:34:39
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) IF 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:27:23 to 00/13:31:19

Plot file version 25 created 21-DEC-2010 17:34:51
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:27:23 to 00/13:31:19

Plot file version 26 created 21-DEC-2010 17:34:55
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:31:23 to 00/13:37:19

Plot file version 27 created 21-DEC-2010 17:35:14
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:31:23 to 00/13:37:19

Plot file version 28 created 21-DEC-2010 17:35:16
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:39:23 to 00/13:43:19

Plot file version 29 created 21-DEC-2010 17:35:29
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:39:23 to 00/13:43:19

Plot file version 30 created 21-DEC-2010 17:35:31
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:46:23 to 00/13:50:19

Plot file version 31 created 21-DEC-2010 17:35:44
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:46:23 to 00/13:50:19


Plot file version 32 created 21-DEC-2010 17:35:46
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:51:03 to 00/13:54:59

Plot file version 33 created 21-DEC-2010 17:35:59
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:51:03 to 00/13:54:59

Plot file version 34 created 21-DEC-2010 17:36:02
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:55:03 to 00/14:00:59

Plot file version 35 created 21-DEC-2010 17:36:21
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:55:03 to 00/14:00:59

Plot file version 36 created 21-DEC-2010 17:36:23
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:01:03 to 00/14:04:59

Plot file version 37 created 21-DEC-2010 17:36:36
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:01:03 to 00/14:04:59

Plot file version 38 created 21-DEC-2010 17:36:40
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:05:43 to 00/14:11:39

Plot file version 39 created 21-DEC-2010 17:36:58
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:05:43 to 00/14:11:39


Plot file version 40 created 21-DEC-2010 17:37:01
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied
WB - JB 2 - 3
WB - ON 2 - 4
WB - MC 2 - 5
WB - TR 2 - 6
WB - SV 2 - 7
WB - ZC 2 - 8
WB - BD 2 - 9
WB - CM 2 - 10
WB - KN 2 - 11
IF 1(LR) 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)
IF 1(LR) 2(LR) 3(LR) 4(LR) 5(LR) 6(LR) 7(LR) 8(LR)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:12:23 to 00/14:16:19

Plot file version 41 created 21-DEC-2010 17:37:13
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:12:23 to 00/14:16:19

Plot file version 42 created 21-DEC-2010 17:37:16
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:16:27 to 00/14:22:19

Plot file version 43 created 21-DEC-2010 17:37:32
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:22:23 to 00/14:26:19

Plot file version 44 created 21-DEC-2010 17:37:46
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:27:03 to 00/14:32:59

Plot file version 45 created 21-DEC-2010 17:38:03
J1606+31 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:33:03 to 00/14:36:59

Plot file version 46 created 21-DEC-2010 17:38:16
J1605+30 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:37:03 to 00/14:42:59

Plot file version 47 created 21-DEC-2010 17:38:40
3C345 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:46:03 to 00/14:59:39

Plot file version 48 created 21-DEC-2010 17:39:18
3C345 N10L3.UVDATA.1
Freq = 1.6267 GHz, Bw = 8.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:46:03 to 00/14:59:39