









Plot file version 1 created 29-DEC-2011 12:15:00  
3C84 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/06:00:01 to 00/06:22:00





Plot file version 2 created 29-DEC-2011 12:15:36  
3C84 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/06:22:02 to 00/06:36:00







Plot file version 3 created 29-DEC-2011 12:15:59  
NRAO150 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/06:38:01 to 00/07:00:01

Plot file version 4 created 29-DEC-2011 12:16:23  
NRAO150 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/07:00:02 to 00/07:10:00

Plot file version 5 created 29-DEC-2011 12:16:39  
0528+134 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)









Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/07:13:01 to 00/07:32:00

Plot file version 6 created 29-DEC-2011 12:17:06  
3C84 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/07:35:01 to 00/07:45:59

Plot file version 7 created 29-DEC-2011 12:17:26  
0420-014 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/07:49:01 to 00/07:58:59

Plot file version 8 created 29-DEC-2011 12:17:44  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:03:01 to 00/08:03:59

Plot file version 9 created 29-DEC-2011 12:17:46  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:04:16 to 00/08:04:59





Plot file version 10 created 29-DEC-2011 12:17:47  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:05:16 to 00/08:06:00







Plot file version 11 created 29-DEC-2011 12:17:48  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:06:16 to 00/08:06:59

Plot file version 12 created 29-DEC-2011 12:18:03  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:19:16 to 00/08:20:00

Plot file version 13 created 29-DEC-2011 12:18:05  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:20:16 to 00/08:20:59

Plot file version 14 created 29-DEC-2011 12:18:13  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:28:01 to 00/08:29:00

Plot file version 15 created 29-DEC-2011 12:18:15  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:29:16 to 00/08:30:00

Plot file version 16 created 29-DEC-2011 12:18:17  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:30:16 to 00/08:30:59

Plot file version 17 created 29-DEC-2011 12:18:18  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:31:16 to 00/08:32:00





Plot file version 18 created 29-DEC-2011 12:18:20  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:33:01 to 00/08:33:59







Plot file version 19 created 29-DEC-2011 12:18:22  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:34:16 to 00/08:35:00

Plot file version 20 created 29-DEC-2011 12:18:23  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:35:16 to 00/08:36:00

Plot file version 21 created 29-DEC-2011 12:18:25  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:36:16 to 00/08:37:00

Plot file version 22 created 29-DEC-2011 12:18:26  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:38:01 to 00/08:38:59

Plot file version 23 created 29-DEC-2011 12:18:28  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:39:16 to 00/08:40:00

Plot file version 24 created 29-DEC-2011 12:18:30  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:40:16 to 00/08:41:00

Plot file version 25 created 29-DEC-2011 12:18:31  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:41:16 to 00/08:42:00





Plot file version 26 created 29-DEC-2011 12:18:33  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:43:01 to 00/08:43:59







Plot file version 27 created 29-DEC-2011 12:18:35  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:44:16 to 00/08:45:00

Plot file version 28 created 29-DEC-2011 12:18:36  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:45:16 to 00/08:45:59

Plot file version 29 created 29-DEC-2011 12:18:38  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:46:16 to 00/08:46:59

Plot file version 30 created 29-DEC-2011 12:18:39  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:48:01 to 00/08:49:00

Plot file version 31 created 29-DEC-2011 12:18:41  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:49:16 to 00/08:49:59

Plot file version 32 created 29-DEC-2011 12:18:42  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:50:16 to 00/08:50:59

Plot file version 33 created 29-DEC-2011 12:18:44  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:51:16 to 00/08:51:59





Plot file version 34 created 29-DEC-2011 12:18:46  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:53:01 to 00/08:54:00







Plot file version 35 created 29-DEC-2011 12:18:48  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:54:16 to 00/08:54:59

Plot file version 36 created 29-DEC-2011 12:18:49  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:55:16 to 00/08:56:00

Plot file version 37 created 29-DEC-2011 12:18:50  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:56:16 to 00/08:57:00

Plot file version 38 created 29-DEC-2011 12:18:52  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:58:01 to 00/08:59:00

Plot file version 39 created 29-DEC-2011 12:18:54  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/08:59:16 to 00/08:59:59

Plot file version 40 created 29-DEC-2011 12:18:55  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:00:16 to 00/09:01:00

Plot file version 41 created 29-DEC-2011 12:18:57  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:01:16 to 00/09:01:59





Plot file version 42 created 29-DEC-2011 12:18:59  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:03:01 to 00/09:04:00







Plot file version 43 created 29-DEC-2011 12:19:01  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:04:16 to 00/09:04:59

Plot file version 44 created 29-DEC-2011 12:19:02  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:05:16 to 00/09:05:59

Plot file version 45 created 29-DEC-2011 12:19:04  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:06:16 to 00/09:07:00

Plot file version 46 created 29-DEC-2011 12:19:05  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:08:01 to 00/09:09:00

Plot file version 47 created 29-DEC-2011 12:19:07  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:09:16 to 00/09:10:00

Plot file version 48 created 29-DEC-2011 12:19:09  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:10:16 to 00/09:10:59

Plot file version 49 created 29-DEC-2011 12:19:10  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:11:16 to 00/09:12:00





Plot file version 50 created 29-DEC-2011 12:19:12  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:13:01 to 00/09:14:00







Plot file version 51 created 29-DEC-2011 12:19:14  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:14:16 to 00/09:14:59

Plot file version 52 created 29-DEC-2011 12:19:15  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:15:16 to 00/09:15:59

Plot file version 53 created 29-DEC-2011 12:19:17  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:16:16 to 00/09:17:00

Plot file version 54 created 29-DEC-2011 12:19:18  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:18:01 to 00/09:18:59

Plot file version 55 created 29-DEC-2011 12:19:20  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:19:16 to 00/09:20:00

Plot file version 56 created 29-DEC-2011 12:19:22  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:20:16 to 00/09:20:59

Plot file version 57 created 29-DEC-2011 12:19:23  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:21:16 to 00/09:22:00





Plot file version 58 created 29-DEC-2011 12:19:24  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:23:01 to 00/09:23:59







Plot file version 59 created 29-DEC-2011 12:19:26  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:24:16 to 00/09:25:00

Plot file version 60 created 29-DEC-2011 12:19:28  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:25:16 to 00/09:26:00

Plot file version 61 created 29-DEC-2011 12:19:29  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:26:16 to 00/09:27:00

Plot file version 62 created 29-DEC-2011 12:19:31  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:28:01 to 00/09:28:59

Plot file version 63 created 29-DEC-2011 12:19:33  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:29:16 to 00/09:30:00

Plot file version 64 created 29-DEC-2011 12:19:34  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:30:16 to 00/09:30:59

Plot file version 65 created 29-DEC-2011 12:19:36  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:31:16 to 00/09:31:59





Plot file version 66 created 29-DEC-2011 12:19:38  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:33:01 to 00/09:34:00







Plot file version 67 created 29-DEC-2011 12:19:40  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:34:16 to 00/09:34:59

Plot file version 68 created 29-DEC-2011 12:19:41  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)





Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:35:16 to 00/09:36:00

Plot file version 69 created 29-DEC-2011 12:19:42  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:36:16 to 00/09:36:59

Plot file version 70 created 29-DEC-2011 12:19:44  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:38:01 to 00/09:39:00

Plot file version 71 created 29-DEC-2011 12:19:46  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:39:16 to 00/09:39:59

Plot file version 72 created 29-DEC-2011 12:19:47  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:40:16 to 00/09:41:00

Plot file version 73 created 29-DEC-2011 12:19:49  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:41:16 to 00/09:42:00





Plot file version 74 created 29-DEC-2011 12:19:50  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:43:01 to 00/09:44:00





Plot file version 75 created 29-DEC-2011 12:19:52  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:44:16 to 00/09:44:59

Plot file version 76 created 29-DEC-2011 12:19:54  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:45:16 to 00/09:46:00

Plot file version 77 created 29-DEC-2011 12:19:55  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:46:16 to 00/09:47:00

Plot file version 78 created 29-DEC-2011 12:19:57  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:47:16 to 00/09:47:59

Plot file version 79 created 29-DEC-2011 12:20:02  
3C84 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/09:51:01 to 00/10:00:59

Plot file version 80 created 29-DEC-2011 12:20:18  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:05:16 to 00/10:06:00

Plot file version 81 created 29-DEC-2011 12:20:19  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:06:16 to 00/10:07:00





Plot file version 82 created 29-DEC-2011 12:20:21  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:07:16 to 00/10:08:00







Plot file version 83 created 29-DEC-2011 12:20:22  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:09:01 to 00/10:10:00

Plot file version 84 created 29-DEC-2011 12:20:24  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:10:16 to 00/10:11:00

Plot file version 85 created 29-DEC-2011 12:20:26  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:11:16 to 00/10:12:00

Plot file version 86 created 29-DEC-2011 12:20:27  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:12:16 to 00/10:13:00

Plot file version 87 created 29-DEC-2011 12:20:29  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:14:01 to 00/10:15:00

Plot file version 88 created 29-DEC-2011 12:20:31  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:15:16 to 00/10:15:59

Plot file version 89 created 29-DEC-2011 12:20:32  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:16:16 to 00/10:16:59





Plot file version 90 created 29-DEC-2011 12:20:34  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:17:16 to 00/10:18:00







Plot file version 91 created 29-DEC-2011 12:20:35  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:19:01 to 00/10:19:59

Plot file version 92 created 29-DEC-2011 12:20:37  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:20:16 to 00/10:21:00

Plot file version 93 created 29-DEC-2011 12:20:39  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:21:16 to 00/10:22:00

Plot file version 94 created 29-DEC-2011 12:20:40  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:22:16 to 00/10:23:00

Plot file version 95 created 29-DEC-2011 12:20:42  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:24:01 to 00/10:24:59

Plot file version 96 created 29-DEC-2011 12:20:44  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:25:16 to 00/10:26:00

Plot file version 97 created 29-DEC-2011 12:20:45  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:26:16 to 00/10:27:00





Plot file version 98 created 29-DEC-2011 12:20:47  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:27:16 to 00/10:28:00







Plot file version 99 created 29-DEC-2011 12:20:48  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:29:01 to 00/10:29:59

Plot file version 100 created 29-DEC-2011 12:20:50  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:30:16 to 00/10:31:00

Plot file version 101 created 29-DEC-2011 12:20:52  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:31:16 to 00/10:31:59

Plot file version 102 created 29-DEC-2011 12:20:53  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:32:16 to 00/10:32:59

Plot file version 103 created 29-DEC-2011 12:20:55  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:34:01 to 00/10:34:59

Plot file version 104 created 29-DEC-2011 12:20:57  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:35:16 to 00/10:35:59

Plot file version 105 created 29-DEC-2011 12:20:58  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:36:16 to 00/10:37:00





Plot file version 106 created 29-DEC-2011 12:20:59  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:37:16 to 00/10:37:59







Plot file version 107 created 29-DEC-2011 12:21:01  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:39:01 to 00/10:40:00

Plot file version 108 created 29-DEC-2011 12:21:03  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:40:16 to 00/10:40:59

Plot file version 109 created 29-DEC-2011 12:21:04  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:41:16 to 00/10:42:00

Plot file version 110 created 29-DEC-2011 12:21:06  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:42:16 to 00/10:42:59

Plot file version 111 created 29-DEC-2011 12:21:08  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:44:01 to 00/10:45:00

Plot file version 112 created 29-DEC-2011 12:21:09  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:45:17 to 00/10:45:59

Plot file version 113 created 29-DEC-2011 12:21:11  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:46:17 to 00/10:47:00





Plot file version 114 created 29-DEC-2011 12:21:12  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:47:17 to 00/10:47:59







Plot file version 115 created 29-DEC-2011 12:21:14  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:49:01 to 00/10:50:00

Plot file version 116 created 29-DEC-2011 12:21:16  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:50:17 to 00/10:51:00

Plot file version 117 created 29-DEC-2011 12:21:17  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:51:17 to 00/10:52:00

Plot file version 118 created 29-DEC-2011 12:21:19  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:52:17 to 00/10:52:59

Plot file version 119 created 29-DEC-2011 12:21:20  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:54:01 to 00/10:55:00

Plot file version 120 created 29-DEC-2011 12:21:22  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:55:17 to 00/10:56:00

Plot file version 121 created 29-DEC-2011 12:21:23  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:56:17 to 00/10:57:00





Plot file version 122 created 29-DEC-2011 12:21:25  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:57:17 to 00/10:58:00







Plot file version 123 created 29-DEC-2011 12:21:27  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/10:59:01 to 00/11:00:00

Plot file version 124 created 29-DEC-2011 12:21:28  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:00:17 to 00/11:00:59

Plot file version 125 created 29-DEC-2011 12:21:30  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:01:17 to 00/11:01:59

Plot file version 126 created 29-DEC-2011 12:21:31  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:02:17 to 00/11:03:00

Plot file version 127 created 29-DEC-2011 12:21:33  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:04:01 to 00/11:04:59

Plot file version 128 created 29-DEC-2011 12:21:35  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:05:17 to 00/11:06:00

Plot file version 129 created 29-DEC-2011 12:21:36  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:06:17 to 00/11:06:59





Plot file version 130 created 29-DEC-2011 12:21:37  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:07:17 to 00/11:08:00







Plot file version 131 created 29-DEC-2011 12:21:39  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:09:01 to 00/11:09:59

Plot file version 132 created 29-DEC-2011 12:21:41  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:10:17 to 00/11:11:00

Plot file version 133 created 29-DEC-2011 12:21:42  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:11:17 to 00/11:12:00

Plot file version 134 created 29-DEC-2011 12:21:44  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:12:17 to 00/11:13:00

Plot file version 135 created 29-DEC-2011 12:21:45  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:14:01 to 00/11:14:59

Plot file version 136 created 29-DEC-2011 12:21:47  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:15:17 to 00/11:16:00

Plot file version 137 created 29-DEC-2011 12:21:48  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:16:17 to 00/11:16:59





Plot file version 138 created 29-DEC-2011 12:21:50  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:17:17 to 00/11:17:59







Plot file version 139 created 29-DEC-2011 12:21:51  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:19:01 to 00/11:19:59

Plot file version 140 created 29-DEC-2011 12:21:53  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:20:17 to 00/11:20:59

Plot file version 141 created 29-DEC-2011 12:21:55  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:21:17 to 00/11:22:00

Plot file version 142 created 29-DEC-2011 12:21:56  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:22:17 to 00/11:22:59

Plot file version 143 created 29-DEC-2011 12:21:58  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:24:01 to 00/11:25:00

Plot file version 144 created 29-DEC-2011 12:21:59  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)






Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:25:17 to 00/11:25:59

Plot file version 145 created 29-DEC-2011 12:22:01  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:26:17 to 00/11:27:00




Plot file version 146 created 29-DEC-2011 12:22:02  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:27:17 to 00/11:27:59






Plot file version 147 created 29-DEC-2011 12:22:04  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:29:01 to 00/11:29:59

Plot file version 148 created 29-DEC-2011 12:22:06  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:30:17 to 00/11:30:59

Plot file version 149 created 29-DEC-2011 12:22:07  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:31:17 to 00/11:32:00

Plot file version 150 created 29-DEC-2011 12:22:09  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:32:17 to 00/11:32:59

Plot file version 151 created 29-DEC-2011 12:22:10  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:34:01 to 00/11:35:00

Plot file version 152 created 29-DEC-2011 12:22:12  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:35:17 to 00/11:35:59

Plot file version 153 created 29-DEC-2011 12:22:13  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:36:17 to 00/11:37:00





Plot file version 154 created 29-DEC-2011 12:22:14  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:37:17 to 00/11:37:59







Plot file version 155 created 29-DEC-2011 12:22:16  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:39:01 to 00/11:40:00

Plot file version 156 created 29-DEC-2011 12:22:18  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:40:17 to 00/11:41:00

Plot file version 157 created 29-DEC-2011 12:22:19  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:41:17 to 00/11:42:00

Plot file version 158 created 29-DEC-2011 12:22:21  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:42:17 to 00/11:43:00

Plot file version 159 created 29-DEC-2011 12:22:22  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:44:01 to 00/11:45:00

Plot file version 160 created 29-DEC-2011 12:22:24  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:45:17 to 00/11:45:59

Plot file version 161 created 29-DEC-2011 12:22:25  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:46:17 to 00/11:46:59





Plot file version 162 created 29-DEC-2011 12:22:27  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:47:17 to 00/11:48:00







Plot file version 163 created 29-DEC-2011 12:22:28  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:48:17 to 00/11:48:59

Plot file version 164 created 29-DEC-2011 12:22:34  
4C39.25 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/11:52:01 to 00/12:02:00

Plot file version 165 created 29-DEC-2011 12:22:52  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:09:17 to 00/12:10:00

Plot file version 166 created 29-DEC-2011 12:22:53  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:11:01 to 00/12:12:00

Plot file version 167 created 29-DEC-2011 12:22:56  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:12:17 to 00/12:13:00

Plot file version 168 created 29-DEC-2011 12:22:57  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:13:17 to 00/12:13:59

Plot file version 169 created 29-DEC-2011 12:22:58  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:14:17 to 00/12:15:00





Plot file version 170 created 29-DEC-2011 12:23:00  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:16:01 to 00/12:17:00







Plot file version 171 created 29-DEC-2011 12:23:02  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:17:17 to 00/12:18:00

Plot file version 172 created 29-DEC-2011 12:23:03  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:18:17 to 00/12:19:00

Plot file version 173 created 29-DEC-2011 12:23:05  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:19:17 to 00/12:19:59

Plot file version 174 created 29-DEC-2011 12:23:06  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:21:01 to 00/12:21:59

Plot file version 175 created 29-DEC-2011 12:23:08  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:22:17 to 00/12:22:59

Plot file version 176 created 29-DEC-2011 12:23:09  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:23:17 to 00/12:23:59

Plot file version 177 created 29-DEC-2011 12:23:10  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:24:17 to 00/12:25:00





Plot file version 178 created 29-DEC-2011 12:23:12  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:26:01 to 00/12:26:59







Plot file version 179 created 29-DEC-2011 12:23:14  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:27:17 to 00/12:28:00

Plot file version 180 created 29-DEC-2011 12:23:15  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:28:17 to 00/12:29:00

Plot file version 181 created 29-DEC-2011 12:23:17  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:29:17 to 00/12:29:59

Plot file version 182 created 29-DEC-2011 12:23:18  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:31:01 to 00/12:32:00

Plot file version 183 created 29-DEC-2011 12:23:20  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:32:17 to 00/12:32:59

Plot file version 184 created 29-DEC-2011 12:23:21  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:33:17 to 00/12:34:00

Plot file version 185 created 29-DEC-2011 12:23:23  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:34:17 to 00/12:34:59





Plot file version 186 created 29-DEC-2011 12:23:24  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:36:01 to 00/12:36:59







Plot file version 187 created 29-DEC-2011 12:23:26  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:37:17 to 00/12:38:00

Plot file version 188 created 29-DEC-2011 12:23:27  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:38:17 to 00/12:39:00

Plot file version 189 created 29-DEC-2011 12:23:29  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:39:17 to 00/12:39:59

Plot file version 190 created 29-DEC-2011 12:23:30  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:41:01 to 00/12:42:00

Plot file version 191 created 29-DEC-2011 12:23:32  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:42:17 to 00/12:42:59

Plot file version 192 created 29-DEC-2011 12:23:34  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:43:17 to 00/12:43:59

Plot file version 193 created 29-DEC-2011 12:23:35  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:44:17 to 00/12:44:59





Plot file version 194 created 29-DEC-2011 12:23:37  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:46:01 to 00/12:47:00







Plot file version 195 created 29-DEC-2011 12:23:39  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:47:17 to 00/12:47:59

Plot file version 196 created 29-DEC-2011 12:23:40  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:48:17 to 00/12:49:00

Plot file version 197 created 29-DEC-2011 12:23:41  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:49:17 to 00/12:50:00

Plot file version 198 created 29-DEC-2011 12:23:43  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:51:01 to 00/12:52:00

Plot file version 199 created 29-DEC-2011 12:23:45  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:52:17 to 00/12:53:00

Plot file version 200 created 29-DEC-2011 12:23:46  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:53:17 to 00/12:53:59

Plot file version 201 created 29-DEC-2011 12:23:47  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:54:17 to 00/12:55:00





Plot file version 202 created 29-DEC-2011 12:23:49  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:56:01 to 00/12:57:00







Plot file version 203 created 29-DEC-2011 12:23:51  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:57:17 to 00/12:58:00

Plot file version 204 created 29-DEC-2011 12:23:52  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:58:17 to 00/12:58:59

Plot file version 205 created 29-DEC-2011 12:23:54  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/12:59:17 to 00/13:00:00

Plot file version 206 created 29-DEC-2011 12:23:55  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:01:01 to 00/13:02:00

Plot file version 207 created 29-DEC-2011 12:23:57  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:02:17 to 00/13:02:59

Plot file version 208 created 29-DEC-2011 12:23:58  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:03:17 to 00/13:04:00

Plot file version 209 created 29-DEC-2011 12:24:00  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:04:17 to 00/13:04:59





Plot file version 210 created 29-DEC-2011 12:24:01  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:06:01 to 00/13:06:59







Plot file version 211 created 29-DEC-2011 12:24:03  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:07:17 to 00/13:08:00

Plot file version 212 created 29-DEC-2011 12:24:05  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:08:17 to 00/13:08:59

Plot file version 213 created 29-DEC-2011 12:24:06  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:09:17 to 00/13:10:00

Plot file version 214 created 29-DEC-2011 12:24:07  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:11:01 to 00/13:11:59

Plot file version 215 created 29-DEC-2011 12:24:09  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:12:17 to 00/13:13:00

Plot file version 216 created 29-DEC-2011 12:24:11  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:13:17 to 00/13:14:00

Plot file version 217 created 29-DEC-2011 12:24:12  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:14:17 to 00/13:14:59





Plot file version 218 created 29-DEC-2011 12:24:13  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:16:01 to 00/13:17:00







Plot file version 219 created 29-DEC-2011 12:24:15  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:17:17 to 00/13:17:59

Plot file version 220 created 29-DEC-2011 12:24:17  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:18:17 to 00/13:19:00

Plot file version 221 created 29-DEC-2011 12:24:18  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:19:17 to 00/13:19:59

Plot file version 222 created 29-DEC-2011 12:24:20  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:21:01 to 00/13:21:59

Plot file version 223 created 29-DEC-2011 12:24:22  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:22:17 to 00/13:23:00

Plot file version 224 created 29-DEC-2011 12:24:23  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:23:17 to 00/13:24:00

Plot file version 225 created 29-DEC-2011 12:24:24  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:24:17 to 00/13:24:59





Plot file version 226 created 29-DEC-2011 12:24:26  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:26:01 to 00/13:27:00







Plot file version 227 created 29-DEC-2011 12:24:28  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:27:17 to 00/13:27:59

Plot file version 228 created 29-DEC-2011 12:24:29  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:28:17 to 00/13:29:00

Plot file version 229 created 29-DEC-2011 12:24:31  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:29:17 to 00/13:30:00

Plot file version 230 created 29-DEC-2011 12:24:32  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:31:01 to 00/13:32:00

Plot file version 231 created 29-DEC-2011 12:24:34  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:32:17 to 00/13:32:59

Plot file version 232 created 29-DEC-2011 12:24:35  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:33:17 to 00/13:34:00

Plot file version 233 created 29-DEC-2011 12:24:37  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:34:17 to 00/13:35:00





Plot file version 234 created 29-DEC-2011 12:24:38  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:36:01 to 00/13:37:00







Plot file version 235 created 29-DEC-2011 12:24:40  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:37:17 to 00/13:38:00

Plot file version 236 created 29-DEC-2011 12:24:41  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:38:17 to 00/13:38:59

Plot file version 237 created 29-DEC-2011 12:24:43  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:39:17 to 00/13:40:00

Plot file version 238 created 29-DEC-2011 12:24:44  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:41:01 to 00/13:42:00

Plot file version 239 created 29-DEC-2011 12:24:46  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:42:17 to 00/13:43:00

Plot file version 240 created 29-DEC-2011 12:24:48  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:43:17 to 00/13:43:59

Plot file version 241 created 29-DEC-2011 12:24:49  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:44:17 to 00/13:45:00





Plot file version 242 created 29-DEC-2011 12:24:51  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:46:01 to 00/13:47:00







Plot file version 243 created 29-DEC-2011 12:24:53  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:47:17 to 00/13:47:59

Plot file version 244 created 29-DEC-2011 12:24:54  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:48:17 to 00/13:49:00

Plot file version 245 created 29-DEC-2011 12:24:55  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:49:17 to 00/13:49:59

Plot file version 246 created 29-DEC-2011 12:24:56  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:50:17 to 00/13:51:00

Plot file version 247 created 29-DEC-2011 12:25:02  
4C39.25 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/13:54:01 to 00/14:04:00

Plot file version 248 created 29-DEC-2011 12:25:16  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:08:01 to 00/14:09:00

Plot file version 249 created 29-DEC-2011 12:25:17  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:09:17 to 00/14:09:59





Plot file version 250 created 29-DEC-2011 12:25:19  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:10:17 to 00/14:10:59







Plot file version 251 created 29-DEC-2011 12:25:20  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:11:17 to 00/14:11:59

Plot file version 252 created 29-DEC-2011 12:25:21  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:13:01 to 00/14:14:00

Plot file version 253 created 29-DEC-2011 12:25:23  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:14:17 to 00/14:15:00

Plot file version 254 created 29-DEC-2011 12:25:25  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:15:17 to 00/14:15:59

Plot file version 255 created 29-DEC-2011 12:25:26  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:16:17 to 00/14:16:59

Plot file version 256 created 29-DEC-2011 12:25:28  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:18:01 to 00/14:19:00

Plot file version 257 created 29-DEC-2011 12:25:30  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:19:17 to 00/14:20:00





Plot file version 258 created 29-DEC-2011 12:25:31  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:20:17 to 00/14:21:00







Plot file version 259 created 29-DEC-2011 12:25:32  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:21:17 to 00/14:22:00

Plot file version 260 created 29-DEC-2011 12:25:34  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:23:01 to 00/14:24:00

Plot file version 261 created 29-DEC-2011 12:25:36  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:24:17 to 00/14:25:00

Plot file version 262 created 29-DEC-2011 12:25:37  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:25:17 to 00/14:25:59

Plot file version 263 created 29-DEC-2011 12:25:39  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:26:17 to 00/14:27:00

Plot file version 264 created 29-DEC-2011 12:25:40  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:28:01 to 00/14:28:59

Plot file version 265 created 29-DEC-2011 12:25:42  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:29:17 to 00/14:30:00





Plot file version 266 created 29-DEC-2011 12:25:43  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:30:17 to 00/14:30:59







Plot file version 267 created 29-DEC-2011 12:25:45  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:31:17 to 00/14:31:59

Plot file version 268 created 29-DEC-2011 12:25:46  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:33:01 to 00/14:34:00

Plot file version 269 created 29-DEC-2011 12:25:48  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:34:17 to 00/14:34:59

Plot file version 270 created 29-DEC-2011 12:25:50  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:35:17 to 00/14:36:00

Plot file version 271 created 29-DEC-2011 12:25:51  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:36:17 to 00/14:36:59

Plot file version 272 created 29-DEC-2011 12:25:53  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:38:01 to 00/14:38:59

Plot file version 273 created 29-DEC-2011 12:25:55  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:39:17 to 00/14:40:00





Plot file version 274 created 29-DEC-2011 12:25:56  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:40:17 to 00/14:41:00







Plot file version 275 created 29-DEC-2011 12:25:57  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:41:17 to 00/14:41:59

Plot file version 276 created 29-DEC-2011 12:25:58  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)







Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:42:17 to 00/14:43:00

Plot file version 277 created 29-DEC-2011 12:26:00  
ORIKL1 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Kilo Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:43:17 to 00/14:44:00

Plot file version 278 created 29-DEC-2011 12:26:01  
J0541-05 RM007 2.UVAVG.1  
Calibrated with CL # 3 and BP # 1 (BP mode 1)



Lower frame: Ampl Jy Top frame: Phas deg  
Vector averaged cross-power spectrum Several baselines displayed  
Timerange: 00/14:44:17 to 00/14:45:00