Plot file version 1 created 07-OCT-2010 14:26:35
4C39.25 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied













Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:30:42 to 00/06:44:58

Plot file version 2 created 07-OCT-2010 14:26:41
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/06:47:02 to 00/06:59:58

Plot file version 3 created 07-OCT-2010 14:26:43
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:00:02 to 00/07:04:38

Plot file version 4 created 07-OCT-2010 14:26:44
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:04:42 to 00/07:05:54

Plot file version 5 created 07-OCT-2010 14:26:44
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:05:58 to 00/07:07:22

Plot file version 6 created 07-OCT-2010 14:26:45
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:07:26 to 00/07:12:02

Plot file version 7 created 07-OCT-2010 14:26:45
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied











Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:12:06 to 00/07:13:18

Plot file version 8 created 07-OCT-2010 14:26:46
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:14:02 to 00/07:14:58

Plot file version 9 created 07-OCT-2010 14:26:46
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:15:02 to 00/07:19:38

Plot file version 10 created 07-OCT-2010 14:26:47
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:19:42 to 00/07:20:54

Plot file version 11 created 07-OCT-2010 14:26:47
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:20:58 to 00/07:22:22

Plot file version 12 created 07-OCT-2010 14:26:48
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:22:26 to 00/07:27:02

Plot file version 13 created 07-OCT-2010 14:26:49
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:27:06 to 00/07:28:18

Plot file version 14 created 07-OCT-2010 14:26:49
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:29:02 to 00/07:29:58

Plot file version 15 created 07-OCT-2010 14:26:49
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:30:02 to 00/07:34:38

Plot file version 16 created 07-OCT-2010 14:26:50
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:34:42 to 00/07:35:54

Plot file version 17 created 07-OCT-2010 14:26:50
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:35:58 to 00/07:37:22

Plot file version 18 created 07-OCT-2010 14:26:51
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:37:26 to 00/07:42:02

Plot file version 19 created 07-OCT-2010 14:26:52
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:42:06 to 00/07:43:18

Plot file version 20 created 07-OCT-2010 14:26:52
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:44:02 to 00/07:44:58

Plot file version 21 created 07-OCT-2010 14:26:52
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:45:02 to 00/07:49:38

Plot file version 22 created 07-OCT-2010 14:26:53
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:49:42 to 00/07:50:54

Plot file version 23 created 07-OCT-2010 14:26:54
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:58 to 00/07:52:22

Plot file version 24 created 07-OCT-2010 14:26:54
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied











Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:52:26 to 00/07:57:02

Plot file version 25 created 07-OCT-2010 14:26:55
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:57:06 to 00/07:58:18

Plot file version 26 created 07-OCT-2010 14:26:55
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:59:02 to 00/07:59:58

Plot file version 27 created 07-OCT-2010 14:26:55
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:00:02 to 00/08:04:38

Plot file version 28 created 07-OCT-2010 14:26:56
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:04:42 to 00/08:05:54

Plot file version 29 created 07-OCT-2010 14:26:56
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:05:58 to 00/08:07:22

Plot file version 30 created 07-OCT-2010 14:26:57
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied













Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:07:26 to 00/08:12:02

Plot file version 31 created 07-OCT-2010 14:26:58
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:12:06 to 00/08:13:18

Plot file version 32 created 07-OCT-2010 14:26:58
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:14:02 to 00/08:14:58

Plot file version 33 created 07-OCT-2010 14:26:58
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:15:02 to 00/08:19:38

Plot file version 34 created 07-OCT-2010 14:26:59
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:19:42 to 00/08:20:54

Plot file version 35 created 07-OCT-2010 14:26:59
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:20:58 to 00/08:22:22

Plot file version 36 created 07-OCT-2010 14:27:00
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:22:26 to 00/08:27:02

Plot file version 37 created 07-OCT-2010 14:27:01
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:27:06 to 00/08:28:18

Plot file version 38 created 07-OCT-2010 14:27:01
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:29:02 to 00/08:29:58

Plot file version 39 created 07-OCT-2010 14:27:01
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:30:02 to 00/08:34:38

Plot file version 40 created 07-OCT-2010 14:27:02
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:34:42 to 00/08:35:54

Plot file version 41 created 07-OCT-2010 14:27:03
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:35:58 to 00/08:37:22

Plot file version 42 created 07-OCT-2010 14:27:03
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:37:26 to 00/08:42:02

Plot file version 43 created 07-OCT-2010 14:27:04
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:42:06 to 00/08:43:18

Plot file version 44 created 07-OCT-2010 14:27:04
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:44:02 to 00/08:44:58

Plot file version 45 created 07-OCT-2010 14:27:05
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:45:02 to 00/08:49:38

Plot file version 46 created 07-OCT-2010 14:27:05
CAL1 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:49:42 to 00/08:50:54

Plot file version 47 created 07-OCT-2010 14:27:06
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:50:58 to 00/08:52:22

Plot file version 48 created 07-OCT-2010 14:27:06
J134054 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:52:26 to 00/08:57:02

Plot file version 49 created 07-OCT-2010 14:27:07
CAL2 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:57:06 to 00/08:58:18

Plot file version 50 created 07-OCT-2010 14:27:07
J1345+44 RSP03.UVDATA.1
Freq = 1.6015 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied





Lower frame: Micro Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/08:59:02 to 00/08:59:58