Plot file version 1 created 18-JAN-2013 13:09:03
J2229-08 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:05:03 to 00/13:19:57

Plot file version 2 created 18-JAN-2013 13:09:06
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:22:03 to 00/13:27:27

Plot file version 3 created 18-JAN-2013 13:09:08
J2215-29   RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

MC - YS   3 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:39:27 to 00/13:39:27

MC - YS

3 - 7

YS - HH

7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:39:33 to 00/13:40:57

Plot file version 5 created 18-JAN-2013 13:09:09
J2215-29 RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:41:03 to 00/13:42:27

Plot file version 6 created 18-JAN-2013 13:09:09
J2223-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS

3 - 7

YS - HH

7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:42:33 to 00/13:43:57

Plot file version 7 created 18-JAN-2013 13:09:10
J2215-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS

3 - 7

YS - HH

7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:44:03 to 00/13:45:27

Plot file version 8 created 18-JAN-2013 13:09:10
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:45:33 to 00/13:46:57

Plot file version 9 created 18-JAN-2013 13:09:11
J2215-29   RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:47:03 to 00/13:48:27

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:48:33 to 00/13:49:57

Plot file version 11 created 18-JAN-2013 13:09:12
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7
YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/13:51:03 to 00/14:06:26

Plot file version 12 created 18-JAN-2013 13:09:14
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:06:34 to 00/14:07:58

Plot file version 13 created 18-JAN-2013 13:09:14
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   **3 - 7**

**YS - HH**   **7 - 10**

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:08:04 to 00/14:09:28

Plot file version 14 created 18-JAN-2013 13:09:15
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:09:34 to 00/14:10:56

Plot file version 15 created 18-JAN-2013 13:09:15
J2215-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied

Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:11:04 to 00/14:15:27

J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:15:33 to 00/14:16:57

Plot file version 17 created 18-JAN-2013 13:09:16
J2215-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:17:03 to 00/14:18:27

Plot file version 18 created 18-JAN-2013 13:09:16
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:18:33 to 00/14:19:57

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:25:09 to 00/14:27:27

Plot file version 20 created 18-JAN-2013 13:09:17
J2223-29   RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:28:33 to 00/14:34:57

Plot file version 21 created 18-JAN-2013 13:09:18
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:35:03 to 00/14:36:27

Plot file version 22 created 18-JAN-2013 13:09:18
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

NT - YS   4 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:36:33 to 00/14:37:57

Plot file version 23 created 18-JAN-2013 13:09:18
J2223-29   RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:40:08 to 00/14:40:58

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:41:04 to 00/14:42:26

Plot file version 25 created 18-JAN-2013 13:09:19
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:42:34 to 00/14:43:58

Plot file version 26 created 18-JAN-2013 13:09:20
J2215-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied


Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:44:04 to 00/14:45:28

Plot file version 27 created 18-JAN-2013 13:09:20
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:47:27 to 00/14:48:27

Plot file version 28 created 18-JAN-2013 13:09:20
J2223-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:48:33 to 00/14:49:57

Plot file version 29 created 18-JAN-2013 13:09:21
J2215-29 RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

MC - YS   **3 - 7**

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

NT - YS   **4 - 7**

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

YS - HH   **7 - 10**

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:51:03 to 00/14:57:28

MC - YS   3 - 7

NT - YS   4 - 7

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/14:58:34 to 00/15:04:56

Plot file version 31 created 18-JAN-2013 13:09:24
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:05:04 to 00/15:06:28

Plot file version 32 created 18-JAN-2013 13:09:24
J2223-29   RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

MC - YS   3 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

NT - YS   4 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:06:34 to 00/15:07:58

Plot file version 33 created 18-JAN-2013 13:09:24
J2215-29 RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

MC - YS   3 - 7

NT - YS   4 - 7

YS - HH   7 - 10

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:08:04 to 00/15:09:26

Plot file version 34 created 18-JAN-2013 13:09:25
J2223-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

NT - YS   4 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:09:34 to 00/15:10:58

Plot file version 35 created 18-JAN-2013 13:09:25
J2215-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:11:04 to 00/15:12:28

Plot file version 36 created 18-JAN-2013 13:09:26
J2223-29 RSP07.UVDATA.1
**Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied**

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:12:34 to 00/15:13:56

Plot file version 37 created 18-JAN-2013 13:09:26
J2215-29 RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

NT - YS   4 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:14:04 to 00/15:15:28

Plot file version 38 created 18-JAN-2013 13:09:27
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

NT - YS   4 - 7

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR) IF 4(LR) IF 6(LR) IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:15:34 to 00/15:16:58

Plot file version 39 created 18-JAN-2013 13:09:27
J2215-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

NT - YS   4 - 7

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

YS - HH   7 - 10

IF 1(LR) IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:17:04 to 00/15:18:26

Plot file version 40 created 18-JAN-2013 13:09:27
J2223-29   RSP07.UVDATA.1
Freq = 4.9270 GHz, Bw = 16.000 MH   No calibration applied and no bandpass applied

MC - YS   3 - 7
NT - YS   4 - 7
YS - HH   7 - 10

IF 1(LR)   IF 2(LR)   IF 4(LR)   IF 6(LR)   IF 8(LR)

Lower frame: Milli Ampl Jy   Top frame: Phas deg
Scalar averaged cross-power spectrum   Several baselines displayed
Timerange: 00/15:18:34 to 00/15:19:58